Author Index to Volume 24

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 24, 1986. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abdel-Lattif, Z. H. See Moustafa, A. B., 3049C
Abe, K.
—; Sakamoto, H.; Itoh, Y.; Senoh, S.: Effect of Water-Soluble Polymers on Fusion of Egg Yolk and Soybean Phospholipid Liposomes, 3433C
—; Senoh, S.: Association of Copolymers of Methacrylic Acid and 4-Vinylpyridine in Comparison with an Intermacromolecular Complex of Poly(methacrylic Acid) with Poly(4-Vinylpyridine), 3461C
Abe, Y. See Hirotsu, T., 1953C
Abhiraman, A. S. See Desai, P., 135L; Yoon, K. J., 1665P
Achar, B. N.
—; Fohlen, G. M.; Parker, J. A.: Synthesis and Characterization of the Novel Type of Polymerizable Bisphthalonitrile Monomers, 1997C
Ackerman, J. L. See Beshah, K., 1207P
Adachi, T. See Torikai, A., 1413C
Adams, W. W. See Krause, S. J., 1991P
Agarwal, P. K. See Peiffer, D. G., 581L
Aglietto, M.
—; Cioni, L.; Ruggeri, G.; Taburoni, E.; Tomei, E.: Preparation and Structure of Polymers from Methoxy and Hydroxy Alkyl Phenyl Vinyl Ketones, 1337C
Aharoni, S. M.
—; Forbes, C. E.; Hammond, W. B.; Hindenlang, D. M.; Mares, F.; O'Brien, K.; Sedgwick, R. D.: High-Temperature Reactions of Hydroxyl and Carboxyl PET Chain End Groups in the Presence of Aromatic Phosphite, 1281C
Ajji, A.
—; Carreau, P. J.; Rudin, A.; Schreiber, H. P.: Chain Entanglement and Viscoelastic Properties of Molten Polymers, 1983P
Akbulut, U.
—; Toppare, L.; Yurttaş, B.: Electroinitiated Cationic Polymerization of Isoprene, 185L
Akcelrud, L.
—; Gomes, A. S.: Poly(methyl methacrylate-*g*-urethane). I. Synthesis, 2831C
—; Gomes, A. S.: Poly(methyl methacrylate-*g*-urethane). II. Thermal and Mechanical Behavior, 2845C
Akiyama, F.
Copolymerization of Cyclopentadiene with Sulfur Oxides formed by the Reduction of Sulfur Dioxide with Benzoin Carbanion. A New Method of Synthesis of Organic Polysulfide, 631L
Akiyama, K. See Nagai, K., 197C
Alamo, R. See Voight-Martin, I. G., 1283P
—; Mandelkern, L.: Origins of Endothermic Peaks in Differential Scanning Calorimetry, 2087P
Alberdi, J. M.
—; Alegría, A.; Macho, E.; Colmenero, J.: Relationship between Relaxation Time and Viscosity above the Glass-Transition in Two Glassy Polymers (Polyarylate and Polysulfone), 399L
Albert, B.
—; Jerome, R.; Teyssie, P.; Selb, J.: Investigation of Polymer Miscibility by Spectroscopic Methods. III. Labeling of Poly(Vinyl Chloride), Poly(Methyl Methacrylate) and Poly(styrene-co-acrylonitrile) with Fluorescent Chromophores for Nonradiative Energy Transfer Studies, 537C
—; Jerome, R.; Teyssie, P.; Baeyens-Volant, D.: Investigation of Polymer Miscibility by Spectroscopic Methods IV. How Far is Poly(Vinyl Chloride) Miscible with s-Poly(Methyl Methacrylate) and Poly(styrene-co-acrylonitrile)? An Answer from Nonradiative Energy Transfer, 551C
—; Jerome, R.; Teyssie, Ph.; Baeyens-Volant, D.: Investigation of Polymer Miscibility by Spectroscopic Methods V. Effect of Molecular Weight and Block Copolymerization of Syndiotactic Poly(methyl methacrylate) on Its Miscibility with Poly(vinyl chloride), 2577C
Alegría, A. See Alberdi, J. M., 399L
Allen, K. W.
Review of "Adhesion 10," 661L
Allison, B. D. See Tai, E. F., 567C
Altena, F. W. See Reuvers, A. J., 793P
—; Schroder, J. S.; Van de Hulst, R.; Smolders, G. A.: Thermoreversible Gelation of Cellulose Acetate Solutions Studied by Differential Scanning Calorimetry, 1725P
Amer, L. I. See Moustafa, A. B., 3049C
Ames, D. P. See Jean, Y. C., 1247P
Ando, T. See Kubota, S., 2047C
Ang, T. See Chien, J. C. W., 2217C
Antoun, S.
—; Gagnon, D. R.; Karasz, F. E.; Lenz, R. W.: Preparation and Electrical Conductivity of Poly(1,4-Naphthalene Vinylene), 503L
Anzal, J.-I.
—; Sasaki, H.; Ueno, A.; Osa, T.: Photoinduced Membrane Potential Changes. Bi-ionic Potential across Poly(vinyl chloride) Membranes Entrapping a Photoresponsive Bis(15-Crown-5) Derivative and the Effects of Photoirradiation, 681C
Arai, K.
—; Nakamura, Y.; Edwards, H. E.; Phillips, G. O.: Amino Acid End-Group in Commercial Heparin. I. Determination of the Number of Amino and Hydroxyl End Groups in Heparin, 911C
—; Nakamura, Y.; Edwards, H. E.; Phillips, G. O.: Amino Acid End-Group in Commercial Heparin. II. Reaction Kinetics of the Amino End Groups with 2,4,6-Trinitrobenzenesulfonic Acid, 1497C
—; Ogiwara, Y.: Effect of a Graft Polymerized Graft as a Spacer for an Insoluble Polymer Ligand (Note), 2027C
Aravindanath, S.
—; Sreenivasan, S.; Iyer, P. B.: Electron Diffraction Study of Cellulose IV, 207L
Arora, K. S.
—; Johnson, G. E.; Overberger, C. G.: Photophysical Properties of *N*-Acrylated Linear Polyethylenimine and Dehydroalanine Main-Chain Polymers Containing Carbazole or Pyrene Groups in Side Chains, 2275P
—; Overberger, C.G.: Carbazole Substituted *N*-Acylated Linear Polyethylenimines (PEI). Synthesis and Characterization of Poly [*N*-

(9-Carbazolyl)Acetylethylenimine] and Poly [*N*-(2-(9-Carbazolyl))Propanoylethylenimine], 37C
—; Overberger, C. G.: Synthesis and Characterization of Model Compounds For Carbazole-Substituted *N*-Acylated Linear Polyethylenimine (PEI). Synthesis and ^{1}H-NMR Spectra of *N*-Acylated Diethylamine and *N,N'*-Dimethyl-1,2-Ethanediamine Containing 9-Carbazolylacetyl, (*R,S*)- or (*R*)-2-(9-Carbazolyl)propanoyl Groups, 511C
—; Overberger, C. G.: Charge Transfer Association of Carbazole-Substituted N-Acrylate Linear Polyethylenimines and Tetracyanoethene (Note), 707P
Asai, K. See Hsu, C. C., 2379P
Asaid, A. See Usanmaz, A., 3263C
Audebert, R. See Charmot, D., 59L
Avakian, R. W. See Kambour, R. P., 2135P
Avramova, N.
—; Fakirov, S.: Cumulative Erasing Effect in the Melt Memory of Nylon 6, 761P

Babu, G. N. See Ramakrishna, M. S., 2107C
Baer, E. See Koltisko, B., 2167P
Baeyens-Volant, D. See Albert, B., 551C, 2577C
Bahar, I.
—; Erman, B.: Effect of Flow on Solutions of Rodlike Molecules, 1361P
Balakrishnan, T.
—; Kasilingam, E. K.: Kinetics of Polymerization of Vinyl Monomers Initiated by Lead Tetraacetate, 1747C
—; Subbu, S.: Kinetic Studies on the Radical Polymerization of Acrylamide Initiated by Mn^{3+}–Ethoxyacetic Acid Redox System, 2271C
Balasubramanian, M. See Swamikannu, A. X., 1455C
Ball, R. C. See McLeish, T. C. B., 1735P
Ballard, M. J.
—; Napper, D. H.; Gilbert, R. G.; Sangster, D. F.: Termination-Rate Coefficients in Methyl Methacrylate Polymerizations, 1027C
Ballistreri, A.
—; Garozzo, D.; Giuffrida, M.; Maravigna, P.; Montaudo, G.: Direct Mass Spectroscopy of Polymers. XIV. Thermal Fragmentation Processes in Poly-Schiff Bases, 331C
Banda, R. P. R. See Burford, R. P., 3563C
Banerjee, M.
—; Biswas, M.: N-Vinylcarbazole Polymerization by 3d-Transition Metal Ion Exchanged 13X Molecular Sieve: Dual Initiation Mechanism, 363L
Banhegyi, G.
—; Karasz, F. E.: The Effect of Adsorbed Water on the Dielectric Properties of $CaCO_3$ Filled Polyethylene Composites, 209P
Bannister, D. J. See Bell, S. E., 165L
Bao, Y. See Pitt, C. G., 13L
Bărboiu, V. See Simionescu, C. I., 851C
Barham, P. J.
—; Keller, A.: The Relationship between Microstructure and Mode of Fracture in Polyhydroxybutyrate, 69P
Barmawi, M. See Subowo, W. S., 1351C
Barness, I. See Kahana, N., 41L
Barnett, S. P. See Johncock, P., 2033C
Barooah, A.
—; Sun, C. K. J.; Chen, S. H.: Translational Diffusion of Polystyrene in 1, 4-Dioxane at Infinite Dilution Determined With the Extended Taylor Dispersion Method, 817P
Barua, B. M. See Takahashi, S.-I., 2981C
Basak, A. See Lenka, S., 3139C
Basheer, R. See Todesco, R. V., 1943C
Bass, R. G. See Sinsky, M. S., 2279C
Bauer, D. R.
—; Briggs, L. M.; Gerlock, J. L.: Energy Transfer in Polymers and Nitroxide Decay during Photolysis, 1651P
Bazuin, C. G.
—; Eisenberg, A.: Dynamic Mechanical Properties of Plasticized Polystyrene-Based Ionomers. I. Glassy to Rubbery Zone, 1137P
—; Eisenberg, A.: Dynamic Mechanical Properties of Plasticized Polystyrene-Based Ionomers. II. Melt Rheology, 1155P
—; Eisenberg, A.: Dynamic Melt Properties of Ionic Blends of Polystyrene and Poly(ethyl acrylate), 1021P
—; Eisenberg, A.: Dynamic Melt Rheology of Poly(styrene-co-vinylpyridine) and Their Methyl Iodine Salts, 1121P
Beach, D. L. See Kissin, Y. V., 1069C
Behari, K. See Gupta, K. C., 767C
Belfiore, L. A. See Patwardhan, A. A., 2473P
Bell, S. E.
—; Bannister, D. J.: Polymers with Alkoxy Side Groups from Poly(Butadiene) by Solvomercuration-Demercuration, 165L
Bell, V. L. See Havens, S. J., 901C
—; Young, P. R.: Isomeric Bismaleimides and Polyaspartimides, 2647C
Berliner, L. J.
—; Wan, X.; Fujii, H.: Non-Invasive Visualization of Solvent Swelling and Diffusion into Solid Polymers by Electron Spin Resonance (ESR) Imaging, 587L
Berman, D. H. See Weiner, J. H., 389P
Bersted, B. H. See Jacoby, P., 461P
Bertinelli, F.
—; Costa Bizzarri, P.; Della Casa, C.; Saltini, S.: Poly(*m*-phenylene disulfide): Antimony Pentafluoride Doping and Infrared Spectroscopy, 2197P
Beshah, K.
—; Mark, J. E.; Ackerman, J. L.; Himstedt, A.: Characterization of PDMS Model Junctions and Networks by Solution and Solid-State Silicon-29 NMR Spectroscopy, 1207P
Bevan, L.
—; Doell, W.; Koenczoel, L.: Micromechanics of a Craze Zone at the Tip of a Stationary Crack, 2433P
Bhanu, V. A. See Kishore, K., 379C
Bhattacharyya, R. See Pramanick, D., 2401C
Bhattacharyya, S. N.
—; Maldas, D.; Pandey, V. K.: Radiation-Induced Graft Copolymerization of *N*-Vinyl Carbazole and Methyl Methacrylate onto Cellulose Acetate Film, 2507C
Bhushan, B. See Vallat, M.-F., 2123P
Biçak, N. See Yağci, Y., 49L, 491L
Bigelow, R. W.
—; McGrane, K. M.: A MNDO Study of the Structural and Electronic Properties of Polysilane Model Compounds, 1233P
Biswas, M. See Banerjee, M., 363L
Biswas, S. See Ghosh, P., 1053C
Blackmon, K. P. See McCormick, C. L., 2619C, 2635C
Blum, F. D.
—; Durairaj, B.; Padmanabhan, A. S.: Solvent and Self-Diffusion. Polymer NMR Relaxation, and Free Volume in Polymer Solutions, 493P
Blumstein, A. See Ozcayir, Y., 1217C; Wu, P. P., 827P
—; Thomas, O.; Kumar, S.: Rheological Behavior of Thermotropic Flexible Main-Chain Polyesters Based on 4,4'-Dioxy-2,2'-Dimethyl Azoxybenzene Mesogens. I. Oscillatory Shear Behavior, 27P
Boenig, H. V.
Review of "Proceedings of the Second Annual International Conference of Plasma Chemistry and Technology," 660L
Boeva, R. S. See Vassilev, K. G., 3551C
Bopp, R. C. See Judovits, L. H., 2725P
Borisenkova, E. K. See Vinogradov, G. V., 1971P
Botta, A. See deCandia, F., 2145P
Boutevin, B.
—; Diaf, K. O.; Pietrasanta, Y.; Taha, M.: Synthesis of Block Cotelomers Involving a

Perfluorinated Chain and a Hydrophilic Chain. Part I. Use of Fluorinated Telogens with Trichloromethyl End Groups, 3129C
—; Diaf, K. O.; Pietrasanta, Y.; Taha, M.: Synthesis of Block Cotelomers Involving a Perfluorinated Chain and a Hydrophilic Chain. Part I. Use of Fluorinated Telogens with Trichloromethyl End Groups, 3325C
—; Mouanda, J.; Pietrasanta, Y.; Taha, M.: Synthesis of Block Cotelomers Involving a Perfluorinated Chain and a Hydrophilic Chain. II. Use of Fluorinated Telogens with Iodine or Thiol End Groups, 2891C
Bower, D. I.
—; Jarvis, D. A.; Ward, I. M.: Molecular Orientation in Biaxially Oriented Sheets of Poly(ethylene terephthalate). I. Characterization of Orientation and Comparison with Models, 1459P
—; Jarvis, D. A.; Lewis, E. L. V.; Ward, I. M.: Molecular Orientation in Biaxially Oriented Sheets of Poly(ethylene terephthalate). II. Correlation of Orientation Averages with Measured Mechanical Compliances, 1481P
Bowmer, T. N.
Infrared Spectroscopy of Ethylene-Vinyl Chloride Copolymers, 1631P
Boyd, R. H. See Wool, R. P., 1039P
Brandt, K. A.
—; Overberger, C. G.: Synthesis of Bis and Tris (dehydroalanine) Crosslinking Agents and Their Use in the Preparation of Hydrophilic Nucleic Acid Base Resins, 199L
—; Overberger, C. G.: Potentiometric and Viscosimetric Titration of Poly(*N*-Acyldehydroalanines) Containing Asymmetric Nucleic Acid Base Derivatives as Pendant Groups, 2815C
Braren, B.
—; Seeger, D.: Low Temperature UV Laser Etching of PMMA: On the Mechanism of Ablative Photodecomposition (APD), 371L
Bres, P. L. See Chien, J. C. W., 1967C, 2483C
Bretzlaff, R. S. See Wool, R. P., 1039P
Briggs, L. M. See Bauer, D. R., 1651P
Brown, C. E.
—; Kovacic, P.; Cody, R. B., Jr.; Hein, R. E.; Kinsinger, J. A.: Laser Desorption/Fourier Transform Mass Spectral Analysis of Heterocyclic Aromatic Polymers, 519L
—; Kovacic, P.; Wilkie, C. A.; Kinsinger, J. A.; Hein, R. E.; Yaniger, S. I.; Cody, R. B., Jr.: Polynuclear and Halogenated Structures in Polyphenylenes Synthesized from Benzene, Biphenyl, and *p*-Terphenyl under Various Conditions: Characterization by Laser Desorption/Fourier Transform Mass Spectrometry, 255C
—; Wilkie, C. A.; Smukalla, J.; Cody, R. B., Jr.; Kinsinger, J. A.: Inhibition by Red Phosphorus of Unimolecular Thermal Chain-Scission in Poly(Methyl Methacrylate): Investigation by NMR, FT-IR and Laser Desorption/Fourier Transform Mass Spectroscopy, 1297C
Brown, H. R.
—; Njoku, N. G.: The Effect of Plasticization on Craze Microstructure, 11P
Bugni, E. A.
—; Lachtermacher, M. G.; Monteiro, E. E. C.; Mano, E. B.; Overberger, C. G.: An Unusual Reaction Polymerization in Nitric Acid Medium, 1463C
Bulkin, B. J. See Do, C, H., 1657C; Kim, J. S., 1783P
Burford, R. P.
—; Banda, R. P. R.; Gallagher, M. J.; Sarroff, A.: Structural Analysis of Resin developed as an Adhesive for POLY(w-Aminoundecanoic Acid) (Note), 3563C
Burzynski, A.
—; Prasad, P. N.; Murthy, N. S.: Structure of the Iodine Columns in Iodinated Nylon-6, 133P
Busfield, W. K.
—; Morley-Buchanan, T.; Pomery, P. J.: Post-Gamma-Irradiation Grafting of Polypropylene. Part II. Butadiene: E.S.R. Experiments, 3089C
Butler, G. B. See Matsumoto, A., 2937C

Calahorra, M. E. See Eguiazàbal, J. I., 77L
Campanile, G. See Carfanga, C., 1805P
Camus, A. See Furlani, A., 991C
Capodanno, V. See Vittoria, V., 1009P
Carfanga, C.
—; Nicodemo, L.; Nicolais, L.; Campanile, G.: CO_2 Sorption in Uniaxially Drawn Atactic Polystyrene, 1805P
Carlsson, D. J. See Zhang, C., 453L
Carraher, C. E. See Gebelein, C. G., 661L
Carreau, P. J. See Ajji, A., 1983P
Carroll, F. I. See Degroot, A. W., 673C
Çaskey, J. A. See Tai, E. F., 567C
Čermák, V. See Lebduška, J., 777C
Cha, Y.
—; Kawasaki, M.; Tsunooka, M.; Tanaka, M.: Photocrosslinking of Polymers Bearing Epoxy or Epithio Groups by Quinones in the Solid State, 2927C
Chambers, J. Q. See Day, R. W., 645C
Chang, C.
—; Krimm, S.: Longitudinal Acoustic Mode in Polymers. VIII. Nature of Mass Perturbations in Terminally Brominated Paraffins, 1373P
Chang, M.
—; Colvin, M.; Rembaum, A.: Acrolein and 2-Hydroxyethyl Methacrylate Copolymer Microspheres, 603L
Chanzy, H. D.
—; Smith, P.; Revol, J.-F.: High-Resolution Electron Microscopy of Virgin Poly(tetrafluoroethylene), 557L
Chao, H. S.-I.
—; Policastro, P. P.: N-Trimethylsilyl-ε-Caprolactam: A Multifunctional Reagent for the Anionic Polymerization of ε-Caprolactam, 253L
Charmot, D.
—; Audebert, R.; Quivoron, C.: Synthesis of a Chiral Polymer based upor L-Proline Derivative of Vinylpyridine, 59L
Chatterjee, S. K.
—; Malhotra, A.; Yadav, D.: Influence of Preferential Solvation on the Interpolymer Complex Formation between Methacrylic Acid–methacrylamide Copolymer and Poly(vinyl Pyrrolidone), 2591C
Chee, K. K. See Ng, S. C., 691C
Chen, C. C. See Overberger, C. G., 75C, 167C
—; Milburn, M. V.; Overberger, C. G.: Solid State Suspension Polymerization of N-Vinyl-*t*-Butylcarbamate, 627L
Chen, H. See Ishizu, K., 1735C
Chen, J. P. See Kwei, T. K., 1597P
Chen, S. H. See Barooah, A., 817P
Chen, T.-T. See Litt, M., 3407C
Chen, Y.-S.
—; Cuculo, J. A.: Lyotropic Mesophase of Cellulose in Ammonia/Ammonium Thiocyanate Solution, 2075C
Chen, Y.-Y.
—; Oshima, R.; Hatanaka, K.; Uryu, T.: Ceric-Ion-Initiated Grafting of Methyl Methacrylate onto (1 → 5)-α-D-Ribofuranan and (1 → 5)-α-D-Xylofuranan, 1539C
Cheng, S. Z. D. See Grebowicz, J., 675P
—; Wunderlich, B.: Molecular Segregation and Nucleation of Poly(ethylene oxide) Crystallized from the Melt. I. Calorimetric Study, 577P
—; Wunderlich, B.: Molecular Segregation and Nucleation of Poly(ethylene oxide) Crystallized from the Melt. II. Kinetic Study, 595P

—; Wunderlich, B.: Heat Capacities and Entropies of Liquid, High-Meltage-Point Polymers Containing Phenylene Groups (PEEK, PC, and PET), 1755P
Chern, R. T. See Uragami, T., 779P
Cheswick, M. W. See Christensen, C. P., 1401P
Chi, M.-S. See Overberger, C. G., 3365C
Chiellini, E. See Giuffrida, M., 1643C
Chien, J. C. W.
—; Ang, T.: Magnesium Chloride-Supported High-Mileage Catalysts for Olefin Polymerization XI. Determinations of Poly(decene-1) Molecular Weight Chain Dimension and Thermal Transitions, 2217C
—; Bres, P.: Magnesium Chloride Supported High Mileage Catalysts for Olefin Polymerization. XIII. Effect of External Lewis Base on Ethylene Polymerization, 1967C
—; Bres, P. L.: Magnesium Chloride Supported High Mileage Catalysts for Olefin Polymerization. XII. Polymerization of Ethylene, 2483C
—; Kuo, C.-I.: Magnesium Chloride Supported High-Mileage Catalyst for Olefin Polymerization. IX. Molecular Weight and Distribution and Chain-Transfer Processes, 1779C
—; Kuo, C.-I.: Magnesium Chloride Supported High-Mileage Catalysts for Olefin Polymerization. X. Effect of Hydrogen and Catalytic Site Deactivation, 2707C
—; Lillya, C. P.; Xu, B.-B.: Acid-Catalyzed Degradation of Poly(2-butyl-1,3,6-trioxocane), 2903C
—; Zhou, M.-Y.: SN-Conducting Polymers with Heterocyclic Spacer Groups, 2947C
Chikashita, H. See Ouchi, T., 2059C
Chino, F. See Hayashi, S., 597L
Cho, I.
—; Kim, W.-T.: Exploratory Ring-Opening Polymerization. XII. Polymerization of Substituted Spiro[2,5]octa-4,7-diene-6-ones and Spiro[cyclopropane-1,4′-(1′-naphthalenone)], 109L
Cho, H. N. See Gal, Y. S., 2021C
Choi, S. K. See Gal, Y. S., 2021C; Lim, K. T., 645L
Choy, I.-C.
—; Plazek, D. J.: The Physical Properties of Bisphenol-A Based Epoxy Resins During and After Curing, 1303P
Christensen, C. P.
—; Harthcock, M. A.; Meadows, M. D.; Spell, H. L; Howard, W. L.; Cheswick, M. W.; Guerra, R. E.; Turner, R. B.: Model MDI/Butanediol Polyurethanes: Molecular Structures, Morphology, Physical and Mechanical Properties, 1401P
Chu, C. See Kambour, R. P., 2135P
Chu, V. P.
—; Overberger, C. G.: Nucleic Acid Base Grafted Polyethylenimine. Cytosyl Pendant Groups Synthesis and Characterization, 2657C
Chuang, H. K. See Wu, S., 143P
Chung, S. H.
—; Pathmanathan, K.; Johari, G. P.: An Analysis of the Secondary Relaxation in Isochronal Measurement of Glasses, 2655P
Chung, T.-S.
Fluid Behavior and Orientation Developments During Extrusion of Liquid-Crystal Polymeric Rods, 299L
Ciferri, A. See Takase, M., 1675P
Cioni, L. See Aglietto, M., 1337C
Clarke, T. C. See Koberstein, J. T., 2487P
Clas, S.-D.
—; Eisenberg, A.: Synthesis and Bulk Physical Properties of Styrene-alkoxide Ionomers. Part I: Sodium Salts of Polystyrene-co-4-hydroxystyrene, 2743P
—; Eisenberg, A.: Synthesis and Bulk Physical Properties of Styrene-alkoxide Ionomers. Part II: Sodium Salts of Polystyrene-co-4-Hydroxymethylstyrene, 2757P
—; Eisenberg, A.: Styrene-alkoxide Ionomers. Part III: Comparison with Other Styrene Ionomers, 2767P
Clements, J.
—; Humphreys, J.; Ward, I. M.: A Study of Molecular Motion in a Liquid-Crystalline Copolyester by Broad-Line Nuclear Magnetic Resonance, 2293P
Cody, R. B., Jr. See Brown, C.E., 255C, 519L, 1297C
Cohen, C. See Wei, G., 2703P
Cohen, R. E. See Drzewinski, M. A., 2457C
Colet, M. C. See Dosiere, M., 345P; Point, J. J., 357P
—; Point, J. J.; Dosiere, M.: Nucleation Controlled Growth, Observation on (110) Twinned Polyethylene Crystals, 1183P
Colmenero, J. See Alberdi, J. M., 399L
Colvin, M. See Chang, M., 603L
Conlon, D. A. See Crivello, J. V., 1197C, 1251C
Connell, J. W. See Sinsky, M. S., 2279C
Cooper, S. L. See Gibson, P. E., 885P; Yu, X., 2681P
Corneliusen, R. D. See Lustiger, A., 1625P
Cortàzar, M. M. See Eguiazàbal, J. I., 77L
Costa Bizzarri, P. See Bertinelli, F., 2197P
Cotts, P. M.
Solution Properties of Semirigid Polyquinolines. I. Size-Exclusion Chromatography with Light-Scattering Detection of Poly[2,2′-(*P*,*P*′-oxydi-*P*-phenylene) 6,6′-oxybis (4-phenylquinoline)], 1493P
—; Polyelectrolyte Effects in Low-Angle Light Scattering from Solutions of Polyamic Acid in Organic Solvents (Note), 923P
Coupin, G. See Khue, N. V., 359C
Coutinho, F. M. B.
—; Guimarães, M. J. O. C.; Gomes, A. S.: Polymerization of Methyl Methacrylate with Ceric Ion-Methanol Redox System, 2131C
—; Monteiro, A. P., 131L
—; Rezende, L. C.; Quijada, R.: Kinetic Study of the Reaction Between Hydroxylated Polybutadienes and Isocyanates. 1. Reaction with Tolylene Diisocyanate (TDI), 727C
—; Rezende, L. C.; Quijada, J. R.: Kinetic Study of the Reaction between Hydroxylated Polybutadienes and Isocyanates. II. Reaction with 3-Isocyanatomethyl-3,5,5-Trimethylcyclohexylisocyanate (IPDI) and Dimer Diacid Diisocyanate (DDI), 3021C
Cox, M. E.
—; Dunn, B.: Oxygen Diffusion in Poly(dimethyl Siloxane) using Fluorescence Quenching. I. Measurement Technique and Analysis, 621C
—; Dunn, B.: Oxygen Diffusion in Poly(dimethyl Siloxane) Using Fluorescence Quenching. II. Filled Samples, 2395C
Crandall, R. See Kaplan, S., 1173C
Craven, I. E. See Fujimori, K., 559C
Creswick, W. See Christenson, C. P., 1401P
Crivello, J. V.
—; Conlon, D. A.; Lee, J. L.: Polydimethylsiloxane–Vinyl Block Polymers. I. The Synthesis of Polydimethylsiloxane Macroinitiators Containing Thermolyzable Bis(Silyl Pinacolate) Groups in Their Backbones, 1197C
—; Lee, J. L.; Conlon, D. A.: Polydimethylsiloxane–Vinyl Block Polymers. II. The Synthesis and Characterization of Block Polymers by the Thermolysis of Polydimethylsiloxane Macroinitiators Containing Bis(silyl pinacolate) Groups, 1251C
Croucher, M. D. See Egan, L. S., 1895C
Cruz-Ramos, C. A. See Mora, M. A., 239P
Cuculo, J. A. See Chen, Y.-S., 2075C; Degroot, A. W., 673C
Czeremuszkin, G.
—; Wróbel, A. M.; Kryszewski, M.: Plasma Polymerization of Phenyl Isothiocyanate, 715C
Czerwinski, A. See Van Pham, C., 103L

Daly, J. H. See Garton, A., 2383C
Davis, R. M.
—; Russel, W. B.: On the Theory of Dilute Polyelectrolyte Solutions: Extensions, Refinements, and Experimental Tests, 511P
Day, R. W.
—; Karimi, H.; Francis, C. V.; Kinstle, J. F.; Chambers, J. Q.: Synthesis of Aliphatic Polyesters Containing Tetracyanoquinodimethane Units By Low-Temperature Polycondensation Reactions, 645C
De Abajo, J.
—; Guijarro, E.; Serna, F. J.; De La Campa, J. G.: Aromatic Polyisophthalamides with Oxybenzoyl Pendent Groups, 483C
DeCandia, F. See Vittoria, V., 1009P
—; Botta, A.; Vittoria, V.: The Effect of Drawing on the Glass Transition of Quenched Isotactic Polypropylene (Note), 2145P
Deffieux, A. See Naylor, D. M., 319L
Degroot, A. W.
—; Carroll, F. I.; Cuculo, J. A.: A ^{13}C-NMR Spectral Study of Cellulose and Glucopyranose Dissolved in the NH_3/NH_4SCN Solvent System, 673C
Dekoninck, J. M. See Godard, P., 3301C, 3315C
De La Campa, J. G. See De Abajo, J., 483C
De La Maza, M. P. See Tagle, L. H., 495C
Delgado, J.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Miniemulsion Copolymerization of Vinyl Acetate and Butyl Acrylate. I. Differences between the Miniemulsion Copolymerization and the Emulsion Copolymerization Processes, 861C
Della Casa, C. See Bertinelli, F., 2197P
Desai, P. See Yoon, K. J., 1665P
—; Abhiraman, A. S.: A Unique Deformation Phenomenon in Crystallizable Polymers, 135L
Deshpande, D. D. See Ramakrishna, M. S., 2107C
Dessouki, A. M. See Hegazy, E.-S. A., 1933C
Devaux, J. See Godard, P., 3301C, 3315C
Devlesaver, V. See Godard, P., 3301C, 3315C
Devon, M. J.
—; Rudin, A.: Monomer Chain Transfer in the Copolymerization of Styrene and Butyl Acrylate, 2191C
Dhal, P. K. See Ramakrishna, M. S., 2107C
Di Silvestro, G. See Sozzani, P., 815C
Diaf, K. O. See Boutevin, B., 3129C, 3325C
Diaz, F. R. See Tagle, L. H., 495C
Diaz-Calleja, R.
—; Riande, E.; Guzman, J.: Influence of Static Strain on Dynamic Mechanical Behavior of Amorphous Networks Prepared From Aromatic Polyesters, 337P
Dilks, A. See Kaplan, S., 1173C
Dimarzio, E. A. See Mansfield, M. L., 565L
Dimov, D. K. See Vassilev, K. G., 3551C
Dinan, F. J. See Kale, L. T., 3145C
Do, C. H.
—; Pearce, E. M.; Bulkin, B. J.; Reimschuessel, H. K.: Thermal Properties of Nylons Containing Carbonyl Groups, 1657C
Doell, W. See Bevan, L., 2433P
Domke, W.-D.
—; Steinke, H.: Oxidative Structures in Polyolefins: FT–IR Method of Quantitative Determination (Note), 2701C
Donners, W. A. B. See Pijpers, A. P., 653L
Dorset, D. L.
Electron Diffraction Structure Analysis of Expitaxially Crystallized *n*-Parafins, 79P
Dosiere, M. See Colet, M. C., 1183P; Point, J. J., 357P
—; Colet, M. C.; Point, J. J.: An Isochronous Decoration Method for Measuring Linear Growth Rates in Polymer Crystals, 345P
Dotcheva, D. T. See Tsvetanov, Ch. B., 2253C
Drapier, J.
—; Parla, D.; Moniotte, Ph.; Warin, R.; Hubert, A. J.; Teyssie, Ph.: Radical Addition to 2-Isopropenyl-5-Butoxyoxazole, 2185C
Dreval, V. E. See Vinogradov, G. V., 1971P
Dreyfuss, P. See Nevius, M., 2757C
Drzewinski, M. A.
—; Cohen, R. E.: Block Copolymers of Isotactic Polypropylene and 1,4-Polybutadiene, 2457C
Dunn, B. See Cox, M. E., 621C, 2395C
Durairaj, B. See Blum, F. D., 493P
Durning, C. J.
—; Rebenfeld, L.; Russel, W. B.; Weigmann, H. D.: Solvent-Induced Crystallization. I. Crystallization Kinetics, 1321P
—; Rebenfeld, L.; Russel, W. B.; Weigmann, H. D.: Solvent-Induced Crystallization. II. Morphology, 1341P
Duvdevani, I. See Peiffer, D. G., 581L
Dvornic, P. R.
Wholly Aromatic Polyamide-Hydrazides. IV. Structure–Property Relationships for Polymers Containing *p*-Phenylene and *m*-Phenylene Units, 1133C
Dybal, J.
—; Spěváček, J.; Schneider, B.: Ordered Structures of Syndiotactic poly(methyl Methacrylates) Studied by a Combination of Infrared, Raman, and NMR Spectrscopy, 657P

Ebara, K. See Sawamoto, M., 2919C
Ebe, S. See Matsuzawa, S., 477L
Ebisudani, K. See Inaki, Y., 3249C
Economy, J. See Volksen, W., 2117P
Eda, B.
—; Iwasaki, M.: An ESR Study of Radiation Damage of Bisphenol-A-Based Epoxy Resin at Low Temperature: Selective Hydrogen Addition to Benzene-Ring-Forming Cyclohexadienyl-Type Radical, 2119C
Edwards, H. E. See Arai, K., 911C, 1497C
Egan, L. S.
—; Wimmik, M. A.; Croucher, M. D.: Synthesis and Characterization of Fluorescently Labelled Poly(vinyl Acetate) Particles, 1895C
Eguiazàbal, J. I.
—; Calahorra, M. E.; Cortàzar, M. M.; Guzmàn, G. M.: Thermal Degradation of a Polyarylate Polymer, 77L
Eisenberg, A. See Bazuin, C. G., 1021P, 1121P, 1137P, 1155P; Clas, S.-D., 2743P, 2757P, 2767P
El-Aasser, M. S. See Delgado, J., 861C; Graillat, C., 427C; Sudol, E. D., 3499C, 3515C; Tseng, C. M., 2995C
El-Boohy, H. A. See Hegazy, E.-S. A., 1933C
El-Gamal, M. A. See Kandil, S. H., 2765C
El-Hamid, M. I. A. See Tawansi, A., 2631P
Elliott, D. L. See McCormick, C. L., 2619C
Endo, K.
—; Otsu, T.. Monomer-Isomerization Polymerization. XXI. Monomer-Isomerization Copolymerization of 3-Methyl-1-butene and 2-Pentene with Ziegler–Natta Catalyst, 1505C
—; Otsu, T.: Monomer-Isomerization Polymerization. XXII. Isomerization and Polymerization of Propenylbenzene with Various Ziegler–Natta Catalysts, 1615C
—; Tsujikawa, H.; Otsu, T.: Monomer-Isomerization Polymerization. XXIII. Monomer-Isomerization Polymerization of 5-Phenyl-2-Pentene with Ziegler–Natta Catalysts, 1633C
English, A. D.
Solution and Solid-State NMR Characteristics of Poly(*p*-phenylene terephthalamide), 805P
Enoki, T.
—; Sawamoto, M.; Higashimura, T.: Living Polymerization of Isobutyl Vinyl Ether by HI/I_2 Initiator in Polar Solvents, 2261C
Erman, B. See Bahar, I., 1361P
Etoh, S. See Kubota, S., 2047C
Everaerts, A.
—; Roberts, S.; Hall, H. K., Jr.: Synthesis and Properties of Semiconducting Aromatic Polyquinonediimes, 1703C

Evers, R. C.
—; Moore, G. J.: Thermooxidatively Stable Articulated Benzobisoxazole and Benzobisthiazole Polymers, 1863C

Faivre, J. P. See Pathmanathan, K., 1587P
Fakirov, S. See Avramova, N., 761P
Famili, A. See Farona, M. F., 3529C
Farona, M. F.
—; Thanedar, S.; Famili, A.: Studies on the Mechanism of Oligomerization of Alkynes by Group IVB Catalysts, 3529C
Farr, M. P.
—; Harrison, I. R.: A Study of Thermal Degradation Kinetics of H—H Poly(Vinylidene Chloride), 257L
Fayt, R. See Ouhadi, T., 973P
—; Jerome, R.; Teyssie, Ph.: Molecular Design of Multicomponent Polymer Systems. XII. Direct Observation of The Location of a Block Copolymer in Low-Density Polyethylene-Polystyrene Blends, 25L
Ferng, W. B. See Overberger, C. G., 3335C, 3349C, 3365C
Ferreira, D. See Young, D. A., 835C
Fetters, L. J. See Mays, J. W., 2553P
Figueroa, F. R. See Mulvaney, J. E., 147C, 613C
Fina, L. J.
—; Koenig, J. L.: Analysis of Trichroic Infrared Absorption in Solids. I. Description of Methods, 2509P
—; Koenig, J. L.: Analysis of Trichroic Infrared Absorption in Solids. II. One-Way Drawn Poly(ethylene terephthalate), 2525P
—; Koenig, J. L.; Gordon, W. L.: Analysis of Trichoic Infrared Adsorption in Solids. III. Phase I Poly(vinylidene fluoride), 2541P
Fiore, L. See Giannetti, E., 2517C
Fischer, E. W. See Fytas, G., 1859P; Murschall, U., 191L
Fitzgerald, J. J.
—; Kim, D.; Weiss, R. A.: The Effect of Diluents on the Ionic Interactions in Sulfonated Polystyrene Ionomers, 263L
Fleming, R. J. See Markiewicz, A., 1713P
Florjanczyk, Z.
—; Siudakiewicz, M.: Polymerization of Vinyl Monomers Initiated by Organoaluminium Compounds/Benzoyl Peroxide Systems, 1849C
Fohlen, G. M. See Achar, B. N., 1997C; 2415C
Forbes, C. E. See Aharoni, S. M., 1281C
Ford, W. T. See Gutierrez, M. H., 655C
Fornes, R. E. See Yang, F., 2609C
Francis, C. V. See Day, R. W., 645C
Frank, C. W. See Oyama, H. T., 1813P
Fried, J. R. See Su, A. C., 343L
Frisch, H. L. See Ghiradella, H., 1177P; Hess, W., 269L; Ika, P. V. S., 2297C
Frisch, K. C. See Ghiradella, H., 1177P; Ika, P. V. S., 2297C; Wong, S.-W., 2867C, 2887C
Fronk, W.
—; Wilke, W.: Reversible and Irreversible Variation of the Superstructure of Highly Oriented Low-Density Polyethylene During Heat Treatment, 839P
Fueki, K. See Torikai, A., 1413C
Fujie, H. See Ouchi, T., 2059C
Fujii, H. See Berliner, L. J., 587L
Fujii, M.
Ionic Dissociation of Ionene Polymers in Aqueous Solutions, 39P
Fujikawa, H. See Tanaka, Y., 177L
Fujiki, K. See Tsubokawa, N., 191C
Fujimori, K.
—; Craven, I. E.: Extent of Complex Participation in the Rate of Copolymerization of Styrene with Maleic Anhydride in Methyl Ethyl Ketone, 559C
Fujimoto, M. See Oishi, T., 1185C
Fujimoto, T. See Takahashi, S.-I., 2981C
—; Takahashi, S.-I.; Tsuji, M.; Miyamoto, T.; Inagaki, H.: Reaction of Cellulose with Formic Acid and Stability of Cellulose Formate, 495L
Fujishima, M. See Hirotsu, T., 1953C
Fujiwara, M. See Moro, K., 2403P
Fujiwara, Y.-I. See Higashi, F., 589C
Fukada, T. See Jimbo, M., 909P
Fukami, A. See Kubota, S., 2047C
Fukuhara, K. See Matsuura, H., 1383P
Fukuhara, M. See Shimada, I., 1989C; Takahagi, T., 3101C
Fukunaga, S.-I. See Inaki, Y., 119C
Fukutomi, T. See Ishizu, K., 607L, 1441C, 1735C
Funamoto, H. See Matsumoto, A., 2937C
Funt, B. L.
—; Peters, E. M.; Van Dyke, J. D.: Preparation of Conducting Copolymers by Oxidative Electropolymerization of 2,2'-Bithiophene with Pyrrole, 1529C
Furlani, A.
—; Licoccia, S.; Russo, M. V.; Camus, A.; Marsich, N.: Rhodium and Platinum Complexes as Catalysts for the Polymerization of Phenylacetylene, 991C
Furuhata, K.
—; Yokoawa, T.; Seoul, C.; Miyasaka, K.: Drawing of Ultrahigh-Molecular-Weight Polyethylene Single-Crystal Mats: The Crystallinity, 59P
Furukawa, M.
—; Yokoyama, T.: Characterization of Polyurethane Network Chains by Gel Permeation Chromatography, 3291C
Fytas, G. See Ngai, K. L., 1683P
—; Wang, C. H.; Fischer, E. W.; Mehler, K.: Evidence of Two Relaxation Processes in the Photon Correlation Spectra of Poly(methyl methacrylate) above T_g, 1859P

Gabrys, B. See Nyström, B., 273L
Gagnon, D. R. See Antoun, S., 503L; Granier, T., 2793P
Gal, Y. S.
—; Cho, H. N.; Choi, S.K.: Polymerization of 2-Ethynylthiophene by WCl_6- and $MoCl_5$-Based Catalysts (Note), 2021C
Gallagher, M. J. See Burford, R. P., 3563C
Galvan, R.
—; Tirrell, M.: On the Average Sequence Length in Copolymers (Note), 803C
Gancarz, I. See Koberstein, J. T., 2487P
Garcia, D.
Blends of a Chlorinated Poly(vinyl chloride) with a Polyurethane, 1577P
Gardella, J. A., Jr.
—; Hook, T. J.; Schmitt, R. L.: Comment on "Quantitative Determination of the Surface Composition of Acrylate Copolymer Latex Films by XPS (ESCA)," 649L
Garg, S. N. See Misra, A., 983P, 999P
Gargallo, L. See Rios, H., 2421P
Garnett, J. L.
—; Jankiewicz, S. V.; Long, M. A.: Inorganic Salts as Additives in Accelerating the Photografting of Styrene to Cellulose and Polyethylene, 125L
Garozzo, D. See Ballistreri, A., 331C
Garton, A. See Stevenson, W. T. K., 717P
—; Daly, J. H.; Stevenson, W. T. K.; Wiles, D. M.: The Crosslinking of Epoxy Resins at Interfaces. III. At a Carbonized Polyacrylonitrile Surface, 2383C
Gaughan, R. G.
—; Hill, H. W., Jr.; Inda, J. E.: Preparation and Properties of the Polyester Made from 2,2-Bis(4-Hydroxycyclohexyl)propane and Adipic Acid, 419C
Gaur, U. See Judovits, L. H., 2725P
Gazicki, M.
—; Surendran, G.; James, W.; Yasuda, H.: Polymerization of Para-Xylylene Derivatives (Parylene Polymerization). III. Heat Effects during Deposition of Parylene *N* at Different Temperatures, 215C
Gebelein, C. G.
—; Carraher, C. E., Jr.: Review of "Review of Polymeric Materials in Medication," 661L

Geil, P. H. See Hsu, C. C., 2379P
Geiss, R. See Volksen, W., 2117P
Gerlock, J. L. See Bauer, D. R., 1651P
Gervasini, A. See Sozzani, P., 815C
Ghatge, N. D.
—; Jadhav, J. Y.; Shinde, B. M.; Misra, B. M.: Preparation of Silicon-Containing Polymers IV. Thermally Stable Organosilicon Poly-1,2,4-Triazoles, 103C
Ghiradella, H.
—; Ika, P. V. S.; Frisch, H. L.; Frisch, K. C.: Phase Morphological Characteristics of Two Polydiacetylene/Epoxy Resin Interpenetrating Polymer Networks (Note), 1177P
Ghosh, M. See Ray, S. S., 603C
Ghosh, P.
—; Biswas, S.; Niyogi, U.: Photopolymerization of Methyl Methacrylate Using a Combination of Rhodamine 6G and Benzoyl Peroxide as Photoinitiator in Nonaqueous Media, 1053C
Giannetti, E.
—; Mazzocchi, R.; Fiore, L.; Visani, F.: High Conversion Free-Radical Suspension Polymerization: End Groups in Poly(methyl Methacrylate) and Their Influence on the Thermal Stability, 2517C
Gibson, P. E. See Yu, X., 2681P
—; Van Bogart, J. W. C.; Cooper, S. L.: Small-angle X-Ray Scattering Studies of Thermally-Induced Morphological Changes in Segmented Polyurethane Elastomers, 885P
Gilbert, R. D. See Yang, F., 2609C
Gilbert, R. G. See Ballard, M. J., 1027C
Ginley, D. S. See Shelnutt, J. A., 1717C
Gitsov, I. See Rashkov, I. B., 155C
Giuffrida, M. See Ballistreri, A., 331C
—; Maravigna, P.; Montaudo, G.; Chiellini, E.: Thermal Decomposition Mechanisms of Sequential Bipolyesters Based on Propeneglycol and Hydroxybenzoic/Phthalic Diacid Derivatives, 1643C
Glatzhofer, D. T. See Longone, D. T., 1725C
—; Longone, D. T.: Extended Cooperative Electronic Effects in Poly((*E*,*E*)-[6.2]paracyclophane-1,5-diene), 947C
Godard, P.
—; Dekoninck, J. M.; Devlesaver, V.; Devaux, J.: Molten Bisphenol-A Polycarbonate-Poly(Ethylene Terephthalate) Blends. I. Identification of the Reactions, 3301C
—; Dekoninck, J. M.; Devlesaver, V.; Devaux, J.: Molten Bisphenol-A Polycarbonate—Poly(ethylene Terephthalate) Blends. II. Kinetics of the Exchange Reaction, 3315C
Goldman, M. See Naé, H. N., 1239C
Gomes, A. S. See Akcelrud, L., 2831C, 2845C; Coutinho, F. M. B., 2131C; Monteiro, A. P., 131L
Gonsalves, K. See Zhan-ru, L., 347C
Gonsalves, K. E.
—; Rausch, M. D.: Anionic Polymerization of Ethylene Oxide by Organolithium-TMEDA Reagents, 1419C
—; Rausch, M. D.: Segmented Poly(ether Urethane) Films Containing Ferrocene Units in the Hard Segments, 1599C
Gonzalez, V. A. See Rensch, G. J., 1943P
Gooden, R.
—; Hellman, M. Y.; Winslow, F. H.: Thermal Oxidation of Poly(ethylene-co-carbon monoxide) and Polyethylene, 3191C
Goodman, I.
Review of "Developments in Block Copolymers-2," 662L
Gopal, J.
—; Srinivasan, M.: A Brief Report on Novel Polyazobenzoxazinones, 1577C
—; Srinivasan, M.: Preparation and Properties of Polyazo Schiff-Bases, 2789C
Gordon, W. L. See Fina, L. J., 2541P
Göritz, D.
Thermodynamics of Linear Reversible Deformation, 1839P
Goydan, R. See Wentworth, S. E., 159L
Graessley, W. See Mays, J. W., 2553P
Graff, S. See Lotz, B., 2017P
Graillat, C.
—; Pichot, C.; Guyot, A.; El Aasser, M. S.: Inverse Emulsion Polymerization of Acrylamide. I. Contribution To The Study of Some Mechanistic Aspects, 427C
Granier, T.
—; Thomas, E. L.; Gagnon, D. R.; Karasz, F. E.; Lenz, R. W.: Structure Investigation of Poly(*p*-Phenylene Vinylene), 2793P
Gray, D. G. See Laivins, G. V., 2779P
Grayson, M. A.
An improved Method of Correcting Diffusion Coefficients from Gravimetric Data for Edge Effects, 1747P
Grebowicz, J.
—; Cheng, S. Z. D.; Wunderlich, B.: Kinetics of Transitions Involving Condis Crystals, 675P
Green, P. F. See Mills, P. J., 1P
Grinshpun, V.
—; Rudin, A.; Russell, K. E.; Scammell, M.: Long-Chain Branching Indices from Size-Exclusion Chromatography of Polyethylenes (Note), 1171P
Guenet, J. M.
—; McKenna, G. B.: The Concentration Dependence of the Compression Modulus of Isotactic Polystyrene/*Cis*-Decalin Gels, 2499P
Guerra, R. E. See Christensen, C. P., 1401P
Guijarro, E. See De Abajo, J., 483C
Guimarães, M. J. O. C. See Coutinho, F. M. B., 2131C
Gupta, K. C.
—; Behari, K.: Cerium (IV)-2-Chloroethanol Redox-Pair Initiated Polymerization of Acrylamide in Aqueous Medium, 767C
Gutierrez, M. H.
—; Ford, W. T.: The Glass-to-Gel Transition in Solvent-Swollen Polystyrene Networks, 655C
Guttman, C. M. See Mansfield, M. L., 565L
Guyot, A. See Graillat, C., 427C; Spitz, R., 1753C
Guzmán, G. M. See Eguiazábal, J. I., 77L
Guzman, J. See Diaz-Calleja, R., 337P; Riande, E., 2805P

Hacker, H. See Takase, M., 1115P, 1675P
Haddock, T. See Krause, S. J., 1991P
Hadichristidis, N. See Mays, J. W., 2553P
Hagiwara, T. See Iwata, K., 1043C
Hakemi, H.
Concentration Dependence of Diffusion Coefficient in a Thermotropic Polymer-Diluent Mixture, 377L
The Effect of Surface Treatment on the Alignment and Phase Transition of a Polypeptide Liquid Crystal, 2445P
Hall, H. K., Jr. See Everaerts, A., 1703C; Ito, H., 955C; Padias, A. B., 1675C
Hamada, T. See Numasawa, N., 19P
Hamano, H. See Lim, Y. J., 503C
Hammond, W. B. See Aharoni, S. M., 1281C
Hanabusa, K.
—; Kato, K.; Shirai, H.; Hojo, N.: Synthesis of Poly(α-amino acid) on the Surface of Functional Reversed Micelle, 311L
Harashima, S. See Watanabe, S., 1227C
Hardy, B. J. See Shah, V. M., 2033P
Harris, D. H. See Paciorek, K. J. L., 173C
Harris, J. M. See Shafer, S. G., 375C
Harrison, I. R. See Farr, M. P., 257L; Kifle, Z., 633P
Harruna, I. See Polk, M. B., 931C
Harthcock, M. A. See Christensen, C. P., 1401P
Hartmann, B.
—; Warfield, R. W.: Electrical Resistivity Correlation in Rigid and Plasticized Polymers, 877P
Hasegawa, M.
—; Kato, S.; Yonezawa, N.; Saigo, K.: Crystalline State Photopolymerization of Unsymmetrically Substituted Ethyl Methyl 1,4-Phenylenediacrylate, 153L

Hashimoto, Y. See Inagaki, N., 447L
Hatanaka, K. See Chen, Y.-Y., 1539C
Haudin, J. M. See Navard, P., 189P
Havens, S. J.
—; Bell, V. L.: Methylene-Bridged Aromatic Polyesters. Synthesis, Characterization, and Radiation-Induced Crosslinking, 901C
Havlíček, I.
—; Nicolais, L.: Influence of the Configurational Properties of Polymers on the Molecular Weight Dependence of Polymer Melt Viscosity in the Low-Molecular-Weight Region, 541L
Hayashi, J. See Yaginuma, Y., 327L
Hayashi, S.
—; Chino, F.; Suyama, K.; Hirai, T.: Temperature Effect of Color Complexation between Poly(Vinyl acetate) Latex Particles and Iodine-Iodide, 597L
Hedrick, J. L.
—; Mohanty, D. K.; Johnson, B. C.; Viswanathan, R.; Hinkley, J. A.; McGrath, J. E.: Radiation Resistant Amorphous-All Aromatic Polyarylene Ether Sulfones: Synthesis, Characterization, and Mechanical Properties, 287C
Hegazy, E.-S. A.
—; Dessouki, A. M.; El-Boohy, H. A.: Radiation-Induced Graft Polymerization of Acrylamide I. Preparation Conditions and Gel Determination for Polyethylene-Grafted Films, 1933C
Heiberger, C. A. See Nass, L. I., 660L
Heilmann, S. M. See Rasmussen, J. K., 2739C
—; Rasmussen, J. K.; Krepski, L. R.; Smith, H. K. II: Chemistry of Alkenyl Azlactones. VII. Preparation and Properties of Multiazlactones Derived from Mercaptan-Functional Compounds and Oligomers, 1C
Hein, R. E. See Brown, C. E., 255C, 519L
Hellman, M. Y. See Gooden, R., 3191C
Helminiak, T. E. See Krause, S. J., 1991P
Hendra, P. J.
—; Taylor, M. A.; Willis, H. A.: Shear-Induced Structure in Flowing Polymer Melts, 83L
Hennecke, M. H.
Influence of the Rotational Mobility of Probe Molecules on their Orientation Factors, 111P
Hergenrother, P. M. See Sinsky, M. S., 2279C
Herkt-Maetzky, Ch. See Murschall, U., 191L
Herman, R. M. See Kifle, Z., 633P
Hess, W.
—; Frisch, H. L.: Polymer Self-Diffusion in a Mixture and a Gel, 269L
Hester, R. D. See Lundy, C. E., 1829C
Higashi, F.
—; Fujiwara, Y.-I.; Yamada, Y.: Direct Polyesterification Promoted by a Complex of Phosphorus Oxychloride with LiCl Monohydrate, 589C
—; Mashimo, T.: Direct Polycondensation of Hydroxybenzoic Acids with Thionyl Chloride in Pyridine, 1697C
—; Mashimo, T.; Takahashi, I.: Preparation of Aromatic Polyesters by Direct Polycondensation with Thionyl Chloride in Pyridine, 97C
—; Nishi, T.: Direct Polyamidation with Thionyl Chloride in *N*-Methyl-pyrrolidone, 701C
—; Nishi, T.: Preparation of Polyamides and Polyesteramides by the Direct Polycondensation with Tosyl Chloride and N-Methylimide (Note), 187C
—; Ozawa, M.; Mochizuki, A.: Synthesis of Soluble Aromatic Polyesteramides by Stepwise Copolycondensation of Bisphenols and Aromatic Diamines with Diphenyl Chlorophosphate in Pyridine, 637C
Higashimura, T. See Enoki, T., 2261C; Isobe, E., 1839C; Masuda, T., 809C; Sawamoto, M., 2919C; Tanizaki, A., 87C; Yoshimura, T., 3559C
Higgins, J. S. See Nyström, B., 273L
Hill, H. W., Jr. See Gaughan, R. G., 419C
Hiltner, A. See Koltisko, B., 2167P
Himstedt, A. See Beshah, K., 1207P
Hindenlang, S. M. See Aharoni, S. M., 1281C
—; Benzotriazole Stabilisers: Structure Elucidation of Photolytic Discoloration Products by Mass Spectrometry (Note), 1721C
Hinkley, J. A. See Hedrick, J. L., 287C
Hirai, T. See Hayashi, S., 597L
Hirao, H. See Inagaki, N., 595C
Hiraoka, K.
—; Yokoyama, T.: Volumetric Properties of Water-Poly(acrylic acid) Salt Systems from the Pure Solid to Highly Concentrated Solutions, 769P
Hirose, T. See Kamiya, Y., 535P, 1525P
—; Mizoguchi, K.; Kamiya, Y.: Dilation of Polyethylene by Sorption of Carbon Dioxide, 2107P
Hirotsu, T.
—; Katoh, S.; Sugasaka, K.; Sakuragi, M.; Ichimura, K.; Suda, Y.; Fujishima, M.; Abe, Y.; Misonoo, T.: Synthesis of Dihydroxamic Acid Chelating Polymers and the Adsorptive Property for Uranium in Sea Water, 1953C
Hjertberg, T.
—; Sörvik, E. M.: Polymerization of Vinyl Chloride at Reduced Monomer Accessibility. III. Polymerization Kinetics and Molecular Structure Using PVC Latex as Seed, 1313C
Ho, K. W.
Ozonation of Hydrocarbon Diene Elastomers: A Mechanistic Study, 2467C
Hodgkin, J. H.
Linear Aminophenol Polymers Using The Mannich Reaction, 3117C
Hojo, N. See Hanabusa, K., 311L
Holoubek, J.
—; Lednický, F.; Mikeš, J.; Sedláiček, B.: Light Scattering by Optically Heterogeneous Materials: Structural Aspects of Dichromatic Laser Speckle Patterns, 1823P
Hook, T. J. See Gardella, J. A., Jr., 649L
Hopfenberg, H. B. See Uragami, T., 779P
Horino, K. See Jimbo, M., 909P
Horrion, J.
—; Jerome, R.; Teyssie, Ph.: Halato-Telechelic Polymers. 12. Block Copolymerization of Polystyrene and Polybutadiene via Ionic Interactions, 69L
Hosaka, Y. See Ouchi, T., 2599C
Hosokawa, T. See Takagishi, T., 3423C
Hou, X.-H.
—; Kaneko, M.; Yamada, A.: Quenching of Photo-Excited State of Copolymer Pendant $Ru(bpy)_3^{2+}$ Complexes with Methylviologen, 2749C
Howard, W. L. See Christensen, C. P., 1401P
Hoyle, C. E.
—; Kim, K.-J.: Photolysis of Aromatic Diisocyanate-Based Polyurethanes in Solution, 1879C
Hrusa, C. See Ito, H., 955C
Hsieh, B. R. See Litt, M., 3407C
Hsiue, G.-H. See Swamikannu, A. X., 1455C
Hsu, C. C.
—; Geil, P. H.; Miyaji, H.; Asai, K.: Structure and Properties of Polypropylene Crystallized from the Glassy State, 2379P
Hsu, S. L. See Wu, P. P., 827P
Huang, B. See Ma, J., 2853C
Hubert, A. J. See Drapier, J., 2185C
Hudgin, D. E. See Semsarzadeh, M. A., 545L
Humphreys, J. See Clements, J., 2293P

Ichimura, K. See Hirotsu, T., 1953C
Iesako, H. See Ochi, M., 251P, 1271P
Iijma, S.-I
—; Tanaka, Y., 177L
Iizawa, T. See Nishikubo, T., 1097C, 1685C
Ika, P. V. S. See Gidradella, H., 1177P
—; Frisch, H. L.; Walters, G. R.; Painter, P. C.; Frisch, K. C.: Crosslinked Polydiacetylene and Its Two- and Three-Component

Interpenetrating Polymer Networks (IPNs), 2297C
Ikeda, S. See Jimbo, M., 909P
Ikemoto, I. See Toi, K., 121P
Imachi, M.
Effect of Bonding Temperature on The Interfacial Bonding Strength of Polyethylene/Polypropylene and Other Polymers, 537L
Imai, K.
—; Shiomi, T.; Oda, N.; Otsuka, H.: Effect of Solvent for Vinyl Acetate Polymerization on Microstructure of Poly(Vinyl Alcohol), 3225C
Imai, Y. See Kakimoto, M.-A., 1511C; Maruyama, Y., 3545C
Imamura, N. See Nate, K., 1551C
Imono, S. See Tsunooka, M., 317C
Imoto, M. See Fujimoto, T., 495L; Ouchi, T., 2599C
Inagaki, H. See Fujimoto, T., 495L, Takahashi, S.-I., 2981C
Inagaki, N.
—; Hashimoto, Y.: Sn-Containing Plasma Films Applicable for Gas Sensor Devices, 447L
—; Hirao, H.: Plasma Polymerization of Phenylsilane, 595C
—; Kawai, H.: Gas Separation Membranes Plasma-Polymerized from Perfluoromethylcyclohexane/Methane Mixture, 3381C
—; Oh-ishi, K.: Preparation of Plasma-Films Containing Carboxylate Anions by Hydrolysis with Octylbromide, 1433C
Inaki, Y.
—; Ebisudani, K.; Takemoto, K.: Functional Monomers and Polymers. CXXXII Template Polymerization of Methacrylamide Derivatives Containing Nucleic Acid Bases, 3249C
—; Fukunaga, S.-I.; Suda, Y.; Takemoto, K.: Functional Monomers and Polymers. CXIX. Synthesis and Photochemical Reaction of Polymethacrylate Derivative Containing 6-Cyanouracil, 119C
—; Sugita, S.-I.; Takahara, T.; Takemoto, K.: Functional Monomers and Polymers. CXXXI. Synthesis and Interaction Studies on Polyacrylamide and Polymethacrylamide Derivatives Containing Nucleic Acid Bases, 3201C
Inda, J. E. See Gaughan, R. G., 419C
Inoi, T. See Ouchi, T., 2059C
Inoue, T. See Komatsu, M., 303P
Ise, H. See Suto, S., 1515P
Ishida, H. See Nguyen, H. X., 1079P; Shirai, M., 119L
Ishihara, K.
—; Matsui, K.: Glucose-Responsive Insulin Release from Polymer Capsule, 413L
Ishihara, T. See Yoshimura, T., 3559C
Ishikawa, M. See Nate, K., 1551C
Ishitani, A. See Shimada, I., 1989C; Takahagi, T., 3101C
Ishitobi, W. See Ogawa, T., 109C
Ishizu, K.
—; Kuwabara, S.; Chen, H.; Mizuno, H.; Fukutomi, T.: Kinetics of Crosslinking Reactions. 1. Reaction Rate of Intramolecular Crosslinkings by Using a Soluble Microgel, 1735C
—; Murakami, A.; Fukutomi, T.: Charge Mosaic Membranes: Microdomain Fixing of (Polystyrene–Poly-4-Vinylpyridine) Sequential Copolymers Prepared by Macromonomer Methods, 1441C
—; Nunomura, M.; Fukutomi, T.: Kinetics of Crosslinking Reactions. 3. Solvent Effects on Reaction Rates of Intermolecular and Intramolecular Crosslinkings Using a Microgel, 607L
Isobe, E.
—; Masuda, T.; Higashimura, T.; Yamamoto, A.: Polymerization of 1-(Trimethylsilyl)-1-propyne Homologs Containing Two Silicon Atoms by Tantalum- and Niobium-Based Catalysts, 1839C
Isoda, S. See Kochi, M., 1441P, 1619P
Ito, H.
Solid-State Thermolysis of Poly(*p*-*t*-Butoxycarbonyloxystyrene) Catalyzed by Polymeric Phenol: Effect of Phase Separation, 2971C
—; Hrusa, C.; Hall, H. K., Jr.; Padias, A. B.: Chain Scission Efficiency and Reactive-Ion Etch Resistance of Alternating Copolymers of Styrene and Olefins Trisubstituted or Tetrasubstituted with Electron-Withdrawing Groups, 955C
Ito, K. See Matsuyama, K., 2425C
Ito, M.
—; Shioda, H.; Tanaka, K.: Chain Orientation of Electrochemically Polymerized Polythiophene Films, 147L
Ito, T. See Toi, K., 121P
Ito, Y. See Katsuta, M., 463L
Itoh, Y. See Abe, K., 3433C
Ittel, S. D.
—; Mulhaupt, R.; Klabunde, U.: Vapor Synthesis of High-Activity Catalysts for Olefin Polymerization, 3447C
Iwasaki, M. See Eda, B., 2119C
Iwata, K.
—; Hagiwara, T.; Matsuzawa, H.: Photocrosslinkable Polyesters with Conjugated Double Bonds: Reciprocity Effect in Laser Recording, 1043C
Iyer, P. Bhama. See Aravindanath, S., 207L

Jacoby, P.
—; Bersted, B. H.; Kissel, W. J.; Smith, C. E.: Studies on the β-Crystalline form of Isotactic Polypropylene, 461P
Jadhav, J. Y. See Ghatge, N. D., 103C
Jain, R. K. See Zoller, P., 687P
Jamaludin, M. See Shaffer, T. D., 15C
James, W. See Gazicki, M., 215C
Jang, C. H.
—; Kim, J. R.; Ree, T.: Non-Newtonian Viscosity of Polypeptides in the Helix–Coil Transition Region, 3171C
Jang, Y. T.
—; Phillips, P. J.: Dielectric Relaxation Studies of Dipolar Aromatics in Polyethylene. I. Spherulitic Low-Density Polyethylene, 1259P
Jankiewicz, S. V. See Garnett, J. L., 125L
Jantas, R.
—; Połowiński, S.: Synthesis, Polymerization, and Copolymerization of Multimethacrylate in Matrix of Poly(vinyl alcohol), 1819C
Jarvis, D. A. See Bower, D. I., 1459P, 1481P
Jasse, B. See Theodorou, M., 2643P
Jean, Y. C.
—; Sandreczki, T. C.; Ames, D. P.: Positronium Annihilation in Amine-Cured Epoxy Polymers, 1247P
Jellinek, H. H. G.
—; Wei, Y. C.: Diffusion of CO^{2+} Catalysts from Cu-Oxide/Polymer Interfaces into Isotactic Polypropylene, 503P
—; Wei, Y. C.: Evolution of H_2O and CO_2 During the Copper-Catalyzed Oxidation of Isotactic Polypropylene, 389C
Jerome, R. See Albert, B., 537C, 551C, 2577C; Fayt, R., 25L; Horrion, J., 69L; Ouhadi, T., 973P
Ji, A. See Lu, C. X., 269C, 525C
Jimbo, M.
—; Fukada, T.; Takeda, H.; Suzuki, F.; Horino, K.; Koyama, K.; Ikeda, S.; Wada, Y.: Ferroelectric Switching Characteristics of 73/27 Copolymer of Vinylidene Flouride and Trifluoroethylene, 909P
Johari, G. P. See Chung, S. H., 2655P; Pathmanathan, K., 1587P
—; Monnerie, L.: Dielectric Relaxation in the Liquid and Glassy States of 47%

Polypropylene Oxide in Toluene as Diluent, 2049P
Johncock, P.
—; Barnett, S. P.; Rickard, P. A.: Preparation and Some Properties of 2,2,6,6-Tetrahydryl-*F*-Heptanedioic Acid and its Polyester with 1,1,5,5-Tetrahydryi-*F*-1,5-Pentanediol, 2033C
Johnson, B. C. See Hedrick, J. L., 287C
Johnson, G. E. See Arora, K. S., 2275P
Jokei, S. See Ouchi, T., 2059C
Jones, G. A. See Starkweather, H. W., Jr., 1509P; Zoller, P., 1451P
Jones, J. A.
—; Ottenbrite, R. M.: Preparation and Structural Characterization of Poly(4-vinylphenyl-acetate-co-maleic anhydride), 1487C
Jones, M. B. See Rolando, T. E., 233L
Jones, P. L. See Lind, J. H., 3033C
Jonza, J. M.
—; Porter, R. S.: High-Melting Bisphenol-A Polycarbonate from Annealing of Vapor-Induced Crystals, 2459P
Joshi, K. A. See Nevrekar, N. B., 3491C
Judovits, L. See Kirkpatrick, D. E., 45P
Judovits, L. H.
—; Bopp, R. C.; Gaur, U.; Wunderlich, B.: The Heat Capacity of Solid and Liquid Polystyrene, *p*-Substituted Polystyrenes, and Crosslinked Polystyrenes, 2725P
Jung, L. See Khue, N. V., 359C

Kahana, N.
—; Barness, I.; Posner, G. H.: Catalytic and Enantioselective Ester Hydrolysis by a Modified Polyethylenimine, 41L
Kakade, S. D. See Panda, S. P., 403L
Kakimoto, M.-A. See Maruyama, T. V., 3545C
—; Negi Y. S.; Imai, Y.: Synthesis and Characterization of Aromatic Polyesters and Polyamide-Esters from Bisphenols and Aromatic Aminophenols, and 2,5-Bis(4-chloroformyl)-3,4-diphenylthiophene, 1511C
Kakugo, M.
—; Sadatoshi, H.; Yokoyama, M.: Transmission Electron Microscopy of Saturated Rubber Modified Polymer Systems, 171L
Kale, L. T.
—; O'Driscoll, K. F.; Dinan, F. J.; Uebel, J. J.: A Reinvestigation off the Reported H-NMR Spectra of Poly(styrene-co-methyl methacrylate) (Note), 3145C
Kamachi, M. See Miyata, M., 457L
—; Tanaka, K.; Kuwae, Y.: ESR Studies on Radical Polymerization of Vinyl Ethers, 925C
Kamal, M. See Bazuin, C. G., 1155P
Kambe, H. See Kochi, M., 1441P, 1619P
Kambour, R. P.
—; Chu, C.; Avakian, R. W.: Crystallizing Crazes: The Probable Source of Solvent Stress Cracking Resistance in a Polyester/Polycarbonate Blend, 2135P
Kamei, S.
—; Okubo, M.; Matsumoto, T.: Production of Anomalous Particles in the Process of Emulsifier-Free Emulsion Copolymerization of Styrene and 2-Hydroxyethyl Methacrylate, 3109C
Kamiya, Y. See Hirose, T., 2107P
—; Hirose, T.; Mizoguchi, K.; Naito, Y.: Gravimetric Study of High-Pressure Sorption of Gases in Polymers, 1525P
—; Mizoguchi, K.; Naito, Y.; Hirose, T.: Gas Sorption in Poly(vinyl benzoate), 535P
Kamogawa, H.
—; Kobayashi, M.; Yoshihara, S.: Synthesis of *N*-Substituted Phenoxazine Polymers Bearing Vinyl Backbone, 1565C
Kandil, S. H.
—; El-Gamal, M. A.: Infrared Spectroscopic Analysis of Poly(methyl Acrylate-co-Styrene), 2765C
Kaneko, M.
Polynuclear-Metal-Complex Battery, 435L; Hou, X.-H., 2749C
Kang, D. W.
—; Rajendran, G. P.; Zeldin, M.: Kinetics of Thermal Depolymerization of Trimethylsiloxy End-Blocked Polydimethylsiloxane and Polydimethylsiloxane-*N*-Phenylsilazane Copolymer, 1085C
Kannappan, V. See Polk, M. B., 931C
Kanthwal, M. See Misra, B. N., 2209C
Kaplan, S.
—; Dilks, A.; Crandall, R.: A Pyrolysis/GC/MS Study of Plasma-Polymerized Toluene—Evidence for Carbon Atom Scrambling in the Plasma, 1173C
Karasawa, M. See Suto, S., 1515P, 1849P
Karasz, F. E. See Antoun, S., 503L; Banhegyi, G., 209P; Granier, T., 2793P; Maeda, Y., 2345P
Karimi, H. See Day, R. W., 645C
Kašpar, K. See Lebduška, J., 777C
Kasilingam, E. K. See Balakrishnan, T., 1747C
Kato, K. See Hanabusa, K., 311L
Kato, M. See Kobayashi, N., 215L; Tanaka, Y., 177L
Kato, S. See Hasegawa, M., 153L
Kato, S.-I. See Tanaka, Y., 177L
Katoh, S. See Hirotsu, T., 1953C
Katoh, T. See Matsuzawa, S., 533L
Katritzky, A. R. See Rasmussen, J. K., 2739C
Katsuta, M.
—; Ito, Y.; Taniguchi, M.: Polymerization of 4-Acylisoprene, 463L
Kawaguchi, S. See Matsuzawa, S., 533L
Kawaguchi, T. See Kuzuya, M., 707C
Kawai, H. See Inagaki, N., 3381C
Kawasaki, M. See Cha, Y., 2927C
Kehayoglou, A. H.
—; Sideridou-Karayannidou, I.: Poly[amino-*p*-(hydroquinone or benzoquinone)]amides and Poly(*p*-benzoquinono)diimidazoles of Aliphatic Dicarboxylic Acids. V., 1625C
Keller, A. See Barham, P. J., 69P; Odell, J. A., 1889P; Organ, S. J., 2319P
Keller, T. M.
A Stable Intrinsically Conductive Polymer, 211L
Kempner, E. S.
—; Wood, R.; Salovey, R.: The Temperature Dependence of Radiation Sensitivity of Large Molecules, 2337P
Kennedy, J. P. See Tant, M. R., 619L
Khanna, Y. P.
—; Pearce, E. M.: Aromatic Polyamides VII. Molecular Weight Effects on Thermal Properties (Note), 2377C
Khue, N. V.
—; Jung, L.; Coupin, G.; Poindron, P.: Antiinflammatory Polymer-Bound Steroids for Topical Applications II. Controlled Release of the Steroids, 359C
Kifle, Z.
—; Harrison, I. R.; Herman, R. M.: Small-Angle X-Ray Scattering from Polyethylene, 633P
Kihira, Y.
—; Yamamura, H.; Murakami, I.: Effect of Introducing Acrylic and Methacrylic Acid Groups on Molecular Relaxation of Poly(ethyl methacrylate), 867P
Kikuta, M. See Matsumoto, A., 7L
Kilian, H.-G.
—; Weiss, A.: Review of "Frontiers in Polymer Science (Progress in Colloid and Polymer Science, Volume 71)," 662L
—; Weiss, A.: Review of "Surfactants, Adsorption, Surface Spectroscopy and Disperse Systems (Progress in Colloid and Polymer Science, Volume 70)," 662L
Kim, D. See Fitzgerald, J. J., 263L
Kim, J. R. See Jang, C. H., 3171C
Kim, J. S.
—; Lewin, M.; Bulkin, B. J.: Conformational Reorganization Viewed by the Raman Spectrum of Aromatic Polyesters, 1783P

Kim, K.-J. See Hoyle, C. E., 1879C
Kim, S. H. See Lim, Y. J., 503C
Kim, W.-T. See Cho, I., 109L
Kimura, T.
—; Yamakawa, S.: Effects of Chemical Structure on Low-Temperature Modulus for UV-Curable Polybutadiene Acrylates as an Optical Fiber Coating Material, 1161C
Kinoshita, A. See Naito, I., 875C
Kinoshita, T. See Takizawa, A., 665C
Kinsinger, J. A. See Brown, C. E., 255C, 519L, 1297C
Kinstle, J. F. See Day, R. W., 645C
Kirkpatrick, D. E.
—; Judovits, L.; Wunderlich, B.: The Heat Capacity of Solid Poly(*p*-xylylene) and Polystyrene, 45P
—; Wunderlich, B.: On the Reversibility of the Crystalline Phase Transitions of Poly(p-xylylene) (Note), 931P
Kishore, J. See Misra, B. N., 2209C
Kishore, K.
—; Bhanu, V. A.: Effect of Oxygen on the Polymerization of Acrylamide (Note), 379C
—; Mattamal, G. J.: Density-Structure Correlations in High-Molecular-Weight Esters, 53L
—; Pandey, H. K.: Indian Sapota Tree Rubber, 393L
—; Rajalingam, P.: The Bonding Ability and Bonding Site of a New Ferrocene Based Silicon Compound in Composite Solid Propellants, 471L
—; Vasanthakumari, R.; Ramesh, T. G.: Crystallization and Melting Behavior of Isotactic Polybutene-1 at High Pressures, 2011C
Kissel, W. J. See Jacoby, P., 461P
Kissin, Y. V.
—; Beach, D. L.: Dual-Functional Catalysis for Ethylene Polymerization to Branched Polyethylene. II. Kinetics of Ethylene Polymerization with a Mixed Homogeneous-Heterogeneous Ziegler–Natta Catalyst System, 1069C
Klabunde, U. See Ittel, S. D., 3447C
Klare, H.
"Geschichte der Chemiefaserforschung," 662L
Klein, P. G.
—; Ladizesky, N. H.; Ward, I. M.: Electron-Irradiated Isotropic Polyethylene: Structure and Mechanical Properties of Oriented Monofilaments Produced by Drawing, 1093P
Kleintjens, L. A.
—; Lemstra, P. J.: Review of "Integration of Fundamental Polymer Science and Technology," 661L
Knop, A.
—; Pilato, L. A.: Review of "Phenolic Resins, Chemistry, Applications and Performance–Future Directions," 659L
Kobayashi, K. See Ogiwara, Y., 511L
Kobayashi, M. See Kamogawa, H., 1565C
Kobayashi, N.
—; Nakada, M.; Tsuchida, E.; Matsuda, H.; Nakanishi, H.; Kato, M.: Selective 1,2-Polymerization of Silylbutadiyne, 215L
Koberstein, J. T. See Lawrey, B. D., 203P
—; Gancarz, I.; Clarke, T. C.: The Effects of Morphogical Transitions on Hydrogen Bonding in Polyurethanes: Preliminary Results of Simultaneous DSC-FTIR Experiments, 2487P
Kochi, M.
—; Isoda, S.; Yokota, R.; Kambe, H.: Molecular Aggregation of Solid Aromatic Polymers. III. Small-Angle X-Ray Scattering from Aromatic Polyamideimide Film, 1441P
—; Isoda, S.; Yokota, R.; Kambe, H.: Molecular Aggregation of Solid Aromatic Polymers. IV. Dynamic Mechanical Properties of Aromatic Polyamideimide Film (Note), 1619P
Koenczoel, L. See Bevan, L., 2433P
Koenig, J. L. See Fina, L. J., 2509P, 2541P, 2525P
Koizumi, N. See Oka, Y., 2059P
Kolesinski, H. S. See Taylor, L. D., 287L
Kolodziej, P.
—; Yang, W. P.; Macosko, C. W.; Wellinghoff, S. T.: Impingement Mixing and its Effect on the Microstructure of RIM Polyurethanes, 2359P
Koltisko, B.
—; Hiltner, A.; Baer, E., Tung, L.H.: Crazing in Thin Films of Styrene–Butadiene–Styrene Block Copolymers, 2167P
Komai, T. See Matsuyama, K., 2425C
Komatsu, M.
—; Inoue, T.; Myasaka, K.: Light Scattering Studies on the Sol-Gel Transition in Aqueous Solutions of Poly(vinyl alcohol), 303P
Kominami, H. See Saeki, S., 325P
Konaka, T. See Takeuchi, Y., 1067P
Koningsveld, R. See Voight-Martin, I. G., 723P
Konoka, R. See Ouchi, T., 2599C
Kormeyer, R. W.
—; Lustig, S. R.; Peppas, N. A.: Solute and Penetrant Diffusion in Swellable Polymers. I. Mathematical Modeling, 395P
Koros, W. J. See Sanders, E. S., 175P; Uragami, T., 779P
Korsmeyer, R. W.
—; Lustig, S. R.; Peppas, N. A.: Solute and Penetrant Diffusion in Swellable Polymers. I. Mathematical Modeling, 395P
—; Peppas, N. A.; Von Meerwall, E.: Solute and Penetrant Diffusion in Swellable Polymers. II. Verification of Theoretical Models, 409P
Kosaka, Y. See Ogata, N., 65L
—; Watanabe, M.; Sanui, K.; Ogata, N.: Synthesis of Polyurea by Direct Polycondensation of 4-Aminophenyl Ether with Lithium Carbonate, 1915C
Koskimies, S. See Lappalainen, E., 17L
Kotek, R. See Krigbaum, W. R., 713P
Kothandaraman, H.
—; Palanivelu, K.: Free-Radical Polymerization of Methyl Methacrylate and *p*-Fluorostyrene in the Presence of the $Mn(acac)_3$–$AlEt_3$ Catalyst System, 2565C
Kovacic, P. See Brown, C. E., 255C, 519L
Kowalski, B. See Smigasiewicz, S., 1961P
Koyama, K. See Jimbo, M., 909P
Kozuka, H. See Takagishi, T., 3423C
—; Takagishi, T.; Kuroki, N.: Peculiar Temperature Dependence on the Binding of Methyl Orange and Its Homologs by 2-Pyrrolidone Copolymers: The Effect of Inorganic Electrolytes (Note), 383C
—; Takagishi, T.; Yoshikawa, K.; Kuroki, N.; Mitsuishi, M.: Binding of Anthraquinone Dyes by Crosslinked Polyvinylpyrrolidone (Note), 2695C
Kramer, E. J. See Mills, P. J., 1P; Romanelli, J. F., 263P
Kratzer, R. H. See Paciorek, K. J. L., 173C
Krause, S.
—; Wang, B.: Miscibility of High Molecular Weight Polystyrene With the Styrene Block in Styrene-Dimethylsiloxane Diblock Copolymers and Thermal Stresses In Their Mixtures, 35L
Krause, S. J.
—; Haddock, T.; Price, G. E.; Lenhert, P. G.; O'Brian, J. F.; Helminiak, T. E.; Adams, W. W.: Morphology of a Phase-Separated and a Molecular Composite PBT/ABPBI Polymer Blend, 1991P
Krepski, L. R. See Heilmann, S. M., 1C; Rasmussen, J. K., 2739C
Krigbaum, W. R. See Muramatsu, H., 1695P; Takase, M., 1115P, 1675P
—; Kotek, R.; Preston, J.: Comment on a Paper by Close, Fornes, and Gilbert (Note), 713P
Krimm, S. See Chang, C., 1373P
Kryszewski, M. See Czeremuszkin, G., 715C
Kubota, H. See Ogiwara, Y., 511L

Kubota, S.
—; Moriwaki, T.; Ando, T.; Etoh, S.; Fukami, A.: Preparation and Thermal Properties of Polyquinazolone Containing 4-Substituted Phenyl Groups on the Quinazolone Ring, 2047C
Kulkarni, S. S. See Stern, S. A., 2149P
Kumanova, M. D.
—; Spassov, A.: IR-Study of the Acrylic Fiber Shrinkage, 339L
Kumar, D.
—; Fohlen, G. M.; Parker, J. A.: The Curing of Epoxy Resins with Aminophenoxycyclotriphosphazenes, 2415C
Kumar, S. See Blumstein, A., 27P
—; Pineri, M.: Interpretation of Small-Angle X-Ray and Neutron Scattering Data for Perfluorosulfonated Ionomer Membranes, 1767P
Kundu, A. K. See Ray, S. S., 603C
Kung, T.-M.
—; Li, J. C. M.: Recovery of Thick Shear Bands in Atactic Polystyrene, 2433C
Kuo, C.-I. See Chien, J. C. W., 1779C, 2707C
Kuramoto, N. See Nagai, K., 197C
Kurbanaliev, M. K. See Vinogradov, G. V., 1971P
Kuroki, N. See Kozuka, H., 383C, 2695C; Lim, Y. J., 503C
Kuwabara, H. See Tsunooka, M., 317C
Kuwabara, S. See Ishizu, K., 1735C
Kuwae, Y. See Kamachi, M., 925C
Kuzuya, M.
—; Kawaguchi, T.; Yanagihara, Y.; Nakai, S.; Okuda, T.: Mechanism of Plasma-Initiated Polymerization: Concerning the Nature of Solvent Effects on the Lifelike Polymerization of Water-Soluble Vinyl Monomers, 707C
Kwei, T. K.
—; Pearce, E. M.; Ren, F.; Chen, J. P.: Hydrogen Bonding in Polymer Mixtures, 1597P

Lachtermacher, M. G. See Bugni, E. A., 1463C
Ladizesky, N. H. See Klein, P. G., 1093P
Laivins, G. V.
—; Sixou, P.; Gray, D. G.: The Liquid-crystalline Properties of (Acetoxypropyl)cellulose: Effect of Chain Length and Degree of Acetylation, 2779P
Lappalainen, E.
—; Koskimies, S.: Preparation of Alternating Olefine Maleic Anhydride Copolymers from C_4-C_8 Hydrocarbon Mixtures Formed in Petrochemical Cracking Units, 17L
Lavia, M. A. See Madruga, E. L., 1379C
Lawrey, B. D.
—; Prud'homme, R. K.; Koberstein, J. T.: Polymer Chain Segment Orientation During Stress Relaxation (Note), 203P
Lebduška, J.
—; Šnupárek, J., Jr.; Kašpar, K.; Čermák, V.: Solution Copolymerization of Styrene and 2-Hydroxyethyl Mechacrylate, 777C
Lednicky, F. See Holoubek, J., 1823P
Lee, J. L. See Crivello, J. V., 1197C, 1251C
Leister, K.-H. See Voight-Martin, I. G., 723P
Lemstra, P. J. See Kleintjens, L. A., 661L
Lenhert, P. G. See Krause, S. J., 1991P
Lenka, S.
—; Mohanty, I. B.: Dye-Sensitized Photopolymerization. III. Photopolymerization of Methyl Methacrylate Initiated by Acryflavin: Ascorbic Acid System in Aqueous Solution, 2729C
—; Nayak, P. L.; Basak, A.: Graft Copolymerization onto Natural Rubber, XII. Graft Copolymerization of Methyl Methacrylate onto Natural Rubber Using Dimethyl Aniline-Cupric Ion Redox System (Note), 3139C
Lenz, R. W. See Antoun, S., 503L; Granier, T., 2793P; Saunders, K. G., 1389C; Zhan-ru, L., 347C
Lewin, M. See Kim, J. S., 1783P
Lewis, E. L. V. See Bower, D. I., 1481P
Li, B. Y. See Wool, R. P., 1039P
Li, C. See Yu, X., 2681P
Li, J. C. M. See Kung, T.-M., 2433C
Li, Q. See Lu, C. X., 525C
Liang, O. B. See Subowo, W. S., 1351C
Licoccia, S. See Furlani, A., 991C
Lillya, C. P. See Chien, J. C. W., 2903C
Lim, K. T.
—; Choi, S. K.: Ring-Opening Polymerization of Benzocyclopropene: A Novel Synthesis of Poly(methylene-1,2-phenylene), 645L
Lim, Y. J.
—; Kim, S.H.; Hamano, H.; Takagishi, T.; Kuroki, N.: Binding of Methyl Orange and Its Homologs by Powdered Nylon 66, 503C
Lin, J. S. See Peszkin, P. N., 2591P, 2617P
Lin, Y. G.
—; Sautereau, H.; Pascault, J. P.: BDMA-Catalyzed DDA-Epoxy Resin System: Temperature and Composition Effects on Curing Mechanism, 2171C
Lind, J. H.
—; Jones, P. L.; Pearsall, G. W.: A Positron Annihilation Lifetime Study of Isotactic Polypropylene, 3033C
Linkens, A. See Vanderschueren, J., 697P
Litt, M. H. See Swamikannu, A. X., 1455C
Litt, M.
—; Chen, T.-T.; Hsieh, B. R.: Low Surface Energy Polymers and Surface Active Block Polymers. I. *t*-Butylphenyl Containing Polymers, 3407C
Llauro-Darricades, M.-F. See Spitz, R., 1753C
Long, M. A. See Garnett, J. L., 125L
Longone, D. T. See Glatzhofer, D. T., 947C
—; Glatzhofer, D. T.: Cyclopolymerization of (*E*,*E*)-[6.2]Paracyclophane-1,5-diene, 1725C
Lopez, L. C.
—; Wilkes, G. L.: A New Etching Technique for Enhancement of Morphological Textures of Poly(P-Phenylene Sulfide), 573L
Lotz, B.
—; Graff, S.; Wittman, J. C.: Crystal Morphology of the γ (Triclinic) Phase of Isotactic Polypropylene and its Relation to the α Phase, 2017P
—; Wittman, J. C.: The Molecular Origin of Lamellar Branching in the α(Monoclinic) Form of Isotactic Polypropylene, 1541P
—; Wittman, J. C.: Structural Relationships in Blends of Isotactic Polypropylene and Polymers Aliphatic Sequences, 1559P
Lu, C. See Overberger, C. G., 243L
Lu, C. X. See Overberger, C. G., 75C
—; Ji, A.; Overberger, C. G.: Synthesis of Polyamide Containing Optically Active Thymine Derivative as a Grafted Pendant, 269C
—; Li, Q.; Zhang, D.; Ji, A.: Synthesis of Polyesters Containing Nucleic Acid Base Derivatives as Pending Side Chains, 525C
Lu, Y. Y. See Tseng, C. M., 2995C
Lundberg, R. D. See Peiffer, D. G., 581L
Lundy, C. E.
—; Hester, R. D.: Characterization of Large Water-Soluble Macromolecules by Size Exclusion Chromatography, 1829C
Lustig, S. R. See Korsmeyer, R. W., 395P, 409P
Lustiger, A.
—; Corneliusen, R. D.: The Effect of an Environmental Stress Cracking Agent on Interlamellar Links in Polyethylene (Note), 1625P

Ma, J.
—; Pang, D.; Huang, B.: Poly(ethylene-co-propylene)-*g*-polystyrene through Macromer Polymerization: Preparation, Morphology, and Structure–Properties Relationships, 2853C
Macho, E. See Alberdi, J. M., 399L
MacKnight, W. J. See Maeda, Y., 2345P; Saunders, K. G., 1389C

Macosko, C. W. See Kolodziej, P., 2359P
Madruga, E. L.
—; San Roman, J.; Lavia, M. A.: Radical Copolymerization of Acrylic Monomers. VIII. Copolymerization of Methyl Methacrylate with Methyl α-*p*-Chlorobenzylacrylate and Methyl Methacrylate with Methyl α-*p*-Methoxybenzylacrylate, 1379C
Maeda, Y. See Toi, K., 121P
—; Karasz, F. E.; MacKnight, W. J.; Vuković, R.: Effect of Pressure on Phase Behavior in Polymer Blends of Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and Poly(Styrene-co-*p*-Fluorostyrene) Copolymers, 2345P
Mahadevan, V. See Padma, S., 793C; Varaprasad, D. V. P. R., 3299C
Maiti, S. See Mandal, B. K., 2447C; Ray, S. S., 603C; Shit, S. C., 383L
Maldas, D. See Bhattacharyya, S. N., 2507C
Malhotra, A. See Chatterjee, S. K., 2591C
Mandal, B. K.
—; Maiti, S.: Displacement Polymerization. III. Synthesis and Characterization of Polyazoxyarylethers, 2447C
Mandelkern, L. See Alamo, R., 2087P; Voight-Martin, I. G., 1283P
Manivanna, G.
—; Maruthamuthu, P.: Kinetics and Mechanism of Polymerization of Acrylonitrile by Peroxomonosulphate, 3393C
Mano, E. B. See Bugni, E. A., 1463C
Mansfield, M. L.
—; Guttman, C. M.; Dimarzio, E. A.: Models of Chain Folding in Semicrystalline, Lamellar Polymers, 565L
Maravigna, P. See Ballistreri, A., 331C; Giuffrida, M., 1643C
Mares, F. See Aharoni, S. M., 1281C
Margel, S. See Shahar, M., 203C
Mark, H. B., Jr. See Van Pham, C., 103L
Mark, J. B. See Beshah, K., 1207P; Rigbi, Z., 443P
Markiewicz, A.
—; Fleming, R. J.: Electron Trapping in Low-Density Polyethylene, 1731P
Marsich, N. See Furlani, A., 991C
Martinez, G. See Spitz, R., 1753C
Maruthamuthu, P. See Manivanna, G., 3393C
Maruyama, Y.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Polyarylates from 2,2-Bis(4-hydroxyphenyl)-1,1,1,3,3,3-hexafluoropropane and Aromatic Diacid Chlorides (Note), 3545C
Marvel, C. S. See Trumbo, D. L., 759C, 2231C, 2311C
Mashimo, T. See Higashi, F., 97C, 1697C
Masuda, S.
—; Tanaka, M.; Okumura, A.; Ota, T.: Polymerizable Tautomers. III. Polymerization and Copolymerization of 5-Methyl-5-hexene-2,4-dione, 529L
Masuda, T. See Isobe, E., 1839C; Yoshimura, T., 3559C
—; Takahaski, T.; Niki, A.; Higashimura, T.: Polymerization of Aliphatic Acetylenes. X. Polymerization of Internal Octynes and Hexynes by Halides of Niobium(V) and Tantalum(V) (Note), 809C
Mathur, S. C. See Scheinbeim, J. I., 1791P
Matsuda, H. See Kobayashi, N., 215L; Tanaka, Y., 177L
Matsui, K. See Ishihara, K., 413L
Matsumoto, A. See Otsu, T., 113L
—; Funamoto, H.; Oiwa, M. Y.; Butler, G. B.: Equilibrated Radical Polymerization of Acrylic Propionic Anhydride as a Mono-ene Counterpart of Acrylic Anhydride, 2937C
—; Kikuta, M.; Oiwa, M.: Chain Length Dependency of Head-to-Head Addition in the Radical Polymerization of Allyl Monomers, 7L
Matsumoto, T. See Kamei, S., 3109C
Matsuura, H.
—; Fukahara, K.: Vibrational Spectroscopic Studies of Conformation of Poly(oxyethylene). II. Conformation-Spectrum Correlation, 1383P
Matsuyama, K.
—; Komai, T.; Ito, K.: Retardation of Radical Polymerization Rate by Phenoxy Radical Produced from *T*-butylperoxy Phenylcarbonate, 2425C
Matsuzawa, H. See Iwata, K., 1043C
Matsuzawa, S.
—; Yamamura, K.; Oyama, T.; Takayanagi, H.; Ebe, S.: Photopolymerization of Vinyltrichloroacetate, 477L
—; Yamaura, K.; Yamamoto, K.; Katoh, T.; Kawaguchi, S.; Miyake, R.: Hydrolysis of Sucrose in the Presence of Partially Sulfonated Poly(vinyl Alcohol), 533L
Mattamal, G. J. See Kishore, K., 53L
Mattera, V. D., Jr.
—; Risen, W. M., Jr.: Composition Dependence of Glass Transition Temperature of Sulfonated-Polystyrene Ionomers, 753P
Mattice, W. L.
—; Saiz, E.: Response of the Mean-Square Optical Anisotropy of Chain Molecules to the Imposition of Excluded Volume, 2669P
Mayer, J. W. See Mills, P. J., 1P; Romanelli, J. F., 263P
Mays, J. W.
—; Hadichristidis, N.; Graessley, W.; Fetters, L. J.: Temperature Dependence of Unperturbed Dimensions for Stereoirregular 1,4-Polybutadiene and Poly(a-methylstyrene), 2553P
Mazzocchi, R. See Giannetti, E., 2517C
McCormick, C. L.
—; Blackmon, K. P.; Elliott, D. L.: Water-Soluble Copolymers. XIII. Copolymers of Acrylamide with Sodium-3-Acrylamido-3-Methylbutanoate: Solution Properties, 2619C
—; Blackmon, K. P.: Water-Soluble Copolymers. XII. Copolymers of Acrylamide with Sodium-3-Acrylamido-3-Methylbutanoate: Synthesis and Characterization, 2635C
McFay, D. See Quirk, R. P., 827C
McGrane, K. M. See Bigelow, R. W., 1233P
McGrath, J. E. See Hedrick, J. L., 287C
McKenna, G. B. See Guenet, J. M., 2499P
McLeish, T. C. B.
—; Ball, R. C.: A Molecular Approach to the Spurt Effect in Polymer Melt Flow, 1735P
Meadows, M. D. See Christensen, C. P., 1401P
Mehler, K. See Fytas, G., 1859P
Mehta, I. K. See Misra, B. N., 2209C
Meijer, E. W.
A Model Study for Coatings Containing Hexamethoxymethylmelamine, 2199C
Memory, J. D. See Yang, F., 2609C
Merajver, S. D. See Wunder, S. L., 99P
Meshulam, H. See Shahar, M., 203C
Metzger, Cotts, P.
Polyelectrolyte Effects in Low-Angle Light Scattering from Solutions of Polyamic Acid in Organic Solvents, 923P
Mezei, F. See Nyström, B., 273L
Michel, A. See Spitz, R., 1753C
Migahed, M. D. See Tawansi, A., 2631P
Mijangos, C. See Spitz, R., 1753C
Mikeš, J. See Holoubek, J., 1823P
Milburn, M. V. See Chen, C. C., 627L
Millan, J. L. See Spitz, R., 1753C
Mills, P. J.
—; Green, P. F.; Palmström, C. J.; Mayer, J. W.; Kramer, E. J.: Polydispersity Effects on Diffusion in Polymers: Concentration Profiles of d-Polystyrene Measured by Foward Recoil Spectrometry, 1P
Misonoo, T. See Hirotsu, T., 1953C
Misra, A.
—; Garg, S. N.: Block Copolymers of Poly(ethylene terephthalate)-Poly(butylene terephthalate). I. Preparation and Crystallization Behavior, 983P

—; Garg, S. N.: Block Copolymers of Poly(ethylene terephthalate)-Poly(butylene terephthalate). II. Small-Angle Light-Scattering Studies, 999P
Misra, B. M. See Ghatge, N. D., 103C
Misra, B. N.
—; Kishore, J.; Kanthwal, M.; Mehta, I. K.: Gamma Radiation Induced Graft Copolymerization of Vinyl Monomers onto Poly(vinyl Alcohol), 2209C
Mitsuishi, M. See Kozuka, H., 2695C
Miyaji, H. See Hsu, C. C., 2379P
Miyake, R. See Matsuzawa, S., 533L
Miyamoto, T. See Fujimoto, T., 495L; Takahashi, S.-I., 2981C
Miyasaka, K. See Furuhata, K., 59P; Komatsu, M., 303P
Miyata, M.
—; Noma, F.; Osaki, Y.; Takemoto, K.; Kamachi, M.: Functional Monomers and Polymers. CXLII. Inclusion Polymerization of Diene Monomers in Deoxycholic Acid and Apocholic Acid Canals by Free Radical Initiators, 457L
Mizoguchi, K. See Hirose, T., 2107P; Kamiya, Y., 535P, 1525P
Mizuno, H. See Ishizu, K., 1735C
Mochizuki, A. See Higashi, F., 637C
Mohanty, D. K. See Hedrick, J. L., 287C
Mohanty, I. B. See Lenka, S., 2729C
Moniotte, Ph. See Drapier, J., 2185C
Monnerie, L. See Johari, G. P., 2049P; Pathmanathan, K., 1587P; Thirion, P., 2307P
Montaudo, G. See Ballistreri, A., 331C; Giuffrida, M., 1643C
—; Puglisi, C.; Scamporrino, E.; Vitalini, D.: Correlation of Thermal Degradation Mechanisms: Polyacetylene and Vinyl and Vinylidene Polymers, 301C
Monteiro, A. P.
—; Coutinho, F. M. B.; Gomes, A. S.: Optical Purity by DSC. I. Stereoelective Polymerization of Racemic β-Lactam Initiated by Amino Acids, 131L
Monteiro, E. E. C. See Bugni, E. A., 1463C
Moore, G. J. See Evers, R. C., 1863C
Mora, M. A.
—; Rubio, M.; Cruz-Ramos, C. A.: PCILO and CNDO Calculations on the Specific Interaction in the Two Model Analogues of BPA-Polycarbonate and a Linear Aliphatic Polyester, 239P
Morita, K. See Shimada, I., 1989C; Takahagi, T., 3101C
Moriwaki, T. See Kubota, S., 2047C
Morley-Buchanan, T. See Busfield, W. K., 3089C
Moro, K.
—; Fujiwara, M.: Initial Relaxation Times in Dynamic Light Scattering from Once-Broken Rod Molecules in Solution, 2403P
Mouanda, J. See Boutevin, B., 2891C
Moustafa, A. B.
—; Abdel-Latif, Z. H.; Amer, L. I.; Sayyah, S. M.: Aqueous Polymerization of Methyl Methacrylate Catalyzed by Corundum and Characterization of the Obtained Polymers, 3049C
Muggee, J.
—; Vogl, O.: Poly(alkylene Oxide) Ionomers IX. Polymerization of Methyl ω-Epoxyalkanoates and Characterization of the Polymers, 2327C
Mulhaupt, R. See Ittel, S. D., 3447C
Mulvaney, J. E.
—; Figueroa, F. R.: Synthesis of Poly dithioesters and Cyclization to 1,3-Dithiolium (Dithiafulvenium) Salts, 147C
—; Figueroa, F. R.; Wu, S. J.: Polymers from 4,4′-Sulfonyldiphenol, 613C
—; Wu, S. J.:Nitro-Substituted Poly(phenylene ether Sulfone) (Note), 2373C
Munro, H. S.
—; Till, C.: An ESCA and Plasma Emission Study of the Plasma Polymerization of 1-Fluoronaphthalene and Octafluoronaphthalene, 279C
Murakami, A. See Ishizu, K., 1441C
Murakami, I. See Kihira, Y., 867P
Murakami, Y. See Nate, K., 1551C
Muramatsu, H.
—; Krigbaum, W. R.: Fiber Spinning from the Nematic Melt. I. Copolyester of Poly(ethylene terephthalate) and *p*-Oxybenzoate, 1695P
Murata, Y. See Oka, Y., 2059P
Murschall, U.
—; Fischer, E. W.; Herkt-Maetzky, Ch.; Fytas, G.: Investigation of the Mutual Diffusion in Compatible Mixture of Two Homopolymers by Photon Correlation Spectroscopy, 191L
Murthy, N. S. See Burzynski, A., 133P
—; Analysis of Meridonial X-Ray Diffraction Pattern of the γ Form of Nylon 6 and Comparison of Paracrystalline and Microstrain of Lattice Disorder, 549P

Naé, H. N.
—; Goldman, M.; Vofsi, D.: Epoxidation of Bromostyrene–Butadiene Cotelomers, 1239C
Nagai, K.
—; Akiyama, K.; Kuramoto, N.: Radical Copolymerization of γ-Methylene-$\Delta^{\alpha,\beta}$-Butenolide Derivative: Ethyl(E)-5-Oxo-2,5-Dihydrofuran-2-Ylidene-Acetate, 197C
Nagai, S. See Ueda, A., 405C
Nagarajan, M. R. See Yu, X., 2681P
Nagy, D. J.
Molecular Weight Determination of Poly(Vinyl Alcohol) Using Aqueous Size Exclusion Chromatography/Low-Angle Laser Light Scattering, 87L
Nair, C. P. R. See Sebastian, T. V., 3549C
—; Sebastian, T. V.; Nema, S. K.; Rao, K. V. C.: Thermally Stable Polymers Based on Addition-Type Imidobenzoxazoles; Synthesis and Characterization of Polybismaleimidobenzoxazoles and Polybiscitraconimidobenzoxazoles, 1109C
Naito, I.
—; Ueki, T.; Tabara, S.; Tomiki, M.; Kinoshita, A.: Photosensitized Polymerizations of Some Vinyl Monomers Using Aliphatic Carbonyl Polymers as Initiators, 875C
Naito, Y. See Kamiya, Y., 535P, 1525P
Nakada, M. See Kobayashi, N., 215L
Nakagawa, K. See Takeuchi, Y., 1067P
Nakai, S. See Kuzuya, M., 707C
Nakajima, S. See Ochi, M., 251P
Nakamura, Y. See Arai, K., 911C, 1497C
Nakanishi, H. See Kobayashi, N., 215L; Tanaka, Y., 177L
Nakaya, T. See Shimbo, M., 1931P
Nakayama, K. See Tsunooka, M., 317C
Nandu, M. See Polk, M. B., 1923C
Napper, D. H. See Ballard, M. J., 1027C
Nass, L. I.
—; Heiberger, C. A.: Review of "Encyclopedia of PVC, Second Edition, Volume 1 Resin Manufacture and Properties," 660L
Nate, K.
—; Ishikawa, M.; Imamura, N.; Murakami, Y.: Photolysis of Polymeric Organosilicon Systems. III. Synthesis and Photochemical Behavior of Polysiloxanes Containing Phenyldisilanyl Units, 1551C
Nava, H.
—; Percec, V.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 18. Synthesis and Characterization of α,ω-bis(2,6-dimethylphenol)–poly(2,6-dimethyl-1,4-phenylene oxide) and α,ω-bis(vinylbenzyl)–poly(2,6-dimethyl-1,4-phenylene oxide) Oligomers, 965C
Navard, P.
Formation of Band Textures in Hydroxypropylcellulose Liquid Crystals, 435P
—; Haudin, J. M.: Rheology of Hydroxypropylcellulose Solutions, 189P
Nayak, P. L. See Lanks, S., 3139C
Naylor, D. M.
—; Stannett, V.; Deffieux, A.; Sigwalt, P.: A Study of the Ionic Polymerization of

Decamethylcyclopentasiloxane Induced by Gamma Radiation, 319L
Nedelkin, V. I. See Sergeyev, V. A., 3153C
Neel, J. See Petit, A., 883C
Negi, Y. S. See Kakimoto, M.-A., 1511C
Nema, S. K. See Nair, C. P. R., 1109C; Sebastian, T. V., 3549C
Nesmeyanov, An. N.
Review of "A Guide to Practical Radio/Chemistry," 660L
Nevius, M.
—; Dreyfuss, P.: Gold(III) Fluorosulfate as an Initiator of the Polymerization, 2757C
Nevrekar, N. B.
—; Joshi, K. A.: Synthesis of Copolyamides Based on ε-Caprolactam and AH Salt in the Presence of Cationic Resin, 3491C
Newman, B. A. See Scheinbeim, J. I., 1791P
Ng, S. C.
—; Chee, K. K.: Rigorous Approach to Kinetic Parameters: Polymerization of Styrene with Benzoyl Peroxide in Carbon Tetrachloride, 691C
Ngai, K. L.
—; Fytas, G.: Interpretation of Differences in Temperature and Pressure Dependences of Density and Concentration Fluctuations in Amorphous Poly(phenylmethyl siloxane), 1683P
—; Plazek, D. J.: A Quantitative Explanation of the Difference in the Temperature Dependences of the Viscoelastic Softening and Terminal Dispersions of Linear Amorphous Polymers, 619P
Nguyen, H. X.
—; Ishida, H.: Molecular Analysis of the Crystallization of Poly(aryl-ether-ether-ketone), 1079P
Nicodemo, L. See Carfanga, C., 1805P
Nicolais, L. See Carfanga, C., 1805P; Havliček, I., 541L
Niezette, J. See Vanderschuren, J., 697P
Niki, A. See Masuda, [illegible], 809C
Nishi, T. See Higashi, [illegible], 187C, 701C
Nishikubo, T.
—; Iizawa, T.; Sugawara, Y.; Shimokawa, T.: Degradation of Dehydrochlorinated Poly(epichlorohydrin) Using Photo-Generated Cationic Catalysts, 1097C
—; Iizawa, T.; Saita, S.: Addition Reactions of Pendant Epoxide Group in Poly(glycidyl Methacrylate) with Various Active Esters, 1685C
Nishitani, S. See Suto, S., 1849P
Niyogi, U. See Ghosh, P., 1053C
Njoku, N. G. See Brown, H. R., 11P
Noma, F. See Miyata, M., 457L
Nomoto, M. See Yoshimura, Y., 2351C
Nose, T. See Numasawa, N., 19P
Numasawa, N.
—; Hamada, T.; Nose, T.: Dynamic Light Scattering of Polystyrene Single Chains in a Semidilute Solution of Poly(methyl methacrylate) and Benzene, 19P
Nunomura, M. See Ishizu, K., 607L
Nyström, B.
—; Roots, J.; Higgins, J. S.; Gabrys, B.; Peiffer, D. G.; Mezei, F.; Sarkissian, B.: Dynamics of Polystyrene Sulfonate Ionomers in Solution. A Neutron Spin-Echo Study, 273L

Oba, K. See Toi, K., 121P
Obara, K. See Suto, S., 1849P
O'Brien, J. F. See Krause, S. J., 1991P
O'Brien, K. See Aharoni, S. M., 1281C
Ochi, M.
—; Iesako, H.; Nakajima, S.; Shimbo, M.: Mechanical Relaxation Mechanism of Epoxide Resins Cured with Acid Anhydrides. II. Effect of the Chemical Structure of the Anhydrides on the β Relaxation Mechanism, 251P
—; Iesako, H.; Shimbo, M.: Relaxation Mechanism of Epoxide Resin Cured with Acid Anhydrides. III. Effect of Alkyl Side Chains on Mechanical and Dielectric β Relaxations, 1271P
—; Shimbo, M.; Saga, M.; Takashima, N.: Mechanical and Dielectric Relaxations of Epoxide Resins Containing Spiro-Ring Structure, 2185P
O'Connor, K. M. See Rim, P.B., 95L; Willett, J. L., 2583P
Oda, N. See Imai, K., 3225C
Odell, J. A.
—; Keller, A.: Flow-Induced Chain Fracture of Isolated Linear Macromoiecules in Solution, 1889P
O'Driscoll, K. F. See Kale, L. T., 3145C
Oertel, G.
Review of "Polyurethane Handbook," 658L
Ogata, N. See Kosaka, Y., 1915C; Yoshikawa, M., 1585C
—; Sanui, K.; Watanabe, M.; Kosaka, Y.: Syntheses of Polyurea by Direct Polycondensation of Diamines with Alkali Metal Carbonates, 65L
—; Yanagawa, T.; Yoshida, K.: Environmental Stress Cracking of Low-density Polyethylene in Normal Alcohols, 89P
—; Yanagawa, T.; Yoshida, K.: Effects of Loading Conditions and Temperature on Environmental Stress Cracking of Low-Density Polyethylene, 1917P
Ogata, Y. See Ohno, H., 2959C
Ogawa, T. See Sato, T., 1519C
—; Sakai, M.; Ishitobi, W.: Determination of Molecular Weight Distribution of Nylon 12 by Gel Permeation Chromatography, 109C
Ogiwara, Y. See Arai, K., 2027C
—; Kobayashi, K.; Kubota, H.: Effect of Binary Sensitizers on Photografting of Methacrylic Acid on Low-Density Polyethylene Film, 511L
Oh, T. J.
—; Smets, G.: Copolymerization Reactivity Ratios of *p*.Vinylbenzophenone and *p*.Dimethylamino Styrene, 229L
Oh-ishi, K. See Inagaki, N., 1433C
Ohno, H.
—; Ogata, Y.; Tsuchida, E.: Gamma-Ray Polymerization of Phospholipids Having Diene or Triene Groups as Liposomes, 2959C
Ohtani, A. See Takizawa, A., 665C
Oishi, T.
—; Okamoto, N.; Fujimoto, M.: Assymetric Induction Copolymerization of Optically Active *N*-(1-Menthyl Carboxylatomethyl)citraconimide with Styrene, 1185C
Oiwa, M. See Matsumoto, A., 7L
Oiwa, M. Y. See Matsumoto, A., 2937C
Oka, Y.
—; Koizumi, N.; Murata, Y.: Ferroelectric Order and Phase Transition Polytrifluoroethylene, 2059P
Okada, M. See Takagishi, T., 3423C
Okahata, Y. See Seki, T., 61C
Okamoto, N. See Oishi, T., 1185C
Okieimen, E. F.
Studies in Vinyl Polymerization: Note on Reinitiation by Dichloroethane Transfer Radicals in the Polymerization of Vinyl Acetate, 283L
Okubo, M. See Kamei, S., 3109C
Okuda, T. See Kuzuya, M., 707C
Okumura, A. See Masuda, S., 529L
Onwumere, F. C.
—; Polk, M. B.: Thermotropic Copolyesters Containing the 1,4-Cyclohexylenedimethylene Spacer, 2239C
Organ, S. J.
—; Keller, A.: Fast Growth Rates of Polyethylene Single Crystals Grown at High Temperatures and their Relevence to Crystallization Theories, 2319P
Osa, T. See Anzai, J.-I., 681C
Osaki, Y. See Miyata, M., 457L
Oshima, R. See Chen, Y.-Y., 1539C
Ota, T. See Masuda, S., 529L

Otsu, T. See Endo, K., 1505C, 1615C, 1633C; Sato, T., 1519C
—; Tatsumi, A.; Matsumoto, A.: Novel Synthesis of High Molecular Weight Polymaleimide from N-*t*-Butylmaleimide, 113L
Otsuka, H. See Imai, K., 3225C
Ottenbrite, R. M. See Jones, J. A., 1487C
Ouchi, T.
—; Fujie, H.; Jokei, S.; Sakamoto, Y.; Chikashita, H.; Inoi, T.; Vogl, O.: Synthesis of Acryloyl-Type Polymer Fixing 5-Fluorouracil Residues through D-Glucofuranoses and its Antitumor Activity, 2059C
—; Sakamoto, H.; Hosaka, Y.; Imoto, M.; Konoka, R.: Vinyl Polymerization. 432. Initiation Mechanism of Uncatalyzed Polymerization in the Presence of Copper(II) Ion, 2599C
Ouhadi, T.
—; Fayt, R.; Jerôme, R.; Teyssié, P.: Molecular Design of Multicomponent Polymer Systems. X. Emulsifying Effect of Poly(styrene-b-methyl methacrylate) in Poly(Vinylidene flouride)/Noryl Blends, 973P
Overberger, C. G. See Arora, K. S., 37C, 511C, 707P, 2275P; Brandt, K. A., 199L, 2815C; Bugni, E. A., 1463C; Chen, C. C., 627L; Chu, V. P., 2657C; Lu, C. X., 269C
—; Chen, C. C.: Novel Optical Resolution of an Unprotected Adenine Derivative Followed by Grafting the Pendant onto Polyethylenimine, 167C
—; Lu, C.: Chemoselective Acylation for the Synthesis of Model Compounds of Polynucleotide Analogs, 243L
—; Lu, C. X.; Chen, C. C.: Syntheses of Stereoregular and Optically Active Polyamides from Active 4-Chloro-1-benzotriazolyl Diesters and Diamines, 75C
—; Ferng, W.: Synthesis and Characterization of Adenine Base Grafted Polyacrylamides as Polynucleotide Analogs, 3349C
—; Ferng, W.; Chi, M.-S.: Synthesis and Characterization of Poly(2-Amino-2-Methylpropyl)acrylamide, Poly(2-Amino-2-Methylbutyl)acrylamide, and Copolymers of Polyacrylamide, 3365C
—; Ferng, W. B.: Synthesis and Characterization of Uracil Base Grafted Polyacrylamides as Polynucleotide Analogs, 3335C
—; Peng, L.: Spectroscopic Studies of Poly(ethylenimine) Backbone Polynucleotide Analogs, 3219C
—; Peng, L.: Synthesis of Poly(Ethylene Glycol Methyl Ether)-b-Poly(Ethylenimine) and Its Derivatives Containing Thymine and Amino Acids as Pendants, 2797C
Oyama, H. T.
—; Frank, C. W.: Structure of the Polyion Complex between Poly(sodium *P*-styrene sulfonate) and Poly(diallyl dimethyl ammonium chloride), 1813P
Oyama, T. See Matsuzawa, S., 477L
Oza, A. T.
Infrared Adsorption Study of Organic Polyiodide Chain Complexes, 2267P
Ozawa, M. See Higashi, F., 637C
Ozcayir, Y.
—; Blumstein, A.: Diacetylenic Liquid-Crystalline Polymers and Copolymers. I. Derivatives of Diphenyldiacetylene, 1217C

Paciorek, K. J. L.
—; Harris, D. H.; Kratzer, R. H.: Boron–Nitrogen Polymers. I. Mechanistic Studies of Borazine Pyrolyses, 173C
Padias, A. B. See Ito, H., 955C
—; Hall, H. K., Jr.: Semiconducting Polymers via the High Temperature Free Radical Polymerization of Multinitriles, 1675C
Padma, S.
—; Mahadevan, V.; Srinivasan, M.: Preparation and Properties of Azopolyimides-I, 793C
Padmanabhan, A. S. See Blum, F. D., 493P
Painter, P. C. See Ika, P. V. S., 2297C
Palanivelu, K. See Kothandaraman, H., 2565C
Palmstrøm, C. J. See Mills, P. J., 1P
Panayotov, I. M. See Skorokhodov, S. S., 3271C
Panda, S. P.
—; Kakade, S. D.: On Structure of Oligomers of Cyclopentadiene and Their Condensates with Phenols, 403L
Pandey, H. K. See Kishore, K., 393L
Pandey, V. K. See Bhattacharyya, S. N., 2507C
Pang, D. See Ma, J., 2853C
Paralikar, K. M.
Electron Diffraction Studies of Cotton Fibers from Bolls During Early Stages of Development, 419L
Parker, J. A. See Achar, B. N., 1997C; Kumar, D., 2415C
Parker, M. A.
—; Vesely, D.: Temperature and Time Dependence of Diffusion of PCL into PVC, 1869P
Parla, D. See Drapier, J., 2185C
Pascault, J. P. See Lin, Y. G., 2171C
Pathak, C. P.
—; Patni, M. J.; Babu, G. N.: Determination of Tacticity of Poly(Hexyl α-Chloroacrylate) by ^{13}C NMR Spectroscopy, 389L
Pathmanathan, K. See Chung, S. H., 2655P
—; Johari, G. P.; Faivre, J. P.; Monnerie, L.: A Dielectric Study of Secondary Relaxations and the "Memory Effect" in Two Compatible Polystyrene Blends, 1587P
Patni, M. J. See Pathak, C. P., 389L
Patwardhan, A. A.
—; Belfiore, L. A.: Prediction of Thermodynamic Properties of Polymer Solutions by a Group-Contribution Method, 2473P
Pearce, E. M. See Do, C. H., 1657C; Kwei, T. K., 1597P; Khanna, Y. P., 2377C
Pearsall, G. W. See Lind, J. H., 3033C
Peiffer, D. G.
—; Duvdevani, I.; Agarwal, P. K.; Lundberg, R. D.: Transition Metal Coordination for Complexing Polymer Blends, 581L
—; Nyström, B.; Roots, J.; Higgins, J. S.; Gabrys, B.; Mezei, F.; Sarkissian, B.: Dynamics of Polystyrene Sulfonate Ionomers in Solution. A Neutron Spin-Echo Study, 273L
Peng, L. See Overberger, C. G., 2797C, 3219C
Peppas, N. A. See Korsmeyer, R. W., 395P, 409P
Percec, V. See Nava, H., 965C; Pugh, C., 747C; Rodriguez-Parada, J. M., 1363C; Shaffer, T. D., 15C, 451C
—; Shaffer, T. D.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 23. Single Electron Transfer Phase Transfer Catalyzed Polymerization of 4-Bromo-2,6-Dimethylphenol, 439L
Peszkin, P. N.
—; Schultz, J. M.; Lin, J. S.: Kinetics of Fiber Heat Treatment. II. Poly(ethylene terephthalate) Fibers, 2591P
—; Schultz, J. M.; Lin, J. S.: Kinetics of Fiber Heat Treatment. III. Poly(butylene terephthalate) Fibers, 2617P
Peterlin, A. See Vittoria, V., 1009P
Peters, E. M. See Funt, B. L., 1529C
Petit, A.
—; Neel, J.: Polymérisation Radicalaire du Pentadiène-1,3. I. Copolymérisation des *Cis* et *Trans* Pentadiènes-1,3 avec l'Acrylonitrile. Détermination des Rapports de Réactivité, 883C
Phillips, G. O. See Arai, K., 911C, 1497C
Phillips, P. J. See Jang, Y. T., 1259P; Rensch, G. J., 1943P
Phingbodhipakkiya, M. See Polk, M. B., 931C, 1923C
Pichot, C. See Graillat, C., 427C
Pietrasanta, Y. See Boutevin, B., 2819C, 3129C, 3325C
Pijpers, A. P.
—; Donners, W. A. B.: Reply to Gardella et al.'s Comments on 'Quantitative Determination of

the Surface Composition of Acrylate Copolymer Latex Films by XPS (ESCA),' 653L
Pilato, L. A. See Knop, A., 659L
Pineri, M. See Kumar, S., 1767P
Pitt, C. G.
—; Bao, Y.; Seltzman, H. H.: The Synthesis of Polymers Containing the 2,2'-Bipyridine Ligand, 13L
Pittman, C. U., Jr. See Ueda, M., 3177C
Plazek, D. J. See Choy, I.-C., 1303P; Ngai, K. L., 619P; Vallat, M.-F., 2123P
Pohl, H. A.
The Nature and Properties of Giant-Orbital Polymers, 3057C
Poindron, P. See Khue, N. V., 359C
Point, J. J. See Colet, M. C., 1183P; Dosiere, M., 345P
—; Colet, M. C.; Dosiere, M.: Experimental Criterion for the Crystallization Regime in Polymer Crystals Grown from Dilute Solution: Possible Limitation Due to Fractionation, 357P
Połowiński, S. See Jantas, R., 1819C
Policastro, P. P. See Chao, H. S.-I., 253L
Polk, M. B. See Onwumere, F. C., 2239C
—; Kannappan, V.; Harruna, I.; Phingbodhipakkiya, M.: Preparation and Characterization of Aromatic Copolyesters Containing the *o,o'*-Biphenylene Ring System, 931C
—; Nandu, M.; Phingbodhipakkiya, M.: Thermotropic Copolyesters. II. Synthesis and Characterization of Liquid-Crystal Copolyesters Containing the Bicyclo[2.2.2]Octane Ring System, 1923C
Pomery, P. J. See Busfield, W. K., 3089C
Porter, R. S. See Jonza, J. M., 2459P
Posner, G. H.
—; Kahana, N., 41L
Pramanick, D.
—; Bhattacharyya, R.: Studies on Some Radical Transfer Reactions by Entrapping the Radicals as Polymer End Groups. I. Reaction of Hydroxyl Radicals with Amines, 2401C
Prasad, P. N. See Burzynski, A., 133P
Preston, J. See Krigbaum, W. R., 713P
Price, G. E. See Krause, S. J., 1991P
Prime, R. B.
—; Seferis, J. C.: Thermo-Oxidative Decomposition of Poly (Ether Ether Ketone), 641L
Prókai, L.
Investigation of Phenol-Formaldehyde Condensates by Field Desorption Mass Spectrometry, 223L
Prud'homme, R. E. See Lawrey, B. D., 203P; Riedl, B., 2565P; Voyer, R., 2773C
Pugh, C.
—; Rodriguez-Parada, J. M.; Percec, V.: The Influence of Molecular Weight of the Donor Polymer on the Solid-State Behavior of Interchain EDA Complexes, 747C
Puglisi, C. See Montaudo, G., 301C
Pyun, C. W.
Characterization of Polymer Weight Distribution by Ratios of Molecular Weight Averages, 229P

Quijada, J. R. See Coutinho, F. M. B., 727C, 3021C
Quirk, R. P.
—; McFay, D.: Solvation of Polymeric Organolithium Compounds. Heats of Interaction of Tetrahydrofurans and *N,N,N',N'*-Tetramethylethylenediamine (TMEDA) with Poly(butadienyl)lithium, 827C
Quivoron, C. See Charmot, D., 59L

Radhakrishnan, T. S. See Rao, M. R., 1007C
Radić, D. See Rios, H., 2421P
Rajalingam, P. See Kishore, K., 471L
Rajendran, G. P. See Kang, D. W., 1085C
Ramakrishna, M. S.
Photosensitive Copolymers: Cinnamoyloxyalkyl Methacrylate-Vinyl Acetate Copolymers, 105L
—; Dhal, P. K.; Deshpande, D. D.; Babu, G. N.: Radiation-Induced Copolymerization of Hydrophilic Monomers with Vinyl Acetate: Synthesis and Thermal Properties, 2107C
Ramaswami, V.
—; Tirrell, D. A.: Photolabeling Studies of Polymer-Cell Surface Interaction. Evaluation of 3-[(4-Azidophenyl)dithio]propionic Acid as a Polymer-bound Photolabel, 241C
Ramesh, T. G. See Kishore, K., 2011C
Rao, K. V. C. See Nair, C. P. R., 1109C; Sebastian, T. V., 3549C
Rao, M. R.
—; Radhakrishnan, T. S.; Ravindran, P. V.: Spectroscopic Studies on the Oligomers of Bromotrifluoro Ethylene, 1007C
Rashkov, I. B.
—; Gitsov, I.: Cationic Polymerization Initiated by Intercalation Compounds of Lewis Acids. II. Initiating Ability and Mechanism of Action of the Initiators, 155C
Rasmussen, J. K. See Heilmann, S. M., 1C
—; Heilmann, S. M.; Krepski, L. R.; Smith, H. K., II; Katritzky A. R.; Sakizadeh, K.: Poly(2-imidazolin-5-ones)—A New Class of Heterocyclic Polymers, 2739C
Rausch, M. D. See Gonsalves, K. E., 1419C; 1599C; Zhan-ru, L., 347C
Ravindran, P. V. See Rao, M. R., 1007C
Ray, S. S.
—; Kundu, A. K.; Ghosh, M.; Sukumar, M.: Polymers from Renewable Resources. II. Synthesis of Polyamideimides by Triphenylphosphine–Polyhalocompound Activated Polycondensation, 603C
Read, M. D.
—; Tant, M. R., 619L
Rebenfeld, L. See Durning, C. J., 1321P, 1341P
Ree, T. See Jang, C. H., 3171C
Reimschuessel, H. K. See Do, C. H., 1657C
Rellick, G. S.
—; Runt, J.: A Dielectric Study of Poly(ethylene-co-vinylacetate)-Poly(vinyl chloride) Blends. I. Miscibility and Phase Behavior, 279P
—; Runt, J.: A Dielectric Study of Poly(ethylene-co-vinyl acetate)-Poly(vinyl chloride) Blends. II. Loss Curve Broadening and Correlation Parameters, 312P
Rembaum, A. See Chang, M., 603L
Ren, F. See Kwei, T. K., 1597P
Rensch, G. J.
—; Phillips, P. J.; Vatansever, N.; Gonzalez, V. A.: The Crystallization Behavior of Cis-Polyisoprenes Extracted from the Guayle Plant, 1943P
Reuvers, A. J.
—; Altena, F. W.; Smolders, C. A.: Demixing and Gelation Behavior of Ternary Cellulose Acetate Solutions, 793P
Revol, J.-F. See Chanzy, H. D., 557L
Rezende, L. C. See Coutinho, F. M. B., 727C, 3021C
Riande, E. See Díaz-Calleja, R., 337P
—; Guzman, J.: Stress-optical Behavior of Cycloaliphatic Polyesters, 2805P
Rickard, P. A. See Johncock, P., 2033C
Riedl, B.
—; Prud'homme, R. E.: Thermodynamic Study of Poly(vinyl Chloride)/Polyester Blends by Inverse-Phase Gas Chromatography at 120°C, 2565P
Rietsch, F. See Seguela, R., 29L
Rigbi, Z.
—; Mark, J. B.: Concurrent Chain Extension and Crosslinking Hydroxyl-Terminated Poly(dimethyl siloxane): Possible Formation of Catenate Structures, 443P

Rim, P. B.
—; O'Connor, K. M.: A DSC Study of the Polymerization of Maleic Anhydride Copolymers, 95L
Rios, H.
—; Gargallo, L.; Radić, D.: Properties of Polyelectrolytes: Maleic Acid-vinylpyrrolidone Copolymers. I. Viscometric Behavior in Dilute Solution, 2421P
Risen, W. M., Jr. See Mattera, V. D., Jr., 753P
Roberts, S. See Everaerts, A., 1703C
Rodriguez-Parada, J. M. See Pugh, C., 747C
—; Interchain EDA Complexes: A Model for LCST? (Note), 579C
—; Percec, V.: Poly(vinyl ether)s and Poly(propenyl ether)s Containing Mesogenic Groups: A New Class of Side-Chain Liquid-Crystalline Polymers, 1363C
Rolando, T. E.
—; Jones, M. B.: Friedel–Crafts Polymerizations. III. Polymerization of Carbazole and N-alkyl Derivatives with Chloromethyl Methyl Ether/Aluminum Chloride, 233L
Romanelli, J. F.
—; Mayer, J. W.; Kramer, E. J.: Rutherford Backscattering Spectrometry Studies of Iodine Diffusion in Polyimide, 263P
Rönnhult, T. See Zadorecki, P., 737C
Roots, J. See Nyström, B., 273L
Roovers, J. See Toporowski, P. M., 3009C
Rosenau, R. See Voight-Martin, I. G., 723P
Roth, R. J. G.
—; Rudin, A.; Tchir, M. F.: Polymers of *Ortho*-Vinylbenzaldehyde, 133C
Roux, D. G. See Young, D. A., 835C
Rubio See Mora, M. A., 239P
Rudin, A. See Ajji, A., 1983P; Devon, M. J., 2191C; Grinshpun, V., 1171P; Roth, R. J. G., 133C
Ruggeri, G. See Aglietto, M., 1337C
Runt, J. P. See Rellick, G. S., 312P
Runt, J. See Rellick, G. S., 279P
Russel, W. B. See Davis, R. M., 511P; Durning, C. J., 1321P, 1341P
Russell, K. E. See Grinshpun, V., 1171P
Russell, T. P. See Romanelli, J. F., 263P
Russo, M. V. See Furlani, A., 991C

Sadatoshi, H. See Kakugo, M., 171L
Saeki, S.
—; Tsubotani, S.; Kominami, H.; Tsubokawa, M.; Yamaguchi, T.: Phase Separation Temperatures in the Ternary System Polystyrene/Poly(a-methyl styrene)/Cycloentant, 325P
Saga, M. See Ochi, M., 2185P
Saigo, K. See Hasegawa, M., 153L
Saita, S. See Nishikubo, T., 1685C
Saiz, E. See Mattice, W. L., 2669P
Sakai, M. See Ogawa, T., 109C
Sakamoto, H. See Abe, K., 3433C; Ouchi, T., 2599C
Sakamoto, Y. See Ouchi, T., 2059C
Sakizadeh, K. See Rasmussen, J. K., 2739C
Sakuragi, M. See Hirotsu, T., 1953C
Salovey, R. See Kempner, E. S., 2337P
Saltini, S. See Bertinelli, F., 2197P
Sampat, S. R. See Stern, S. A., 2149P
San Roman, J. See Madruga, E. L., 1379C
Sanders, E. S.
—; Koros, W. J.: Sorption of CO_2, C_2H_4, N_2O and their Binary Mixtures in Poly(methyl methacrylate), 175P
Sandreczki, T. C. See Jean, Y. C., 1247P
Sangani, A. S.
An Application of an Homogenization Method of Diffusion in Glassy Polymers, 563P
Sangster, D. F. See Ballard, M. J., 1027C
Sanui, K. See Kosaka, Y., 1915C; Ogata, N., 65L; Yoshikawa, M., 1585C
Sarkissian, B. See Nyström, B., 273L
Sarroff, A. See Burford, R. P., 3563C
Sasaki, H. See Anzai, J.-I., 681C
Sasaki, S.
A Crystalline Polymorph of Poly(γ-methyl L-glucamate) (Note), 2821P
Dielectric Properties of Cured Epoxy Resins Containing the Perfluorobutenyloxy Group, 249L
Sato, M. See Ueda, M.,1019C
Sato, T.
—; Yamamoto, T.; Ogawa, T.; Otsu, T.: Long-Lived Polymer Radicals. VIII. Easy Formation of Long-Lived Propagating Radicals of Vinyl Monomers at Room Temperature, 1519C
Saunders, K. G.
—; MacKnight, W. J.; Lenz, R. W.: Poly(Alkyl α-Bromoacrylate)s. III. Tacticity Analysis from 19 mHz ^{13}C-NMR Spectroscopy, 1389C
Sautereau, H. See Lin, Y. G., 2171C
Sava, C. See Simionescu, C. I., 851C
Sawamoto, M. See Enoki, T., 2261C; Tanizaki, A., 87C
—; Ebara, K.; Tanizaki, A.; Higashimura, T.: Living Cationic Polymerization of *Cis*- and *Trans*-Ethyl Propenyl Ethers and Synthesis of Block Copolymers with Isobutyl Vinyl Ether, 2919C
Sayyah, S. M. See Moustafa, A. B., 3049C
Scammell, M. See Grinshpun, V., 1171P
Scamporrino, E. See Montaudo, G., 301C
Scheinbeim, J. I.
—; Mathur, S. C.; Newman, B. A.: Field-Induced Dipole Reorientation and Piezoelectricity in Heavily Plasticized Nylon 11 Films, 1791P
Schmitt, R. L. See Gardella, J. A., Jr., 649L
Schneider, B. See Dybal, J., 657P
Schreiber, H. P. See Ajji, A., 1983P
Schroder, J. S. See Altena, F. W., 1725P
Schultz, J. M. See Peszkin, P. N., 2591P, 2617P
Sebastian, T. V. See Nair, C. P. R., 1109C
—; Reghunathan, C. P.; Nair, S. C.; Nema, S. K.; Rao, K. V. C.: Thermally Stable Polymers Based on Bisitraconimido and Bisnadimido Benzoxazole (Note), 3549C
Sedgwick, R. D. See Aharoni, S. M., 1281C; Hindenlang, D. M., 1721C
Sedláček, B. See Holoubek, J., 1823P
Seeger, D. See Braren, B., 371L
Sefcik, M. D.
Dilation of Polycarbonate by Carbon Dioxide, 935P
Dialtion and Plasticization of Polystyrene by Carbon Dioxide, 957P
Seferis, J. C. See Prime, R. B., 641L
Seguela, R.
—; Rietsch, F.: On The Isomorphism of Ethylene/α-Olefin Copolymers, 29L
Seki, T.
—; Okahata,Y.: Permeation Control of Ionic Fluorescent Probes by Ambient pH Changes from Nylon Capsule Membranes Depending on Their Microstructures, 61C
Selb, J. See Albert, B., 537C
Seltzman, H. H. See Pitt, C. G., 13L
Semsarzadeh, M. A.
—; Hudgin, D. E.: Interpenetrating Network of Metal Polymer Composites (INMPC) of Polyesters, 545L
Senoh, S. See Abe, K., 3433C, 3461C
Seoul, C. See Furuhata, K., 59P
Sergeyev, V. A.
—; Nedelkin, V. I.: Synthesis of Poly(arylene sulfide)s by Reaction of Aromatic Sulfides with $AlCl_3$, 3153C
Serna, F. J. See De Abajo, J., 483C
Shafer, S. G.
—; Harris, J. M.: Preparation of Cyanuric-Chloride Activated Poly(Ethylene Glycol) (Note), 375C
Shaffer, T. D. See Percec, V., 439L
—; Jamaludin, M.; Percec, V.: Functional Polymers and Sequential Copolymers by Phase-Transfer Catalysis. 16. Influence of Sequence Distribution on the Mesomorphic Properties of Thermotropic Copolyethers Containing 4,4'-Dihydroxybiphenyl, 15C

—; Percec, V.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. XIX. Thermotropic Polythioethers and Copolythioethers Based on 4,4′-Dithiolbiphenyl, 451C
Shah, V. M.
—; Hardy, B. J.; Stern, S. A: Solubility of Carbon Dioxide, Methane, and Propane in Silicone Polymers: Effect of Polymer Side Chains, 2033P
Shaha, B. See Verneker, V. R. P., 1L
Shahar, M.
—; Meshulam, H.; Margel, S.: Synthesis and Characteristics of Microspheres of Polystyrene Derivatives, 203C
Sharma, A. K.
Reproducibility in Glow Discharge Polymerization, 3077C
Shelnutt, J. A.
—; Ginley, D. S.: Synthesis and Vibrational Characterization of Polymeric Copper(II)Coproporphyrin (Note), 1717C
Shilin, Y. See Zhu, K. J., 331L
Shimada, I. See Takahagi, T., 3101C
—; Takahagi, T.; Fukuhara, M.; Morita, K.; Ishitani, A.: FT-IR Study of the Stabilization Reaction of Polyacrylonitrile in the Production of Carbon Fibers, 1989C
Shimbo, M. See Ochi, M., 251P, 1271P, 2185P
—; Nakaya, T.; Takahama, T.: Effects of Tertiary Amine Accelerators on Curing of Epoxide Resins, 1931P
Shimizu, T. See Tanaka, Y., 177L
Shimokawa, T. See Nishikubo, T., 1097C
Shinde, B. M. See Ghatge, N. D., 103C
Shioda, H. See Ito, M., 147L
Shiomi, T. See Imai, K., 3225C
Shirai, H. See Hanabusa, K., 311L
Shirai, M.
—; Wakinaka, S.; Ishida, H.; Tsunooka, M.; Tanaka, M.: Novel Photocrosslinkable Polymers with Pendant Imino Sulfonate Groups, 119L
Shirakawa, T. See Toi, K., 121P
Shit, S. C.
—; Maiti, S.: New Block Copolymers IV. Interfacial Polycondensation as a Novel Method for ABA Block Copolymers, 383L
Shutov, F. A.
Review of "Integral/Structural Polymer Foams. Technology, Properties and Applications," 657L
Sideridou-Karayannidou, I. See Kehayoglou, A. H., 1625C
Sigwalt, P. See Naylor, D. M., 319L
Simha, R. See Zoller, P., 687P
Simionescu, B. C. See Simionescu, C. I., 851C
Simionescu, C. I.
—; Bărboiu, V.; Simionescu, B. C.; Talmaciu, V.; Sava, C.: On the Copolymerization Model and Microstructure of Methyl Acrylate-Styrene Radical Copolymer. Influence of $ZnCl_2$, 851C
Sinsky, M. S.
—; Bass, R. G.; Connell, J. W.; Hergenrother, P. M.: Poly(Enamine-Ketones) from Aromatic Diacetylenic Diketones and Aromatic Diamines, 2279C
Siudakiewicz, M. See Florjanczyk, Z., 1849C
Sixou, P. See Laivins, G. V., 2779P
Skorokhodov, S. S.
—; Stepanov, V. V.; Toncheva, V. D.; Velichkova, R. S.; Panayotov, I. M.: Characteristics and Initiation Ability of 9-Anthranylmethyl Hexafluorophosphate, 3271C
Słupowski, T. See Sodolski, H., 857P
Smets, G. See Oh, T. J., 229L
Smigasiewicz, S.
—; Kowalski, B.: The Dielectric β-Relaxation of Poly(*bis*-benzimidazobenzisoquinolinones), 1961P
Smith, C. E. See Jacoby, P., 461P
Smith, H. K., II See Heilmann, S. M., 1C; Rasmussen, J. K., 2739C
Smith, P. See Chanzy, H. D., 557L
Smolders, G. A. See Altena, F. W., 1725P; Reuvers, A. J., 793P
Šmukalla, J. See Brown, C. E., 1297C
Šnupárek, J., Jr. See Lebduška, J., 777C
Sodolski, H.
—; Słupkowski, T.: Electric Relaxation Currents in a Cured Polyester Resin with Nitroaniline Additives, 857P
Sone, Y. See Tsubokawa, N., 191C
Sörvik, E. M. See Hjertberg, T., 1313C,
Sozzani, P.
—; Di Silvestro, G.; Gervasini, A.: Inclusion Polymerization in Perhydrotriphenylene Studied by ESR Spectroscopy: Growing Chain Structure and Conformation of Methylsubstituted Polybutadienes, 815C
Spassov, A. See Kumanova, M. D., 339L
Spěváček, J. See Dybal, J., 657P
Spell, H. L. See Christensen, C. P., 1401P
Spitz, R.
—; Llauro-Darricades, M.-F.; Michel, A.; Guyot, A.; Mijangos, C.; Martinez, G.; Millan, J. L.: Configurational Stereoselectivity in the Nucleophilic Substitution of Poly(vinyl chloride) with Sodium Thiophenate: NMR Study and Monte-Carlo Simulation of the Reaction, 1753C
Sreenivasan, S. See Aravindanath, S., 207L
Srinivasan, M. See Gopal, J., 1577C, 2789C; Padma, S., 793C; Subramaniam, P., 2553C
Stamenova, R. T. See Vassilev, K. G., 3551C
Stannett, V. See Naylor, D. M., 319L
Stannett, V. T. See Uragami, T., 779P
Starkweather, H. W., Jr. See Zoller, P., 1451P
—; Jones, G. A.: The Heat of Fusion of Polybutene-1, 1509P
Steinke, H. See Domke, W. D., 2701C
Stepanov, V. V. See Skorokhodov, S. S., 3271C
Stern, S. A. See Shah, V. M., 2033P
—; Sampat, S. R.; Kulkarni, S. S.: Tests of a "Free-Volume" Model of Gas Permeation through Polymer Membranes. II. Pure Ar, SF_6, CF_4, and $C_2H_2F_2$ in Polyethylene, 2149P
Stevenson, W. T. K. See Garton, [illegible], 2383C
—; Garton, A.; Wiles, D. M.: Antiplasticization of Poly(bisphenol A, 2-hydroxypropylether) ("Phenoxy") (Note), 717P
Strauss, H. F. See Van der Klashorst, G. H., 2143C
Su, A. C.
—; Fried, J. R.: On the Determination of Polymer-Polymer Interaction Parameter by Inverse Gas Chromatography, 343L
Subbu, S. See Balakrishnan, T., 2271C
Subowo, W. S.
—; Barmawi, M.; Liang, O. B.: Growth of Carbonyl Index in the Degradation of Polypropylene by UV Irradiation, 1351C
Subramaniam, P.
—; Srinivasan, M.: Novel Polybenzoxazinones with Tricyclic Fused-Rings, 2553C
Suda, Y. See Hirotsu, T., 1953C See Inaki, Y., 119C
Sudol, E. D.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Kinetics of Successive Seeding of Monodisperse Polystyrene Latexes. I. Initiation via Potassium Persulfate, 3499C
—; El-Aasser, M. S.; Vanderhoff, J. W.: Kinetics of Successive Seeding of Monodisperse Polystyrene Latexes. II. Azo Initiators with and without Inhibitors, 3515C
Sugasaka, K. See Hirotsu, T., 1953C
Sugawara, Y. See Nishikubo, T., 1097C
Sugita, H. See Ueda, M., 1019C
Sugita, S.-I. See Inaki, Y., 3201C
Sukumar, M. See Ray, S. S., 603C
Sullivan, J. L.
The Relaxation and Deformational Properties of a Carbon-Black Filled Elastomer in Biaxial Tension, 161P
Sun, C. K. J. See Barooah, A., 817P
Surendran, G. See Gazicki, M., 215C

Suto, S.
—; Ise, H.; Karasawa, M.: Refractometry of Lyotropic Mesophase Systems: Ethyl Cellulose/m-Cresol and Ethyl Cellulose/Acetic Acid, 1515P
—; Obara, K.; Nishitani, S.; Karasawa, M.: Viscometric Behavior of Liquid-Crystalline Solutions of Hydroxypropyl Cellulose in *N,N*-dimethylacetamide and in Dimethylsulfoxide: Effects of Temperature and Concentration, 1849P
Suyama, K. See Hayashi, S., 597L
Suzuki, F. See Jimbo, M., 909P
Suzuki, T. See Ueda, M., 3177C
Swamikannu, A. X.
—; Hsiue, G.-H.; Litt, M. H.; Balasubramanian, M.: Synthesis of Bifunctional Monodisperse Poly(*N*-Isovaleryl Ethyleneimine), 1455C

Tabara, S. See Naito, I., 875C
Taburoni, E. See Aglietto, M., 1337C
Tagle, L. H.
—; Diaz, F. R.; De La Maza, M. P.; Vega, J. C.: Polymerization by Phase-Transfer Catalysis 3: Poly(1,4-Oxylylene Thioethers) Synthesis, 495C
Taha, M. See Boutevin, B., 2891C, 3129C, 3325C
Tai, E. F.
—; Caskey, J. A.; Allison, B. D.: Precipitation Polymerization of Acrylamide Using Vazo-33 as an Initiator and Acetonitrile/Water Mixtures As the Solvent, 567C
Takagihara, Y. See Kuzuya, M., 707C
Takagishi, T. See Kozuka, H., 383C, 2695C; Lim, Y. J., 503C
—; Hosokawa, T.; Okada, M.; Kozuka, H.: Peculiar Temperature Dependence of the Binding of Methyl Orange and Its Homologs by 2-Diethylaminoethyl Methacrylate-*N*-Vinyl 1-2-Pyrrolidone Copolymers, 3423C
Takahagi, T. See Shimada, I., 1989C
—; Shimada, I.; Fukuhara, M.; Morita, K.; Ishitani, A.: XPS Studies on the Chemical Structure of the Stabilized Polyacrylonitrile Fiber in the Carbon Fiber Production Process, 3101C
Takahama, T. See Shimbo, M., 1931P
Takahara, T. See Inaki, Y., 3201C
Takahashi, I. See Higashi, F., 97C
Takahashi, S.-I.
—; Fujimoto, T., 495L
—; Fujimoto, T.; Barua, B. M.; Miyamoto, T.; Inagaki, H.: ^{13}C-NMR Spectral Studies on the Distribution of Substituents in Some Cellulose Derivatives, 2981C
Takahaski, T. See Masuda, T., 809C
Takai, M. See Yaginuma, Y., 327L
Takase, M.
—; Ciferri, A.; Krigbaum, W. R.; Hacker, H.: Poly(*p*-Benzamide). II. Thermal Behavior and Crystal Transformations, 1675P
—; Krigbaum, W. R.; Hacker, H.: Poly(*p*-benzamide): Magnetic Field Orientation, Solvation, and Crystal–Crystal Transformations, 1115P
Takashima, N. See Ochi, M., 2185P
Takayanagi, H. See Matsuzawa, S., 477L
Takeda, H. See Jimbo, M., 909P
Takemoto, K. See Inaki, Y., 119C, 3201C, 3249C
—; Miyata, M., 457L
Takeuchi, Y.
—; Yamamoto, F.; Konaka, T.; Nakagawa, K.: Radical and Void Formation in Ultradrawn Polyoxymethylene, 1067P
Takizawa, A.
—; Kinoshita, T.; Ohtani, A.; Tsujita, Y.: The Effects of Oxidative Reaction on Ionic Permeabilities through Polypeptide Membranes Containing –SH Groups in the Side Chains, 665C
Talmaciu, V. See Simionescu, C. I., 851C
Tanaka, H.
Copolymerization of Cationic Monomers with Acrylamide in an Aqueous Solution, 29C
Tanaka, K. See Ito, M., 147L; Kamachi, M., 925C
Tanaka, M. See Cha, Y., 2927C; Masuda, S., 529L; Shirai, M., 119L; Tsunooka, M., 317C
Tanaka, Y.
—; Iijima, S.-I.; Shimizu, T.; Fujikawa, H.; Matsuda, H.; Nakanishi, H.; Kato, M.; Kato, S.-I.: Solid-State Polymerization of 1,4-Bis(3-acetylaminophenyl)-1,3-butadiyne Under High Pressure, 177L
Taniguchi, M. See Katsuta, M., 463L
Tanizaki, A. See Sawamoto, M., 2919C
—; Sawamoto, M.; Higashimura, T.: Cationic Polymerization of *p*-Methylstyrene Initiated by Acetyl Perchlorate: An Approach to Living Polymerization, 87C
Tant, M. R.
—; Wilkes, G. L.; Read, M. D.; Kennedy, J. P.: Sulfonated Polyisobutylene Telechelic Ionomers. XI. Viscoelastic Behavior of Concentrated Solutions of Zinc-neutralized Ionomers in a Nonpolar Solvent, 619L
Tatsumi, A. See Otsu, T., 113L
Tawansi, A.
—; Migahed, M. D.; El-Hamid, M. I. A.: Electrical Conduction of Poly(Vinyl Alcohol) Films, 2631P
Taylor, L. D.
—; Kolesinski, H. S.: A Polymer whose Aqueous Solutions Show the Properties of Negative Thixotropy and Thermoreversible Gelation: Poly-(Trimethylamine *p*-Vinylbenzimide), 287L
Taylor, M. A. See Hendra, P. J., 83L
Tchir, M. F. See Roth, R. J. G., 133C
Teyssie, P. See Albert, B., 537C, 551C, 2577C; Drapier, J., 2185C; Fayt, R., 25L; Horrion, J., 69L; Ouhadi, T., 973P
Thanedar, S. See Farona, M. F., 3529C
Theodorou, M.
—; Jasse, B.: Fourier-Transform Infrared Study of Orientation in Pure and Plasticized Poly(Vinyl Chloride), 2643P
Thirion, P.
—; Monnerie, L.: Double-Step Retraction of a Polyisoprene Vulcanizate: Comparison with Molecular Models, 2307P
Thomas, E. L. See Granier, T., 2793P
Thomas, O. See Blumstein, A., 27P; Wu, P. P., 827P
Till, C. See Munro, H. S., 279C
Tirrell, D. A. See Ramaswami, V., 241C
Tirrell, M. See Galvan, R., 803C
Todesco, R. V.
—; Basheer, R.: Organosilane Polymers: Synthesis and Photochemical and Photophysical Behavior of Poly[dimethyl-co-methyl(L-naphthyl)silylene], 1943C
Toi, K.
—; Oba, K.; Maeda, Y.; Ito, T.; Shirakawa, T.; Ikemoto, I.; Tokuda, T.: Determination of Dual-Mode Sorption and Mobility Parameters from Permeation Experiments, 121P
Tokuda, T. See Toi, K., 121P
Tomei, E. See Aglietto, M., 1337C
Tomiki, M. See Naito, I., 875C
Toncheva, V. D. See Skorokhodov, S. S., 3271C
Tonelli, A. E. See Bowmer, T. N., 1631P
Topic, M.
Use of Blocked Electrodes in Thermally Stimulated Depolarization Current Measurements, 2209P
Toporowski, P. M.
—; Roovers, J.: Synthesis and Properties of Eighteen-arm Polybutadienes, 3009C
Toppare, L. See Akbulut, U., 185L
Torikai, A.
—; Adachi, A.; Fueki, K.: Ionic Species in γ-Irradiated Poly(vinyl Chloride) Containing Pyrene and Biphenyl: Selective Formation of Pyrene Cation Radical (Note), 1413C

Trumbo, D. L.
—; Marvel, C. S.: Polymerization of 1-Bromo-2-Phenylacetylene, 759C
—; Marvel, C. S.: Polymerization using Palladium (II) Salts II: Polymerization of 2-Ethynyl-5-Bromothiophene, 2231C
—; Marvel, C. S.: Polymerization using Palladium (II) Salts: Homopolymers and Copolymers from Phenylethynyl Compounds and Aromatic Bromides, 2311C
Tseng, C. M.
—; Lu, Y. Y.; El-Aasser, M. S.; Vanderhoff, J. W.: Uniform Polymer Particles by Dispersion Polymerization in Alcohol, 2995C
Tsevi, R. A. See Velichkova, R. S., 3399C
Tsubokawa, M. See Saeki, S., 325P
Tsubokawa, N.
—; Fujiki, K.; Sone, Y.: Radical Grafting from Carbon Black Having Hydroxy Methyl Group/Ceric Ion Redox System (Note), 191C
Tsubotani, S. See Saeki, S., 325P
Tsuchida, E. See Kobayashi, N., 215L; Ohno, H., 2959C
Tsuji, M. See Fujimoto, T., 495L
Tsujikawa, H. See Endo, K., 1633C
Tsujita, Y. See Takizawa, A., 665C
Tsukada, M.
Effect of the Drying Rate on the Structure of Tussah Silk (Antheraea pernyi) Fibroin (Note), 457P
Structural Changes Induced in Tussah Silk (*Antheraea Pernyi*) Fibrion Films by Immersion in Methanol, 1227P
Tsukada, N. See Watanabe, S., 1227C
Tsunooka, M. See Cha, Y., 2927C; Shirai, M., 119L
—; Imono, S.; Nakayama, K.; Kuwabara, H.; Tanaka, M.: Photodegradation of O-Methacryloyl Ketone Oxime-Methyl Mechacrylate Copolymers in the Solid Phase, 317C
Tsvetanov, Ch. B. See Vassilev, K. G., 3551C
—; Dotcheva, D. T.: Ion Equilibria in THF Solutions of Models of "Living" Methacrylonitrile Oligomers with Li^+ Counterion, 2253C
Tunca, U. See Yağci, Y., 49L, 491L
Tung, L. H. See Koltisko, B., 2167P
Turner, R. B. See Christensen, C. P., 1401P

Uebel, J. J. See Kale, L. T., 3145C
Ueda, A.
—; Nagai, S.: Block Copolymers Derived from Azobiscyanopentanoic Acid. VI. Synthesis of a Polyethyleneglycol-Polystyrene Block Copolymer, 405C
Ueda, M.
—; Sugita, H.; Sato, M.: Synthesis of Poly(benzoxazole)s by Direct Polycondensation of Dicarboxylic Acids with 3,3'-Dihydroxybenzidine Dihydrochloride Using Phosphorus Pentoxide/Methanesulfonic Acid as Condensing Agent and Solvent, 1019C
—; Yazawa, M.; Suzuki, T.; Pittman, C. U., Jr.: Radical-Initiated Homopolymerization and Copolymerization of Methylthiomethyl Methacrylate, 3177C
Ueki, T. See Naito, I., 875C
Ueno, A. See Anzai, J.-I., 681C
Uragami, T.
—; Hopfenberg, H. B.; Koros, W. J.; Yang, D. K.; Stannett, V. T.; Chern, R. T.: Dual-Mode Analysis of Subatmospheric-Pressure CO_2 Sorption and Transport in Kapton H Polyimide Film, 779P
Uryu, T. See Chen, Y.-Y., 1539C
Usanmaz, A.
—; Asaid, A.: Polymerization of 1,2-Epoxy-4-Epoxyethylcyclohexane, 3263C
Uustalu, J. M.
Electrical Conductivity in Vinyl Chloride During Polymerization, 1609C

Vallat, M.-F.
—; Plazek, D. J.; Bhushan, B.: Effects of Thermal Treatment of Biaxially Oriented Poly(ethylene terephthalate), 2123P
Van Bogart, J. W. C. See Gibson, P. E., 885P
Van de Hulst, R. See Altena, F. W., 1725P
Van Dyke, J. D. See Funt, B. L., 1529C
Van Pham, C.
—; Czerwinski, A.; Zimmer, H.; Mark, H. B., Jr.: Critical "Nuances" in the Synthesis of Highly Conductive Undoped Poly(3-substituted-2,5-thienylenes)Containing Cu(II), 103L
Van der Klashorst, G. H.
—; Strauss, H. F.: Polymerization of Lignin Model Compounds with Formaldehyde in Acidic Aqueous Medium, 2143C
Vandenberg, E. J.
Some Aspects of the Bimetallic μ-Oxo-alkoxides for Polymerizing Epoxides to Polyether Elastomers, 1423C
Vanderhoff, J. W. See Delgado, J., 861C; Sudol, E. D., 3499C, 3515C; Tseng, C. M., 2995C
Vanderschueren, J.
—; Linkens, A.; Niezette, J.: Effect of Doping on Thermoluminescence in Polymers. I. 9, 10-Phenanthrenequinone-Doped Polydiancarbonate, 697P
Varaprasad, D. V. P. R.
—; Mahadevan, V.: Use of Cyclohexanone Oxime as an Oxidant in Redox Polymerization: Kinetics of Oxidation and Polymerization, 3299C
Vasanthakumari, R. See Kishore, K., 2011C
Vassilev, K. G.
—; Dimov, D. K.; Stamenova, R. T.; Boeva, R. S.; Tsvetanov, Ch. B.: Complex Forming Properties of Crosslinked Poly (ethylene Oxide). I. Interaction of Linear and Crosslinked Poly(ethylene Oxide) with Molybdenum(VI) Salts, 3551C
Vatansever, N. See Rensch, G. J., 1943P
Vega, J. C. See Tagle, L. H., 495C
Velichkova, R. S. See Skorokhodov, S. S., 3271C
—; Tsevi, R. A.: Polymerization of Styrene Oxide by Nitronium Tetrafluoroborate, 3399C
Verneker, V. R. P.
—; Shaha, B.: Dual Role of Metallic Lithium in the Initiation of Vinyl Polymerization, 1L
Vesely, D. See Parker, M. A., 1869P
Vinogradov, G. V.
—; Dreval, V. E.; Borisenkova, E. K.; Kurbanaliev, M. K.; Zabugina, M. P.: Tensile Flow and Stress–Strain Behavior over a Wide Temperature Range for Poly(butyl methacrylate) with a Broad Molecular Weight Distribution, 1971P See Volkov, V. S., 2073P
Viovy, J. L.
Chain Reaction, Length Fluctuations, and Small-Angle Neutron Scattering in Strained Polymer Melts, 1611P
Visani, F. See Giannetti, E., 2517C
Viswanathan, R. See Hedrick, J. L., 287C
Vitalini, D. See Montaudo, G., 301C
Vittoria, V.
Investigation of the Structure of Isotactic Polypropylene via Transport Properties (Note), 451P See DeCandia, F., 2145P
—; deCandia, F.; Capodanno, V.; Peterlin, A.: Mechanical and Transport Properties of Highly Drawn Isotatic Polypropylene, 1009P
Vofsi, D. See Naé, H. N., 1239C
Vogl, O. See Muggee, J., 2327C; Ouchi, T., 2059C
Voight-Martin, I. G.
—; Alamo, R.; Mandelkern, L.: A Quantitative Electron Microscopic Study of the Crystalline Structure of Ethylene Copolymers, 1283P
—; Leister, K.-H.; Rosenau, R.; Koningsveld, R.: Kinetics of Phase Separation in Polymer Blends for Deep Quenches, 723P
Volkov, V. S.
—; Vinogradov, G. V.: Theory of Relaxational Interaction in Linear Polymers, 2073P

Volksen, W.
—; Geiss, R.; Economy, J.: Topotactic Transitions of the Tetramer of P-Acetoxybenzoic Acid, 2117P
Vonk, C. G.
On The Overcrowding in the Amorphous Phase of Semicrystalline Polymers, 305L
Von Meerwall, E. See Korsmeyer, R. W., 409P
Voyer, R.
—; Prud'Homme, R. E.: Synthesis and Polymerization of Racemic and Optically Active β-Substituted β-Propiolactones. III. β-Monosubstituted Monomers and Polymers, 2773C
Vuković, R. See Maeda, Y., 2345P

Wada, Y. See Jimbo, M., 909P
Wakelyn, N. T.
Resolution of Wide-Angle X-Ray Scattering from a Thermoplastic Composite, 2101C
Wakinaka, S. See Shirai, M., 119L
Walters, G. R. See Ika, P. V. S., 2297C
Wan, X. See Berliner, L. J., 587L
Wang, B. See Krause, S., 35L
Wang, C. H. See Fytas, G., 1859P; Wool, R. P., 1039P
Wang, F. See Wang, Z., 2255P
Wang, Z. See Yan, D., 2229P
—; Yan, D.: Theoretical Study of Sequence Distributions in Polydienes. I. Statistical Treatment, 2219P
—; Yan, D.: Theoretical Study of Sequence Distributions in Polydienes. III. Kinetic Treatment of First-Order Markovian Process, 2241P
—; Yan, D.; Wang, F.: Theoretical Study of Sequence Distributions in Polydienes. IV. Experimental Test, 2255P
Ward, I. M. See Bower, D. I., 1459P, 1481P; Clements, J., 2293P; Klein, P. G., 1093P
Warfield, R. W. See Hartmann, B., 877P
Warin, R. See Drapier, J., 2185C
Watanabe, M. See Kosaka, Y., 1915C; Ogata, N., 65L
Watanabe, S.
—; Harashima, S.; Tsukada, N.: Photochemically Active Modification of Polymers I. Preparation and Reaction of Photocrosslinkable Poly(vinyloxycarbonylchalcone), 1227C
Wei, G.
—; Cohen, C.: Direct Method of Calculating the Dynamic Scattering Spectrum, 2703P
Wei, Y. C. See Jellinek, H. H. G., 389C, 503P
Weigmann, H. D. See Durning, C. J., 1321P, 1341P
Weiner, J. H.
—; Berman, D. H.: Axial Force Fluctuations in Long-Chain Molecules, 389P
Weiss, A. See Kilian, H.-G., 662L
Weiss, R. A. See Fitzgerald, J. J., 263L
Wellinghoff, S. T. See Kolodziej, P., 2359P
Wentworth S. E.
—; Goydan, R.: Detection of the Penetration of Small Molecules Through Polymers, 159L
Wharry, S.
—; Yeh, G. H.: Carbon-13 NMR Spectroscopy of Polydienes I. Poly(2,3-Dimethyl-Butadiene) (Note), 1065C
Wiles, D. M. See Garton, A., 2383C; Stevenson, W. T. K., 717P; Zhang, C., 453L
Wiley, R. H.
The Pyridine/Acetic Anhydride Initiated Homopolymerization of Maleic Anhydride, Maleic Acid, and Cyclopent-4-ene-1,3-dione, 219L
Wilke, W. See Fronk, W., 839P
Wilkes, G. L. See Lopez, L. C., 573L; Tant, M. R., 619L
Wilkie, C. A. See Brown, C. E., 255C, 1297C
Willett, J. L.
—; O'Connor, K. M.; Wool, R. P.: The Role of Chain Scission in Fracture of Amorphous Polymer (Note), 2583P
Willis, H. A. See Hendra, P. J., 83L
Wimmik, M. A. See Egan, L. S., 1895C
Winslow, F. H. See Gooden, R., 3191C
Wittman, J. C. See Lotz, B., 1541P, 1559P, 2017P
Wong, S.-W.
—; Frisch, K. C.: Catalysis in Competing Isocyanate Reactions. I. Effect of Organotin–Tertiary Amine Catalysts on Phenyl Isocyanate and *N*-Butanol Reaction, 2867C
—; Frisch, K. C.: Catalysis in Competing Isocyanate Reactions. II. Competing Phenyl Isocyanate Reactions Catalyzed with *N,N',N''*-Pentamethyldipropylenetriamine, 2877C
Woo, E. P.
Preparation and Characterization of Polysuccinimides, 2823C
Wood, R. See Kempner, E. S., 2337P
Wool, R. P. See Willett, J. L., 2583P
—; Bretzlaff, R. S.; Li, B. Y.; Wang, C. H.; Boyd, R. H.: Infrared and Raman Spectroscopy of Stressed Polyethylene, 1039P
Wróbel, A. M. See Czeremuszkin, G., 715C
Wu, P. P.
—; Hsu, S. L.: Fourier-Transform Infrared Study of The Nematic Order in Thermotropic Main-Chain Polyesters, 827P
Wu, S. J. See Mulvaney, J. E., 613C, 2373C
Wu, S.
—; Chuang, H. K.: Diffuse Interface Between Polymers: Structure and Kinetics, 143P
Wunder, S. L.
—; Merajver, S. D.: Ultrahigh-Molecular-Weight Polyethylene: Raman Spectroscopic Study of Melt Anistropy, 99P
Wunderlich, B. See Cheng, S. Z. D., 577P, 595P, 1755P; Grebowicz, J., 675P; Judovits, L. H., 2725P; Kirkpatrick, D. E., 45P, 931P

Xiangzhou, L. See Zhu, K. J., 331L
Xu, B.-B. See Chien, J. C. W., 2903C

Yadav, D. See Chatterjee, S. K., 2591C
Yağci, Y.
—; Tunca, Ü.; Biçak, N.: A New Macroazo-Initiator for the Synthesis of Polymers with Crown Ether Units, 49L
—; Tunca, Ü.; Biçak, N.: Preparation of the Macroazo-Initiator by Interfacial Polymerization, 491L
Yaginuma, Y.
—; Takai, M.; Hayashi, J.: The Preferential Orientation in Bacterial Cellulose Membrane, 327L
Yamada, A. See Hou, X.-H., 2749C
Yamada, Y. See Higashi, F., 589C
Yamaguchi, T. See Saeki, S., 325P
Yamakawa, S. See Kimura, T., 1161C
Yamamoto, A. See Isobe, E., 1839C
Yamamoto, F. See Takeuchi, Y., 1067P
Yamamoto, K. See Matsuzawa, S., 533L
Yamamoto, T. See Sato, T., 1519C
Yamamura, H. See Kihira, Y., 867P
Yamamura, K. See Matsuzawa, S., 477L
Yamaura, K. See Matsuzawa, S., 533L
Yan, D. See Wang, Z., 2219P, 2241P, 2255P
—; Wang, Z.: Theoretical Study of Sequence Distributions in Polydienes. II. Non–Steady-State Analysis of a Bernoullian Process, 2229P
Yanagawa, T. See Ogata, N., 89P, 1917P
Yang, D. K. See Uragami, T., 779P
Yang, F.
—; Gilbert, R. D.; Fornes, R. E.; Memory, J. D.: Factors Affecting H_2O Absorption of the Epoxy Tetraglycidyl-4,4'-Diaminodiphenyl Methane Cured with Diaminodiphenyl Sulfone, 2609C
Yang, W. P. See Kolodziej, P., 2359P
Yaniger, S. I. See Brown, C. E., 255C

Yasuda, H. See Gazicki, M., 215C; Yeh, Y.-S., 3233C
Yazawa, M. See Ueda, M., 3177C
Yeh, G. H. See Wharry, S., 1065C
Yeh, Y.-S.
—; Yasuda, H.: Plasma-Substrate Interaction: Effect of Volatile Oligomers in Silicone Rubber on Plasma Polymerization of Fluorine-Containing Monomers, 3233C
Yokokawa, T. See Furuhata, K., 59P
Yokota, H.
The Selective Uniplanar Orientation Phenomenon in Chitosan Sheets Derived from Microfibrillated Chitosan, 423L
Yokota, R. See Kochi, M., 1441P, 1619P
Yokoyama, M. See Kakugo, M., 171L
Yokoyama, T. See Furukawa, M., 3291C; Hiraoka, K., 769P
Yoldas, B. E.
Hydrolytic Polycondensation of Alkoxysilanes and Modification of Polymerization Reactions, 3475C
Yonezawa, N. See Hasegawa, M., 153L
Yoon, K. J.
—; Desai, P.; Abhiraman, A. S.: Crystallization in Oriented Poly(ethylene terephthalate) Fibers. II. Consequences of Subsequent Deformation, 1665P
Yoshida, K. See Ogata, N., 89P, 1917P
Yoshihara, S. See Kamogawa, H., 1565C
Yoshikawa, K. See Kozuka, H., 2695C
Yoshikawa, M.
—; Yukoshi, T.; Sanui, K.; Ogata, N.: Selective Separation of Water-Ethanol Mixture through Synthetic Polymer Membranes Having Carboxylic Acid as a Functional Group, 1585C
Yoshimura, Y.
Formation of Formal Compounds in Reaction of Dimethyl Phenols with Formaldehyde, 2085C
Kinetics of Reaction of Methyl α-Eleostearate with Phenol, 469C
—; Masuda, T.; Higashimura, T.; Ishihara, T.: Polymerization of 1-(Pentafluorophenyl)-1-alkynes by Ta and Nb Catalysts, 3559C
—; Nomoto, M.: Products Characterization of Tung Oil–Phenol Reactions Based on Analysis of a Model Reaction, 2351C
Young, D. A.
—; Ferreira, D.; Roux, D. G.: Stereochemistry and Dynamic Behavior of Some Synthetic "Angular" Profisetinidin Tetraflavanoid Derivatives, 835C
Young, P. R. See Bell, V. L., 2647C
Yu, X.
—; Nagarajan, M. R.; Li, C.; Gibson, P. E.; Cooper, S. L.: Poly(chloropropylmethyl-dimethylsiloxane)-Polyurethane Elastomers; Synthesis and Properties of Segmented Copolymers and Related Zwitterionomers, 2681P
Yukoshi, T. See Yoshikawa, M., 1585C
Yurttaş, B. See Akbulut, U., 185L

Zabugina, M. P. See Vinogradov, G. V., 1971P
Zadorecki, P.
—; Rönnhult, T.: An ESCA Study of Chemical Reactions on the Surfaces of Cellulose Fibers, 737C
Zeldin, M. See Kang, D. W., 1085C
Zhan-ru, L.
—; Gonsalves, K.; Lenz, R. W.; Raüsch, M. D.: Step-Growth Cationic Polymerization of α-Hydroxyisopropylferrocene, 347C
Zhang, C.
—; Carlsson, D. J.; Wiles, D. M.: Hindered Amine Light Stabilizers: Effects of Acid Exposure, 453L
Zhang, D. See Lu, C. X., 525C
Zhou, M.-Y. See Chien, J. C. W., 2947C
Zhu, K. J.
—; Xiangzhou, L.; Shilin, Y.: Preparation and Properties of D,L-Lactide and Ethylene Oxide Copolymer: A Modifying Biodegradable Polymeric Material, 331L
Zimmer, H. See Van Pham, C., 103L
Zoller, P.
—; Jain, R. K.; Simha, R.: Equation of State Copolymer Melts: The Poly(vinyl acetate)-Polyethylene Pair, 687P
—; Starkweather, H. W., Jr.; Jones, G. A.: The Heat of Fusion of Poly(4-methyl pentene-1), 1451P

Subject Index to Volume 24

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 24, 1986. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, in parentheses following the page number.

ABA block copolymers, 383L
Absorbed water at the PE-$CaCO_3$ interface, 209P
Accelerators of epoxide cure, tertiary amines as, 1931P
Acetic anhydride, 2553C
Acetone, 3177C
Acetonitrile/water mixtures, 567C
Acetoxy content, 2107C
p-Acetoxybenzoic acid tetramer, phase transitions of, 2117P
Acetyl perchlorate, 87C
Acid-catalyzed degradation, 2903C
Acidic aqueous medium, 2143C
Acidic polyanion, 3433C
Acryflavin, 2729C
Acrylamide, 29C, 1933C, 2271C, 2635C
Acrylamide in aqueous medium, 767C
Acrylamide polymerization, 767C
Acrylate copolymer latex films, surface composition, 649L, 653L
Acrylic acid, 1463C
Acrylic anhydride, 2937C
Acrylic monomers, 1379C
Acrylic propionic anhydride, 2937C
2-Acryloyl-oxyethyl group, 1565C
Acryloyloxyethyltrimethylammonium chloride–M_2, 29C
Acryloyl-type polymer, 2059C
Activation energy 621C, 3393C
Active 4-chloro-1-benzotriazolyl, 75C
Active diesters, 75C
N-Acylated diethylamine, 511C
N-Acylated linear polyethylenimines, 37C
4-Acylisoprene, 463L
O-Acyloxyimino groups, 317C
Additives, 125L
Adenine base grafted polyacrylamides, 3349C
Adenine derivative, 167C
Adhesive, 3573C
Adhesive property, 3491C
Adhesives, 2415C
Adipic acid, 419C
Adsorptive property, 1953C
AH salt, 3491C
Air-saturated polyurethane solutions, 1879C
$AlCl_3$, 3153C
Alcohol, 2995C
Alcoholysis with bisphenols, 187C(N)
Alfrey–Price equations, 883C
Aliphatic acetylenes, 809C(N)
Aliphatic carbonyl polymers, 875C
Aliphatic dicarboxylic acids, 1625C
Aliphatic polyesters, 645C
Alkali lignin, 2143C
Alkoxide-TMEDA, 1419C
Alkoxysilanes, 3475C
Alkyl group chain, 1161C
Alkylaluminum, 1633C
Alkylcrylate, 1161C
Alkynes, 3529C
Allophanate groups, 3291C
Allophanate linkages, 2297C
Allyl system prevail, 815C
Al/Mn ratio of 4, 2565C
Alternating copolyethers, 15C
Amines, 2401C
Aminimides, 287L
Amino acid and/or nucleic acid base, 3365C
Amino acid end-group, 911C
Amino acids, 2797C
Amino group, 3365C
Amino ligands, 203C
5-Amino-2-(3′-aminophenyl) benzoxazole, 3559C
1-Amino-4-methylaminoanthraquinone-2-sulfonate, 2695C
Aminophenols, 1511C
Aminophenoxycyclotriphosphazenes, 2415C
4-Aminophenyl ether, 1915C
Ammonia/ammonium thiocyanate solution, 2075C
Ammonium ferrous sulphate, 1933C
AM–NaAMB copolymers, 2619C
AM–NaAMB pair, 2635C
Amorphous matrix resins, 287C
Amorphous–all aromatic polyarylene ether sulfones, 287C
α-Amylase, 2599C
Anhydride curing agent, 2383C
Aniline liberation, 173C
Anionic polymerization, 253L, 1419C, 3263C
Anisotropy of infrared absorption, analysis of, 2509P, 2525P
Annealing of LDPE, reversible and irreversible changes in, 839P
—, of vapor-induced crystals of bisphenol-A polycarbonate, 2459P
Annealing and drawing of PET fibers, effect on structure from, 1665P
Annealing and morphology of segmented polyurethane elastomers, 885P
Anomalous particles, 3109C
Anthracene (acceptor) or napthalene (donor), 537C
9-Anthranylmethyl hexafluorophosphate, 3271C
Anthraquinone dyes, 2695C(N)
Anticoagulant activities, 911C
Antiplasticization of epoxy resins by polar diluent, 717P
Antitumor activity, 2059C
Aqueous conditions, 1497C
Aqueous medium, 3349C
Aqueous polymerization, 3049C
Aqueous size exclusion chromatography (SEC), 87L
Aqueous solution, 29C, 2033C, 2131C, 2729C
—, of acrylamide in toluene, 427C
Aromatic bromides, 2311C
Aromatic copolyesters, 931C
Aromatic diacetylenic diketones, 2279C
Aromatic diacid chlorides, 1577C, 3555C
Aromatic diamines, 637C, 2279C
Aromatic dicarboxylic acids, 187C(N)
Aromatic groups, 595C
Aromatic phosphite, 1281C
Aromatic polyamides, 2377C(N)
Aromatic polyisophthalamides, 483C
Aromatic sulfides, 3153C
Arrhenius relationship, 2395C
Arylmonocarbamates, 1879C
Ascorbic acid system, 2729C
Asymmetric induction copolymerization, 1185C
Asymmetric nucleic acid base, 2815C
Asymmetric-selective polymerization, 131L
Atactic polystyrene, 2433C
Average sequence length, 803C(N)
Axial force fluctuations, 389P

b axis distribution, 2541P
3-[(4-Azidophenyl)dithio]propionic, 241C
Azo initiators, 3515C
α,α′-Azobisisobutyronitrile, 777C
α,α′-Azobis-isobutyronitrile (AIBN), 2185C
Azobiscyanopentanoic acid (ACPA), 405C
Azobiscyanopentanoly chloride, 405C
Azobisisobutyronitrile, 883C
Azodiisobutyronitrile initiator, 133C
4,4′-Azodiphthalic anhydride and/or pyromellitic dyanhydride, 793C
Azo-type initiators, 2995C

Bacterial cellulose membrane, 327L
Bacterial fermentation, 69P
Base resins, 199L
BDMA-catalyzed DDA-epoxy resin system, 2171C
Benzene, 255C, 495C, 3177C
Benzene-ring-forming cyclohexadienyl-type radical, 2119C
Benzobisthiazole polymers, 1863C
Benzocyclopropene, ring-opening polymerization, 645L
Benzoic acid, 589C
Benzotriazole stabilizers, 1717C
Benzoyl peroxide, 691C, 1053C
Bicyclo[2.2.2]octane ring system, 1923C
Bifunctional initiator, 1455C
Bi-ionic potential, 681C
Bimetallic μ-oxo-alkoxides, 1423C
Bimetallic catalysts of Osgan and Teyssie, 1423C
Binary mixture, 3049C
Binary system, 2507C
Biodegradability, 331L
Biphenyl, 255C, 1413C
o,o′-Biphenylene ring system, 931C
2,2-Bipyridine ligand, 13L
Birefringence of networks of cycloaliphatic polyesters, 2805P
Birefringent fluid state, 1923C
2,5-Bis(4-chloroformyl)-3,4-diphenylthiophene, 1511C
Bis(15-crown-5) derivative, 681C
9,9-Bis(3,5-dimethyl-4-hydroxyphenyl)fluorene, 1997C
α,ω-Bis(2,6-dimethylphenol)–, 965C
2,2-Bis(4-hydroxycyclohexyl)propane, 419C
1,4-Bis-(2′-hydroxyethoxy)benzene, 645C
1,1′-Bis(β-hydroxyethyl)ferrocene (I), 1419C
Bisitraconimido, 3559C
Bisnadimido benzoxazole, 3559C
Bis-phenate, 613C
Bisphenol dianion, 2447C
Bisphenol-A-based epoxy resin, 2119C
Bisphenol-A polysulfones, 287C
Bisphenols, 637C
Bis(silyl pinacolate) groups, 1251C
1,4-Bis(tetrahydrofuran-2,5-dion-3-yl)benzene, 2823C
Bis(triphenyl phosphine)palladium (II) chloride, 2231C
α,ω-Bis(vinylbenzyl)–poly(2,6-dimethyl-1,4-phenylene), 965C
2,2′-Bithiophene, 1529C
Black polymers, 1675C
Blend, polystyrene/polyvinylmethylether, kinetics of phase separation in, 723P
Blends of chlorinated PVC with polyurethane, 1577P
Blends of isotactic polypropylene, morphology of, 1559P
Blends, molecular design of, 973P
Blends of PBT and ABPBI, phase separation in, 1991P
Blends of poly(2,6-dimethyl-1,4-phenylene oxide) and copolymer of styrene and parafluorostyrene, phase behavior of, 2345P
Blends, polyester-polycarbonate, resistance to solvent stress crazing in, 2135P
Blends of polystyrene, dielectric relaxation in, 1587P
Blends of poly(vinyl chloride/polyester), inverse phase GC of, 2565P
Blends of PVC with EVA copolymer, dielectric loss of, 312P
—, miscibility and phase behavior of, 279P
Blends of PVF_2 and noryl, use of bridging material in, 973P
Block copolymer/homopolymer blends, 35L
Block copolymers, 25L, 2457C, 2919C
Block cotelomers, 2891C, 3129C, 3325C
Blocked electrodes for TSDC measurements, 2209P
Bonding ability, silicon compounds, 471L
Bonding strength, polyethylene/polypropylene, 537L
Bonding temperature, 537L
Branched polyethylene, 1069C
Brittleness, 69P
Bromine, 759C
α-Bromoacrylic acid, 1747C
1-Bromo-2-phenylacetylene, 759C
Bromostyrene–butadiene cotelomers, 1239C
Bromotrifluoro ethylene, 1007C
Bulk copolymerization, 883C
Bulk polymerization, 3407C
Bulk radical copolymerization, 851C
Bulky substituents, 1675C
Butadiene: E.S.R. experiments, 3089C
N-Butanol reaction, 2867C
Butoxy carbonyl, 2297C
n-Butoxycarbonyl, 2657C
n-Butyl, 1389C
N-Butyl-α,γ-diphenylallophanate, 2877C
Butyl acrylate, 2191C
Butylacrylate, 861C, 1337C,
n-Butyl amine, 2401C
2-Butyl-1,3-dioxolane, 2903C
n-Butylhydroxyoxostannane, 419C
T-Butylperoxy phenylcarbonate, 2425C
t-Butylphenyl, 3407C

^{13}C NMR, 1487C, 2765C
^{13}C NMR spectral studies, 2981C
C-NMR spectral study of cellulose, 673C
^{13}C NMR spectroscopy, 389L, 1389C
^{13}C NMR stereochemical analysis, 2919C
Calibration curve, 109C
Calorimetry of melt crystallization of PEO, 577P
ε-Caprolactam, 3491C
—, anionic polymerization, 253L
Carbazole substituted polymers in charge transfer complexes, 707P
9-Carbazolylacetyl, 511C
Carbon atom, 1173C
Carbon black, 191C(N)
Carbon fiber production process, 3101C
Carbon fibers, 1989C
Carbon tetrachloride, 691C
Carbon-13 NMR Spectroscopy, 1065C
Carbonized polyacrylonitrile surface, 2383C
Carbonyl groups, 1657C
Carbonyl index, 1351C
1-β-Carbonylethyl-5-fluorouracil, 2059C
Carboxyl PET chain end groups, 1281C
Carboxylate anions, 1433C
Carboxylate ester, 1433C
Carboxylic acid, 1585C
Catalytic site deactivation, 2707C
Cationic initiation, 1725C
Cationic initiator, 191C(N)
Cationic initiators, 2185C
Cationic polymerization, 87C, 185L, 347C, 1725C
Cationic resin, 3491C
N-Cbz-alanine, 2797C
Cell-M-Xan, 2981C
Cellulose, 2075C
—, acetylated hydroxypropyl derivative, liquid crystalline properties of, 2779P
Cellulose acetate film, 2507C
Cellulose acetate, demixing and gelation of ternary solutions of, 793P
Cellulose derivatives, 2981C

Cellulose fibers, 737C
Cellulose formate, stability, 495L
Cellulose IV, 207L
—, electron difraction pattern, 207L
Cellulose triacetate units, 1725P
M-Centered triad, 3145C
Ceric ion, 767C
Cericammoniumnitrate-2-chloroethanol, 767C
Ceric-ion-initiated grafting, 1539C
Ceric-ion-methanol redox system, 2131C
Cerium (IV)-2-Chloroethanol, 767C
Chain branching in polyethylene by SEC and LALLS, 1171P
Chain dimension, 2217C
Chain dimensions of 1,4-polybutadiene and poly(α-methylstyrene), temperature dependence of, 2553P
Chain entanglement and viscoelasticity of melts, 1983P
Chain expansion and optical anisotropy of vinyl polymers, 2669P
Chain extenders, 1599C
Chain fluctuations and retraction in polymer melts, 1611P
Chain folding, 565L
Chain motion and electron trapping in LDPE, 1713P
Chain motion in epoxides with spiro-ring structures, 2185P
Chain motions in relaxations of epoxide resin, 1271P
Chain orientation in strained PET, 2525P
Chain scission, flow induced, mechanism of, 1889P
Chain scission in fracture of glassy polymers, 2583P(N)
Chain transfer, 133C
Chain-transfer processes, 1779C
Characteristics of microspheres, 203C
Charge mosaic membranes, 1441C
Charge-transfer complexes of carbazole substituted N-acylated polyethylenimines and tetracyanoethane, 707P
Chemistry of alkenyl azlactones, 1C
Chemoselective acylation, 243L
Chiral polymers, 59L
Chitosan sheets, 423L
—, selective orientation, 423L
Chlorinated poly(vinyl chloride), compatibility in blends with polyurethane, 1577P
α-Chloroacrylic acid, 1747C
Chloroform, 2765C
α-Chloromaleic anhydride, 197C
m-Chloroperbenzoic acid, 1239C
p-Chlorophenol, 589C
Chlorotrifluoromethane, 1007C
Cholesteric, 2075C
Chromatographic analysis, 3049C
Cis geometry, 1065C
Citraconic anhydride, 1185C
α-Cleavage quantum yield, 875C
Cluster morphology in perfluorosulfonated ionomer membranes, 1767P
Co- and terpolymerizations, 197C
Color complexation, temperature effect, 597L
Commercial heparin. I., 911C
Compatibility in multicomponent polymer system, 973P
Complexing polymer blends, 581L
Composite solid propellant systems, 471L
Conducting copolymers, 1529C
Conduction mechanism in poly(vinyl alcohol) films, 2631P
Conductive organic polymers, 211L
Conductivity, 103L
—, of SbF_5-doped complexes of poly(*m*-phenylene disulfide), 2197P
Conductometric measurements, 3271C
Configurational properties, polymers, 541L
Configurational stereoselectivity, 1753C
Conformation of poly(oxyethylene), correlation with spectra, 1383P
Conformational reorganization in annealed aromatic polyesters, 1783P
Conjugated double bonds, 1043C
Conjugated polymers, 177L
Constant ionic strength, 3393C
Constant-pressure heat capacity C_p of poly(*p*-xylylene) (PPX), 45P
Contact angles, 3407C
Controlled release, insulin, 413L
Coordinative anionic mechanism, 2327C
Copolyamides, 3491C
Copolyester of PET and *p*-oxybenzoate, fiber spinning from nematic melt of, 1695P
Copolyesters from 4-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid, NMR of, 2293P
Copolymer pendant $Ru(bpy)_3^{2+}$, 2749C
Copolymerization of cationic monomers, 29C
—, of methyl methacrylate, 1379C
Copolymerization reactivity ratios, 229L
Copolymers, 105L, 2311C
—, of acrylamide, 2619C
—, of ethylene, morphology of crystallites in, 1283P
—, of polyacrylamide, 3365C
Copolymers, polyurethane-polyether blocks, structure-property, relationships of, 1401P
Copolymers: ethylene–vinyl chloride, infrared spectra of, 1631P
—, maleic acid-vinylpyrrolidone, dilute solution viscometry of, 2421P
—, poly(chloropropylmethyl-dimethylsiloxane)-polyurethane, synthesis and properties of, 2681P
—, poly(ethylene terephthalate)–poly(butylene terephthalate) blocks, preparation and properties of, 983P
—, poly(ethylene terephthalate)–poly(butylene terephthalate) blocks, SALS study of, 999P
—, poly(vinyl acetate)–polyethylene, equation of state of melts of, 687P
—, styrene-butadiene-styrene blocks, crazing in films of, 2167P
—, vinylidene fluoride–trifluoroethylene, ferroelectric switching characteristics of, 909P
Copper(II) ion, 2599C
Copper-catalyzed oxidation, 389C
Core and stabilizer polymer phases, 1895C
Corundum, 3049C
Cotton fibers, 419L
—, electron diffraction studies, 419L
Coulomb forces, 1813P
Crack-free spherulites, 69P
Cracking of LDPE induced by alcohols, 89P
—, of polyethylene under environmental stress, 1625P
Craze fibril volume fraction v_f, 11P
Craze thickness growth, 11P
Crazing in films of SBS block copolymers, 2167P
Crazing in PMMA, micromechanics of, 2433P
Crazing of polyester-polycarbonate blend under solvent stress, 2135P
p-Cresol-formaldehyde, 1819C
Critical concentration of poly(p-phenylene terephthalamide) in H_2SO_4 solution, 713P
Cross-transfer constants, 2191C
Crosslinked polydiacetylene, 2297C
Crosslinked polyvinylpyrrolidone, 503C, 2695C(N)
Crosslinked resins, 199L
Crosslinking, 3551C
Crosslinking of epoxy resins, 2383C
Crown ethers, 49L
Crystal growth of twinned polyethylene crystal laths, 1183P
Crystal transformations of poly(*p*-benzamide), 1675P
Crystal transitions involving conformational disorder, 675P
Crystal transitions of ρ-acetoxybenzoic acid tetramer, 2117P
Crystallinity, 2101C
Crystallite orientation in Nylon 6, 549P
Crystallite size distribution and melting behavior of polyethylene, 2087P
Crystallites in ethylene copolymers, electron microscopy of, 1283P

Crystallization, 135L
—, of *cis*-polyisoprenes from guayale, 1943P
—, solvent induced, 1321P, 1341P
Crystallization behavior of poly(aryl-ether-ketone), 1079P
—, of poly(ethylene terephthalate)–poly(butylene terephthalate) block copolymers, 983P
Crystallization characteristics are determined by the total annealing time experienced by the melt at a given temperature, 761P
Crystallization from dilute solution, kinetics of, 357P
—, measurement of growth rates in, 345P
Crystallization in oriented PET fibers, 1665P
Crystallization kinetics of poly(ethylene oxide), 595P
Crystallization of polypropylene from glassy state, 2379P
—, polycarbonate enhanced by annealing and vapor-induced nucleation, 2459P
Crystallization temperature, 69P
Crystallization theory, 2319P
Crystallization with conformational disorder from melts, 675P
Crystals, of *n*-paraffins, epitaxially formed, electron diffraction study of, 79P
Cu coproporphyrin, 1717C
Cured epoxy resins, dielectric properties, 249L
Curing mechanism, 2171C
Curve-fit procedure, 2101C
6-Cyanouracil, 119C
Cyanuric-chloride, 375C
Cyclization, 1989C
Cyclization to 1, 147C
Cyclodehydration, 793C
Cyclohexanone oxime, 3299C
1,4-Cyclohexylenedimethylene spacer, 2239C
Cyclopentadiene, oligomers, 403L
Cyclopentadienyl ring, 347C
Cyclopolymerization, 2033C
Cyclosiloxanes, ring-opening polymerization, 319L
Cyclostrisiloxane (1), 1551C
Cytosyl pendant groups, 2657C

(1 → 5)-α-D-Ribofuranan, 1539C
(1 → 5)-α-D-Xylofuranan, 1539C
Decamethylcyclopentasiloxane, ionic polymerization, 319L
Decay of hydroperoxides, 389C
Deformation calorimetry of polyethylene and steel, 1839P
Degradation of polypropylene, 1351C
—, of the polymer, 1943C
Dehydrative cyclization, 147C
Dehydrochlorinated poly(epichlorohydrin), 1097C
Dehydrogenation, 1989C
Demixing of a polymer solution by the exchange of solvent with a nonsolvent, 1725P
Densities of water–poly(acrylic acid)–salt systems at high concentrations, 769P
Deposition of parylene *N*, 215C
Determination of tacticity, poly(hexyl α-chloroacrylate), 389L
Dexamethasone, 359C
Diacetylenic liquid-crystalline polymers, 1217C
Dialdehydes, 2789C
3,3′-Diaminoazobenzene-4,4′-dicarboxylic acid, 1577C
4,4′-Diaminodiphenyldisulfide, 241C
4,4′-Diaminodiphenyl ethane, 793C
4,4′-Diaminodiphenyl ether (DDPE), 3559C
Diaminodiphenyl sulfone, 2609C
4,4′-Diamino diphenyl sulfone, 793C
α,ω-Dibromoalkanes, 451C
Dibutyl amine, 2401C
Di-*tert*-butyl peroxyfumarate, 1519C
Dicarboxylic acids, 1019C
Dichlorocompound, 2447C
Dichloroethane transfer radicals, 283L
Dicyandiamide, 2171C
β,β-Di-D-glucopyranosylamine, 673C
Dielectric and infrared data, 867P
Dielectric dipersion and loss of a polyethylene–$CaCO_3$ composite, 209P
Dielectric loss in blends of PVC with EVA copolymer, 312P
Dielectric loss of glasses, isochronal study of, 2655P
Dielectric properties, cured epoxy resins, 249L
Dielectric relaxation of dipolar aromatics in polyethylene, 1259P
—, in epoxide resin, 1271P
—, of poly(propylene oxide) in toluene, 2049P
—, in polystyrene blends, 1587P
—, in PVC blends with EVA copolymer, 279P
Dielectric relaxation of poly(bis-benzimidazobenzisoquinolinones), 1961P
Diene groups, 2959C
Diene monomers, 457L
Diethanolamine, 525C
2-Diethylaminoethyl methacrylate-*N*-vinyl 1-2-pyrrolidone, 3423C
Differential scanning calorimetry (DSC), 95L, 761P, 2011C
—, of bisphenol-A based epoxy resins, 1303P
—, of high-melting polymers containing phenylene groups, 1755P
—, of irradiated polyethylene, 1093P
—, of β-isotactic polypropylene, 461P
—, origins of endothermic peaks in, 2087P
—, of poly(ethylene oxide), 577P, 595P,
—, of PTFE, 675P
—, of segmented polyurethanes, 2487P
—, of trans-1,4–polybutadiene, 675P
Differential thermal analysis, high pressure, of polymer blends, 2345P
Differential thermal analyzer, 2011C
Diffusion coefficient, 377L
—, of oxygen, 621C
—, of polystyrene in 1,4-dioxane, 817P
Diffusion coefficients from gravimetric data, edge effects in, 1747P
Diffusion in poly(isopropyl acrylate)-chloroform systems, free volume treatment of, 493P
Diffusion kinetics in binary polymer melts, 143P
Diffusion of Cu^{+2} catalysts from interface to bulk in isotactic polypropylene, 503P
—, of the chain, 203P
—, of gases in glassy polymers, 563P
—, of gases in polyethylene, 2149P
—, of iodine in polyimide, 263P
—, of penetrant and solute in swellable polymers, 395P, 409P
—, of poly(ε-caprolactone) into poly(vinyl chloride), 1869P
—, of polymer chains in melts, 1P
Dihydroxamic acid chelating, 1953C
3,3′-Dihydroxybenzidine dihydrochloride, 1019C
4,4′-Dihydroxybiphenyl, 15C
4,4′-Dihydroxyphenylsulfone, 1697C
Diisocyanate-based polyurethanes, 1879C
Diketones, 2789C
Dilatometry, 777C
—, of bisphenol-A based epoxy resins during curing, 1303P
—, of polyethylene in gas sorption, 2107P
—, under high pressure, optical interference technique for, 935P, 957P
Dimer diacid diisocyanate (DDI), 3021C
Dimethyl aniline–cupric ion redox system, 3139C
N,N-Dimethyl formamide, 777C
Cis-Dimethyl group, 1065C
(3,5-Dimethyl-4-hydroxyphenyl)fluorene, 1997C
Dimethyl phenols, 2085C
N,N-Dimethylacetamide, 645C
N,N′-Dimethylacetamide, 2553C
N,N-Dimethylacetamide containing LiCl are reported, 1115P
2,3-Dimethylbutadiene, 1065C
N,N′-Dimethyl-1,2-ethanediamine, 511C
2,4-Dimethyl-3-nitrosobenzene sulfonate, 2599C
2,9-Dimethyl-1,10-phenanthroline, 991C
5,5-Dimethyl-1-pyrroline-*N*-oxide, 2599C
Dimethylsulfoxide solvent, 1997C
2,4-Dinitrofluorobenzene, 911C
Diol monomers, 525C

1,4-Dioxane, 2903C
Diphenyl chlorophosphate, 637C
Diphenyl sulfide, 3153C
Diphenyldiacetylene, 1217C
Diphenylmethyl salts, 3271C
Dipolar aprotic solvents, 75C
Direct mass spectrometry of polymers, 331C
Direct polycondensation, 97C, 1019C, 1915C
—, with tosyl chloride and *N*-methylimidazole, 187C(N)
Direct polyesterification, 589C
Dispersion polymerization, 2995C
Displacement polymerization, 2447C
Dissociation energy ΔH^0, 867P
Distribution function developed by Doi and Edwards (DE) and Curtiss and Bird (CB), 203P
Di-*tert*-butylperoxide, 925C
Di-*tert*-butyl peroxyfumarate, 1519C
1,3-Dithiolium ring, 147C
p-Divinyl benzene (*p*-DVB), 1735C
1-10% Divinylbenzene, 655C
Doi's theory, 189P
Donor polymer, 747C
Doped conductive polymers, 215L
Drawing of polyoxymethylene, radical and void formation in, 1067P
DSC thermograms, 2433C
Dual initiation mechanism, 363L
Dual-functional catalysis, 1069C
Ductile PHB sheets, 69P
Dye, 2729C
Dye-sensitized photopolymerization, 2729C
Dynamic behavior, 835C
Dynamic light scattering and relaxations in polyphenylmethylsiloxanes, 1683P
Dynamic mechanical behavior of amorphous networks of aromatic polyesters, 337P
Dynamic mechanical modulus, 59P
Dynamic mechanical properties of aromatic polyamideimide, 1619P
—, drawn polypropylene, 2145P
—, of β-isotactic polypropylene, 461P
—, of melts of ionic blends of polystyrene and poly(ethyl acrylate), 1021P
—, of melts of polystyrene quaternized with 4-vinylpyridine, 1121P
—, of plasticized polystyrene-based ionomers, 1137P, 1155P
—, of polyurethane-polyether elastomers, 1401P
Dynamic scattering spectrum, direct calculation of, 2703P
Dynamic thermogravimetry, 103C, 2047C
Dynamics of polymer chain motion and relaxation, 203P

Edge effects on gravimetric diffusion coefficients, correction for, 1747P
Effect of binary sensitizers on photografting of methacrylic acid, 511L
Effects of acid exposure, 453L
Eighteen-arm polybutadienes, 3009C
Electrical conduction of poly(vinyl alcohol) films, 2631P
Electrical conductivity, 1609C
Electrical conductivities, 1703C
Electrical resistivity and activation energy in polymers, 877P
Electro-chemical characteristics, 2253C
Electrochemical polymerization, 147L
Electrolytically active species, 1609C
Electron diffraction of epitaxially-crystallized *n*-paraffins, 79P
—, of γ-phase polypropylene crystals, 2017P
—, of poly(*p*-phenylene vinylene) films, 2793P
Electron diffraction pattern, cellulose IV, 207L
Electron diffraction studies, cotton fibers, 419L
Electron microscopy of ethylene copolymers, 1283P
—, of γ-phase polypropylene crystals, 2017P
Electron spin resonance (ESR) imaging, 587L
Electron transfer catalysis (ETC), 439L
Electronic polarizability, 3057C
Electronic spectra of charge transfer complexes of carbazole substituted polymers, 707P
Electrophilic PEG's, 375C(N)
Electrostatic repulsion, 3335C
a-Eleostearate, 469C, 2351C
Elucidation of photolytic discoloration, 1721C
Eluent pressure detector, 1829C
EMF measurements, 39P
Emulsifier-free emulsion, 3109C
Emulsion copolymerization processes, 861C
Energy transfer in crosslinked polymer films, 1651P
—, in pendant groups on main chains, 2275P
Entanglement density and polymer properties, 1983P
Enthalpy–infrared frequency shift correlation for acid-base interactions of polymers, 1597P
Entropic origin, 551C
Environmental chamber, 1657C
Environmental stress cracking of low-density polyethylene (LDPE), 1917P
—, in alcohols, 89P
Epithio groups, 2927C
Epoxidation, 1239C
Epoxide resin, side-chain motion and relaxations in, 1271P
—, mechanical and dielectric relaxations in, 2185P
—, tertiary amine acceleratorsmin cure of, 1931P
1,2-Epoxy-4-epoxyethylcyclohexane, 3263C
Epoxy groups, 2171C, 2927C
Epoxy polymers, amine-cured, positron annihilation in, 1247P
Epoxy resin, 2609C
—, stiffening effect of polar diluent in, 717P
Epoxy resin systems, 2415C
Epoxy resins, 2415C
—, bisphenol-A based, physical properties during and after curing of, 1303P
—, in interpenetrating networks with polydiacetylenes, 1177P
Epoxy tetraglycidyl-4,4′-diaminodiphenyl methane, 2609C
Equilibrated radical polymerization, 2937C
ESCA study, 737C
ESR spectra, 3089C
ESR spectroscopy, 815C
ESR study, 2119C
Ester hydrolysis, 41L
Ester-sulfone-amic acid polymers, 613C
Ester-sulfone polyamic acids, 2373C(N)
Ethanediyl 1,2-bis(2-isobutyl oxazolinium trifluoromethane sulfonate), 1455C
Ether diacid chloride, 613C
Etherification, 2171C
Etherified phenolic lignin model, 2143C
Ethyl acrylate, 925C
Ethyl alcohol, 2995C
Ethyl cellulose, refractive index and birefringence in *m*-cresol and acetic acid solutions of, 1515P
Ethyl chloroformate, 1C
Cis- and *trans*-ethyl propenyl ethers, 2919C
2-Ethyl-*p*-benzoquinone (EQ), 2927C
Ethyl(E)-5-oxo-2,5-dihydrofuran-2-ylidene-acetate, 197C
N-Ethyl-3-hydroxymethyl, 747C
Ethylene carbonate, 3225C
Ethylene oxide, 1419C
Ethylene polymerization, 1069C, 1967C
Ethylene/*a*-olefin copolymers, 29L
2-Ethynyl-5-bromothiophene, 2231C
2-Ethynylthiophene, 2021C
EVM algorithm, 691C
Exact lattice treatment of Flory and Ronca is used in the problem, 1361P
Exchange reaction, 3315C
Excluded volume effect on optical anisotropy of vinyl polymers, 2669P
Experimental parameters, 3077C
External Lewis base, 1967C

Facile homopolymerization, 2185C

Ferrocene units, 1599C
Ferroelectric transitions of vinylidene fluoride–trifluoroethylene copolymer, 909P
Ferroelectricity in poly(trifluoroethylene), 2059P
Fiber scatter, 2101C
Fiber spinning of nematic copolyester melt, 1695P
Fibroin, tussah silk, drying rate and structure of, 457P
Field desorption, mass spectrometry, 223L
Filled polymers, light scattering by, 1823P
Filled polymers: biaxial stress relaxation of carbon black filled elastomer, 161P
Filled samples, 2395C
Fineman–Ross method, 29C
Flexible films, 1511C
The fluctuations Δf in the axial force f acting on a long-chain molecule whose end-to-end displacement r is fixed are computed, 389P
Fluorescence probes, orientation and mobility of, 111P
Fluorescence quenching, 621C, 2395C
Fluorescence spectroscopy, 1895C
Fluorescent chromophores, 537C
Fluorescent dyes, 1895C
Fluorescently labelled poly(vinyl acetate) particles, 1895C
Fluoride, 2033C
Fluorinated telogens, 2891C, 3129C
Fluorine-containing monomers, 3233C
Fluorine-containing polymers, 3569C
Fluorocarbon, 3381C
1-Fluoronaphthalene, 279C
Fluorophor concentrations, 2395C
p-Fluorostyrene, 2565C
5-Fluorouracil residues, 2059C
Formal compounds, 2085C
Formaldehyde, 2085C, 2143C, 3117C
Formation mechanism, 3109C
Four-arm polybutadienes, 3009C
Fourier transform mass spectrometry, 255C
Fractionated thermotropic nematic polyesters, 27P
Fractionation of molecular weights in crystallization from dilute solution, 357P
Fracture of chains in elongational flow in solution, 1889P
Fracture of glassy polymers, mechanism of, 2583P
Free radical initiators, 457L, 1337C
Free-radical polymerization, 1675C, 1849C, 2565C
Free-radical suspension polymerization, 2517C
Free-volume cavity size, 3033C
Freely rotating methylene chain, 39P
Friedel–Crafts polymerization, 233L
FT-IR, 1297C
—, method, 2701C(N)
—, spectroscopy, 1297C, 1989C
—, study, 1989C
Functional monomers, 3201C, 3249C
Functional polymers, 15C, 451C, 965C
Functional reversed micelle, 311L
Fusion of egg yolk, 3433C

Gamma radiation, 2209C
Gamma-irradiated annealed, 3089C
Gamma-ray polymerization, 2959C
Gas chromatography, inverse phase, polymer interaction parameters in PVC-polyester blends from, 2565P
Gas-chromatography-separated pyrolysis, 1173C
Gas sensor devices, 447L
Gas separation membranes, 3381C
Gel chromatography, 1313C
Gel permeation, 3191C
Gel permeation chromatography (GPC), 109C, 3291C
—, of branched chain polyethylenes, 1171P
Gel structure of polystyrene/*cis*-decalin, 2499P
Gelation of aqueous poly(vinyl alcohol), 303P
Gelation of cellulose acetate in ternary solutions, 793P
Geometry, *cis* and *trans*, 1065C
Georgiev and Shirota's simplified terminal complex model, 559C
Georgiev's method, 559C
Giant-orbital concept, 3057C
Giant-orbital polymers, 3057C
Gibbs free energy of a solution of rodlike molecules has been formulated by Flory, 1361P
Glass transition and molecular aggregation of aromatic polyamideimide, 1619P
Glass transition in plasticized polystyrene-based ionomers, 1137P
—, of polypropylene, effect of drawing on, 2145P
—, of sulfonated polystyrene ionomers, 753P
Glass transition temperatures, 901C
Glass-to-gel transition, 655C
Glassy matrix, 2845C
Glassy polymers, 399L
—, diffusion of gases in, 563P
—, fracture mechanism of, 2583P
—, isochronal measurement of dielectric and mechanical loss in, 2655P
—, mixed gas sorption in, 175P
—, viscosity, 399L
Glow discharge polymerization, 3077C
Glucocorticoid, 359C
Δ-Glucofuranoses, 2059C
Glucopyranose, 673C
Glucose-responsive, insulin, 413L
Glycine, 1185C
Gold(III) fluorosulfate, 2757C
GPC chromatogram, 1779C
Graft copolymerization, 2209C
Grafted copolymers, 2831C
Grafted pendant, 269C
Grafting the pendant onto polyethylenimine, 167C
Graphite cloth, 2415C
Graphite intercalation, 155C
Grignard complex, 1389C
Group IVB catalysts, 3529C
Growth rate of polymer crystals, measurement of, 345P

Halato-telechelic polymers, 69L
Halogenated hydrocarbons, 2447C
Hard segments, 1599C
Head-to-head addition, 7L
Heat capacity data for liquid PEEK and PC, 1755P
Heat capacity of solid and liquid polystyrenes, 2725P
Heat of crystallization of nylon 6, 761P
Heat of fusion of poly(4-methyl pentene-1), 1451P
Helix–coil transition region, 3171C
Helix content f_H, 3171C
Heparins, 1497C
Heptane, 3447C
Heterocyclic monomers, 3271C
Heterocyclic polymers, 2739C
Heterocyclic spacer groups, 2947C
Hexadecane, 861C
Hexafluoroisopropanol/toluene mixture, 109C
1,1,1,3,3,3-Hexafluoropropane, 3555C
Hexamethoxymethylmelamine, 2199C
n-Hexyl amine, 2401C
Hexynes by halides, 809C(N)
High grafting, 1539C
High mileage catalysts, 2483C
High molecular weight homopolymers, 113L
High-activity catalysts, 3447C
High-mileage catalysts, 2707C
High-molecular-weight esters, 53L
High-resolution NMR, 803C(N)
High-resolution electron microscopy, 557L
HI/I_2 initiator, 2261C
Hindered amine light stabilizers (HALS), 453L
—, effects of acid exposure, 453L
^{1}H-NMR spectra, 3145C
^{1}H-NMR spectroscopy, 835C
H_2O absorption, 2609C
Homoannular and heteroannular links, 347C
Homologs, 383C(N), 503C, 3423C
Homopolymerization, 379C(N)
—, of AAm, 1933C
Homopolymerize, 1463C
Homopolymers, 2311C
—, mutual diffusion, 191L

HT structure, 7L
Hydrocarbon diene elastomers, 2467C
Hydrocarbon elastomers, 2467C
Hydrocortisone, 359C
Hydrodynamic radius R_h, 19P
Hydrogen, 2707C
Hydrogen bonding effects, 2619C
Hydrogen bonding in polymer mixtures, 1597P
Hydrogen bonding in segmented polyurethanes, 2487P
Hydrogen-bonding interaction, 1585C
Hydrolysis, 533L, 1433C
Hydrolytic polycondensation, 3475C
Hydroperoxide formation, 389C
Hydroperoxides, 379C(N)
Hydrophilic chain, 2891C, 3129C, 3325C
Hydrophilic monomers, 2107C
Hydroxamic acid ones, 1953C
Hydroxy methyl group/ceric ion redox system, 191C(N)
Hydroxybenzoic acids, 1697C
Hydroxybenzoic/phthalic diacid derivatives, 1643C
2-Hydroxyethyl, 3423C
2-Hydroxyethyl methacrylate, 777C, 3109C
2-Hydroxyethyl methacrylate-*N*-vinyl-2-pyrrolidone copolymers, 383C(N)
α-Hydroxyisopropylferrocene, 347C
Hydroxyl, 1281C
Hydroxyl end groups, 911C, 2131C
Hydroxyl radicals, 2401C, 2599C
Hydroxylated polybutadienes, 727C, 3021C
N-Hydroxy-5-norborene-2,3-dicarboxamide (HONB), 269C
Hydroxypropyl cellulose, 359C
—, band texture in mesomorphic solutions of, 435P
—, viscometry of liquid crystalline solutions of, 1849P
Hypochromicity, 3219C
50 Hz–100 kHz frequency and 20–140°C temperature ranges, 209P

Imidized, 613C
Imidobenzoxazoles, 1109C
Imidogroup, 603C
Imine end groups, 331C
Imine groups, 2171C
Inclusion polymerization, 815C
Increased by the incorporation of methacrylic acid units but are decreased by acrylic acid units, 867P
Indian sapota tree rubber, 393L
Influence of a nitroaniline additive, 857P
Infra-red (IR) spectra analysis, 339L
Infrared absorption, trichoric, in solids, 2509P, 2525P
Infrared carbonyl regions, 2701C(N)
Infrared *gauche* bands, 59P
Infrared spectra, 2765C
—, of annealed poly(aryl-ether-ketone), 1079P
—, of annealed poly(aryl-ether-ketone) and conformation of POE, 1383P
—, of ethylene-vinyl chloride copolymers, 1631P
—, of methanol-treated tussah silk fibroin, 1227P
—, of microstructure in thermotropic polyester nematic phases, 827P
—, of organic polyiodide chain complexes, 2267P
—, of PVC, effects of plasticizer and orientation on, 2643P
—, of SbF_6-doped poly(*m*-phenylene disulfide), 2197P
—, of silk fibroin, 457P
—, of stressed polyethylene, 1039P
—, of syndiotactic poly(methyl methacrylate), 657P
Infrared spectral study, 1625C
Infrared spectroscopy, 495C, 715C, 2209C, 3191C
—, and enthalpy of acid-base interactions of polymers, 1597P
Infrared spectroscopic analysis, 2765C
—, of segmented polyurethanes, 2487P
Inhibitors, 3515C
Initiator, 2757C
Initiator concentrations, 1487C
Inorganic electrolytes, 383C(N)
Inorganic salts, 125L
Insoluble polymer ligand, 2027C
Insulin, controlled release, 413L
—, glucose-responsive, 413L
Intense iridescence, 1251C
Intensity and peak position of the β relaxation depend on the molecular volume of this segment, 251P
Interaction parameter, prediction of concentration dependence of, 2473P
Interaction parameters in PVC-polyester blends by inverse phase GC, 2565P
Interchain EDA complexes, 579C(N), 747C
Interface, diffuse, in melts of compatible polymers, 143P
Intermacromolecular complex, 3461C
Internal motion, 19P
Internal octynes, 809C(N)
Interpenetrating network of metal polymer composites (INMPC), 545L
Interpolymer complex, 2591C
Intramolecular excimer, 1943C
Intrinsic viscosity, 3009C
—, of copolymers of maleic acid and vinylpyrrolidone, 2421P
—, of 1,4-polybutadiene, temperature coefficient of, 2553P
—, of poly(α-methylstyrene), temperature coefficient of, 2553P
—, of semi-rigid polyquinoline, 1493P
Inverse emulsion polymerization of acrylamide, 427C
Inverse gas chromatography, 343L
Investigation of polymer miscibility, 537C
Iodide anion, 2261C
Iodide complexes of α-cyclodextrin and coumarin, 2267P
Iodine columns in iodinated nylon 6, structure of, 133P
Ion beam spectrometry of iodine diffusion in polyimide, 263P
Ion beam spectrometry technique for measuring polymer diffusion, 1P
Ion equilibria, 2253C
Ion-containing polymers, 619L
Ionic dissociation of aliphatic ionene polymers, 39P
Ionic fluorescent probes, 61C
Ionic interactions, sulfonated polystyrene ionomers, 263L
Ionic permeabilities, 665C
Ionic polymerization, decamethylcyclopentasiloxane, 319L
Ionic species in γ-irradiated poly(vinyl chloride), 1413C
Ionic strength, 1609C
Ionomer blends, dynamic melt properties of, 1021P
Ionomers,
—, dynamic mechanmical properties affected by diluents in, 1137P
—, dynamic melt properties of, 1121P
—, mechanical properties, 263L
—, polystyrene-based, dynamic melt rheology of, 1155P
—, rheological properties, 263L
—, styrene-alkoxide, 2743P, 2757P, 2767P
—, sulfonated polystyrene, Tg of, 753P
γ-Irradiated PVCl matrices, 1413C
Isobutyl vinyl ether, 2261C, 2919C
Isocyanate method, 3399C
Isocyanate reactions, 2867C, 2877C
Isocyanates, 727C, 3021C
Isomer polystyrene (PS), 45P
Isomeric bismaleimides, 2647C
Isomeric diamines, 2647C
Isomerization, 1505C
Isomerization *meta-para*, 2647C
trans (TP) Isomers, 883C
Isophthaloyl chloride (ICl), 1133C
Isoprene, cationic polymerization, 185L
2-Isopropenyl-5-butoxyoxazole, 2185C
Isotactic polybutene-1 (PB-1), 2011C

Isotactic polypropylene, 389C, 2457C, 3033C
Isothermal weight, 2047C
Isotropic phase, 27P

625 K by differential scanning calorimetry, 45P
Kapton polyimide, CO_2 sorption kinetics and equilibria in, 779P
Kinetic effects of varying the water content in the solvent mixture, 1725P
Kinetic parameters, 691C
Kinetic results, 2271C
Kinetic studies, 2271C
Kinetic study, 3021C
Kinetics of ethylene polymerization, 1069C
—, of growth of polyethylene crystals from solutions, 2319P
—, of growth of twinned polyethylene crystals, 1183P
—, of phase separation in polymer blends, 723P
—, of polyester fiber crystallization during heat treatment, 2591P, 2617P
—, of polymerization, 1747C
—, of solvent induced crystallization of PET, 1321P

$L/\langle R_g^2 \rangle = 11$, 2217C
L-(pentafluorophenyl)-1-alkynes, 3569C
Ladder-type homopolymer, 1819C
Lamellar branching in monoclinic isotactic polypropylene, 1541P
Lamellar structure, 155C
Large water-soluble macromolecules, 1829C
Laser desorption, 255C
Laser desorption/Fourier transform mass spectrometry, 519L, 1297C
Laser desorption/Fourier transform spectroscopy, 1297C
Laser recording, 1043C
LCST, 579C(N)
Lead tetraacetate, 1747C
Li^+ counterion, 2253C
LiCl monohydrate, 589C
Light scattering from block copolymers of poly(ethylene terephthalate) and poly(butylene terephthalate), 999P
—, of branched chain polyethylenes, 1171P
—, from dilute solutions of polyquinoline, 1493P
—, by optically heterogeneous materials, 1823P
—, from polyamic acid solutions, 923P
—, radial-fibrillar structure in dichromatic scattering from heterogeneous systems, 1823P
—, in sol-gel transition of aqueous poly(vinyl alcohol), 303P
Lignin model compounds, 2143C
Linear aminophenol polymers, 3117C
Linear and crosslinked poly(ethylene oxide), 3551C
Linear internal alkynes, 809C(N)
Linear poly(1,4-phenylene sulfide), 3153C
Liposomes, 2959C
Liquid chromatography, 59L
Liquid-crystal copolyesters, 1923C
Liquid crystal phase in acid solutions of ethyl cellulose, 1515P
Liquid-crystal polymeric rods, 299L
Liquid-crystal polymers, 299L
Liquid crystalline (acetoxypropyl) cellulose, 2779P
Liquid crystalline copolyester, NMR study of, 2293P
Liquid crystalline copolyester of PET and *p*-oxybenzoate, fiber spinning from, 1695P
Liquid-crystalline polypeptide, orientation in, 2445P
Liquid crystalline solutions, viscometric behavior of, 1849P
Liquid crystals of hydroxypropylcellulose, 435P
Liquid crystals, polyester, IR study of, 827P
Lithium carbonate, 1915C
Local aggregation of phenyl groups in the polyanion was destroyed by complexation, 1813P
Long-range orbital delocalization, 3057C
Low surface energy polymers, 3407C
Low-density polyethylene films, effect of binary sensitizers on photografting of methacrylic acid, 511L
Low-temperature modulus, 1161C
Lower bulk viscosities, 1863C
Lubricants, 53L
Lyotropic mesophase, 2075C

Macroazo-initiator, preparation, 491L
Macroinitiators, 1197C
Macromer polymerization, 2853C
Macromonomer methods, 1441C
Magnesium chloride, 1779C, 1967C, 2483C, 2707C
Magnetic resonance spectroscopy, 3301C
Main emission peak around 300 nm, 1813P
Maleic anhydride, 559C
—, pyridine initiated homopolymerization, 219L
Maleic anhydride copolymers, 95L
Mannich reaction, 3117C
Manning's equation, 39P
Mark–Houwink equation, 3177C
Markovian statistics, 1389C
Mass spectrometry, 223L, 1227C, 1599C, 1721C
Mass spectroscopy, 1297C
Matrix of poly(vinyl alcohol), 1819C
Maximum in viscosity is observed at $C = 30\%$, 189P
Mechanical compliances in biaxially oriented PET, 1481P
Mechanical properties, 287C
—, of drawn irradiated polyethylene, 1093P
—, of drawn polypropylene, 1009P
—, of ionomers, 263L
Mechanical properties and thermal treatment of biaxially oriented PET, 2123P
Mechanical relaxation in epoxide resin, 1271P
Mechanism of low-temperature mechaincal relaxation of acid-anhydride-cured epoxide resins, 251P
Mechanistic aspects, 427C
Melt annealing over a wide range of temperatures (240–300°C) and durations (0.5–120 min), 761P
Melt flow, theory of spurt effect, 1735P
Melt processing, 299L
Melt rheology of ionomers, 1021P, 1121P
Melting behavior of polyethylene, 2087P
Melting of polybutene-1, thermodynamic parameters of, 1509P
l-Menthol, 1185C
Menthylacrylate [(−)MtA], 1337C
Mercaptan-functional compounds, 1C
Mesogenic, 1217C
Mesogenic groups, 1217C, 1363C
Mesomorphic behavior, 1363C
Mesophases, 1217C
Metallic lithium, 1L
Methacrylamide derivatives, 3249C
Methacrylic acid, 3461C
Methacrylic acid–methacrylamide, 2591C
—, copolymer, 2591C
Methacrylonitrile oligomers, 2253C
Methacryloyl chloride, 1819C
Methacryloylacetone (MAA), tautomeric structures, 529L
O-methacryloyl ketone oxime-methyl mechacrylate copolymers, 317C
Methoxy and hydroxy alkyl phenyl vinyl ketones, 1337C
Methoxy group signal, 851C
Methyl acrylate, 2599C
Methyl acrylate–styrene, 2765C
Methyl acrylate–styrene radical copolymer, 851C
3-Methyl-1-butene, 1505C
Methyl α-*p*-chlorobenzylacrylate, 1379C
Methyl α-eleostearate, 469C, 2351C
Methyl ω-epoxyalkanoates, 2327C
Methyl ethyl ketone, 559C
Methyl isobutyrate (MIB), 707C
Methyl methacrylate (MMA), 1539C, 1849C, 2131C, 2507C, 2565C, 2729C, 3049C, 3139C
Methyl methacrylate polymerizations, 1027C
Methyl α-*p*-methoxybenzylacrylate, 1379C

Methyl orange, 503C, 3423C
Methylene-bridged aromatic polyesters, 901C
N-Methyl-pyrrolidone, 701C
N-Methyl-2-pyrrolidone, 287C
Methylamine, 173C
γ-Methylene-$\Delta^{\alpha,\beta}$-butenolide derivative, 197C
Methylene chloride, 3271C, 3399C
Methylene groups, 2327C
4,4′-methylenediphenol, 901C
Methylol compounds, 2085C
Methyl and propionic acid groups, 1717C
p-Methylstyrene, 87C
Methylsubstituted polybutadienes, 815C
Methylthiomethyl methacrylate, 3177C
Methylviologen, 2749C
$MgCl_2$/ethylbenzoate/*p*-cresol/$AlEt_3$ $TiCl_4$-$AlEt_3$/methyl-*p*-toluate (CW-catalyst), 2483C
Microcoulometric method, 2517C
Microdomain fixing, 1441C
Microfibrillated chitosan (MFCh), 423L
Microgels, 607L, 1735C
Microphase-separated morphologies, 2457C
Microspheres, 1519C
Microstructure, 2619C
—, of polybutadiene and polyisoprene, 2255P
—, of poly(vinyl alcohol), 3225C
Microstructures, 61C
Mineral acids, 3573C
Miniemulsion copolymerization, 861C
Miscibility of PVC, 551C
$Mn(acac)_3$–$AlEt_3$, 2565C
Mn^{3+}-ethoxyacetic acid redox system, 2271C
$MoCl_5$-based catalysts, 2021C
Model reaction, 2351C
Model study, 2199C
Molded parts, 2415C
Mole proportion, 1863C
Molecular aggregation and ordering in aromatic polyamideimide, 1441P
Molecular characterization, 2457C
Molecular conformation of methanol-treated tussah silk fibroin, 1227P
Molecular hydrodynamic diameters, 1829C
Molecular motion in liquid crystalline copolyester, 2293P
Molecular motion of rigid rods in solution, 2403P
Molecular weight, 747C
Molecular weight distribution, 109C
Molecular weight distributions, 229P
Molecular weight effects, 2377C(N)
Molecular weights, 2635C
Molten bisphenol-A, 3315C
Molten bisphenol-A polycarbonate-poly(ethylene terephthalate) blends, 3301C
Molybdenum(VI) salts, 3551C
Monodisperse polystyrene latexes, 3315C, 3499C
Mono-ene counterpart, 2937C
Monomer, 2729C
Monomer accessibility, 1313C
Monomer chain transfer, 2191C
Monomer conversion, 87C
Monomer fluorescence, 1943C
Monomer-isomerization, 1505C
Monomer-isomerization polymerization, 1615C, 1633C
Monomer model compounds, 3349C
β-Monosubstituted monomers, 2773C
Monte-Carlo simulation, 1753C
Morphological features of poly(*p*-benzamide) films cast in a magnetic field, 1115P
Morphological model, 2845C
Morphological textures, semicrystalline poly(*p*-phenylene sulfide), 573L
Morphology, 2853C
—, of blends of isotactic polypropylene with polyethylene or polyamides, 1559P
—, of crazes in SBS block copolymer films, 2167P
—, of crystal phases of isotactic polypropylene, 2017P
—, homopolymers and blends of PBT and ABPBI, 1991P
—, of β-isotactic polypropylene, 461P
—, of polyester fibers, 2591P, 2617P
—, of RIM-produced polyurethane, effect if impingement mixing on, 2359P
—, of solvent induced crystals of PET, 1341P
Multiazlactones, 1C
Multicomponent polymer systems, 25L
Multimethacrylate, 1819C
Multinitriles, 1675C
Multiphase polymeric systems, 69L
Mutual diffusion, 191L

Native cellulose, microfibril formation, 327L
Natural rubber, 3139C
Nb catalysts, 3569C
Negative thixotropy, 287L
Negatively birefringent spherulites, 2075C
Network formation, 607L
Networks, amorphous, of aromatic polyesters, dynamic mechanical behavior of, 337P
—, compressive modulus of polystyrene/*cis*-decalin gels, 2499P
—, diffusion of penetrant and solute in, 395P, 409P
—, epoxide, acceleration of cure of, 1931P
—, interpenetrating, morphology of polydiacetylene and epoxy, 1177P
—, models for relaxation kinetics in, 2307P
—, of polydimethylsiloxanes, chain extension and crosslinking of, 443P
—, of poly(dimethylsiloxane), NMR characteristics of 1207P
—, stress-optical behavior of, 2805P
Neutron scattering in strained polymer melts, 1611P
New block copolymers, 383L
NH_3/NH_4SCN solvent system, 673C
Niobium(V), 809C(N)
Niobium-based catalysts, 1839C
Nitric acid, 2131C
Nitric acid medium, 1463C
Nitrile groups, 2171C
Nitroaniline–polyester resin interaction, 857P
Nitrogen, 1511C, 2047C
Nitrogen-saturated polyurethane solution, 1879C
Nitronium tetrafluoroborate, 3399C
p-Nitrophenyl active ester method, 37C
4-Nitrophenyl benzoate (4NPB), 1685C
Nitro-substituted poly(phenylene ether sulfone), 2373C(N)
Nitroxide decay during photolysis of doped polymers, 1651P
NMR spectroscopy, 1297C
NMR spectroscopy, 3271C
Nonbasic cyclodehydration, 1C
"Non-dissociated" living propagating species, 2261C
Nondissociated species, 87C
Non-Newtonian behavior of the polypeptide, 3171C
Non-Newtonian intrinsic viscosities, 3171C
Nonradiative energy transfer, 551C
Nonradiative energy transfer studies, 537C
Novel optical resolution, 167C
Novel polyazobenzoxazinones, 1577C
Novel polybenzoxazinones, 2553C
Novel type, 1997C
Nuclear magnetic resonance (NMR) of liquid crystalline copolyester, 2293P
—, of poly(*p*-phenylene terephthalamide) in solid state and solution, 805P
—, of polyurethane-polyether elastomers, 1401P
—, of siloxane networks, in solution and solid state, 1207P
—, of syndiotactic poly(methyl methacrylate), 657P
—, study of solvent self-diffusion and free volume in polymer solutions, 493P
Nucleic acid, 199L
Nucleic acid base, 2657C
Nucleic acid base resins, 199L
Nucleic acid bases, 3201C, 3249C
Nucleophilicity, 1697C
Nucleophilic substitution, 1753C
Number-average molecular weight, 2261C

Nylon 12, 109C
Nylon capsule membranes, 61C
Nylon 6, iodinated, structure of iodine columns in, 133P
Nylon 11, plasticized, field induced dipole reorientation and piezoelectricity in, 1791P
Nylon 6, x-ray diffraction of, 549P
Nylons, 1657C

Octafluoronaphthalene, 279C
n-Octyl amine, 2401C
Octylbromide, 1433C
OH radicals, 2401C
Olefin polymerization, 1779C, 1967C, 2217C, 2483C, 2707C, 3447C
Oligomeric products, 715C
Oligomerization, 3529C
Oligomers, 403L, 1007C
Optical anisotropy and excluded volume in vinyl polymers, 2669P
Optical anisotropy of melts of ultra-high molecular weight PE, 99P
Optically active *N*-(*l*-menthyl carboxylatomethyl)citraconimide, 1185C
Optically active thymine derivative, 269C
Optically labeled single chains of polystyrene (PS), 19P
Organic films, 279C
Organic polysulfide, preparation, 631L
Organoaluminium compounds/benzoyl peroxide systems, 1849C
Organolithium-TMEDA reagents, 1419C
Organosilane polymers, 1943C
Organotin–tertiary amine catalysts, 2867C
Orientation averages in biaxially oriented PET, 1459P, 1481P
Orientation effects on dual-mode sorption of CO_2 in polystyrene, 1805P
Orientation of PVC, pure and plasticized, under deformation, 2643P
Oscillatory shear in the nematic and isotropic phase, 27P
Osmometry, 2773C
Overcrowding in amorphous phase semicrystalline polymers, 305L
2-Oxazolin-5-ones, 2739C
2-Oxazoline, 3407C
Oxidant, 3299C
Oxidation, 3299C
Oxidative electropolymerization, 1529C
Oxidative polymerization, 1529C
Oxidative reaction, 665C
Oxidative structures in polyolefins, 2701C(N)
Oxide network chains, 3475C
5-Oxybenzoyl-isophthaloyl chloride, 483C
Oxybenzoyl pendent groups, 483C
Oxycarbonylethyl group, 1565C
Oxygen atmosphere, 379C(N)
Oxygen diffusion, 621C, 2395C
Ozonation, 2467C
Ozone molecule, 2467C
Ozonides, 2467C

Palladium (II) salts, 2311C
Palladium (II) salts II, 2231C
Paper sheets, 737C
(*E*,*E*)-[6.2]Paracyclophane-1,5-diene, 1725C
Paraffins, terminally brominated, Raman spectra of, 1373P
Parameter χ, 579C(N)
Partial molar volume of poly(acrylic acid) in aqueous salts, 769P
Parylene polymerization, 215C
PB and AB isomers, 1615C
PBOCST/Varcum films, 2971C
PCILO and CNDO calculations, 239P
Peculiar temperature dependence on the binding of methyl orange, 383C(N)
Pendant chalcone groups, 1227C
Pendant epoxide group, 1685C
Pendant groups, 2815C
Pendants, 2797C
Pendant vinyl groups, 1735C
Pending side chains, 525C
1,3-Pentadiene, 883C
Pentads, 851C
Pentad sequences, 3145C
N,*N*′,*N*″-Pentamethyldipropylenetriamine, 2877C
Pentamers, 1007C
2-Pentene, 1505C, 1633C
Pentoxide/methanesulfonic acid, 1019C
n-pentyl, 1389C
PEO, 3551C
Peptides, 1497C
Percent conversion, 759C
Perfluorinated chain, 2891C, 3129C
Perfluoromethylcyclohexane/methane mixture, 3381C
Perhydrotriphenylene, 815C
Permeability of CO_2 in Kapton polyimide film, 779P
Permeated ethanol, 1585C
Permeation control, 61C
Permeation of gas in glassy polymer, dual-mode sorption and mobility parameters for, 121P
Permeation of gas through polyethylene, 2149P
Peroxide group, 191C(N)
Peroxomonosulphate, 3393C
Petrochemical cracking units, 17L
Phase behavior of blends of PPO and poly(styrene-co-*p*-fluorostyrene) copolymers, 2345P
Phase behavior of blends of PVC with EVA copolymer, 279P
Phase morphology of interpenetrating polydiacetylene and epoxy networks, 1177P
Phase separation in quenched polymer blend, kinetics of, 723P
Phase separation temperatures in ternary system polystyrene/poly(α-methyl styrene)/cyclopentane, 325P
Phase separation in ternary cellulose acetate solutions, 793P
Phase transfer catalysis, 15C, 439L, 451C, 495C, 965C
Phase transitions in poly(trifluoroethylene) under de field, 2059P
Phenol, 469C, 3225C
Phenol-formaldehyde condensation products, 223L
Phenolphthalein, 1997C
Phenoxy radical, 2425C
12% phenoxy radical, 2425C
Phenylacetylene, 991C
Phenylacetylene-based polymers, 2231C
Phenyldisilanyl units, 1551C
m-phenylene, 1133C
p-phenylene, 1133C
p-phenylenebis(α-cyanobutadiene carboxylic acid), 1043C
Phenylethynyl compounds, 2311C
Phenyl isocyanate, 2867C
Phenyl isocyanate reactions, 2877C
Phenyl isothiocyanate, 715C
5-Phenyl-1-pentene, 1633C
Phenyl-Si bonds, 595C
Phenylsilane, 595C
Phospholipids, 2959C
Phosphorus oxychloride, 589C
Photochemical reaction, 119C
Photocrosslinkable poly(vinyloxy-carbonylchalcone), 1227C
Photocrosslinkable polyesters, 1043C
Photocrosslinking, 229L, 2927C
Photodegradation, 317C
Photodimerization, 119C
Photo-excited state, 2749C
Photo-generated cationic catalysts, 1097C
Photo-induced crosslinking, 119L
Photoinduced membrane potential changes, 681C
Photoinitiator, 925C
Photoinitiator in nonaqueous media, 1053C
Photoirradiation, 681C
Photolysis, 1551C
Photolysis of aromatic diisocyanate-based polyurethanes, 1879C

Photolyzed polyurethanes, 1879C
Photometrical measurements, 1735C
Photon correlation spectroscopy, 191L
Photon correlation spectroscopy and relaxation modes of PMMA, 1859P
Photophysical properties of carbazole–or pyrene-substitued polyethylenimines andpolyhydroalanines, 2275P
Photopolymerization, vinyltrichloroacetate, 477L
Photopolymerization of methyl methacrylate, 1053C
Photosensitive polymers, 119L
Photosensitivity, copolymers, 105L
pH-sensitive permeation, 61C
Piezoelectricity in plasticized nylon 11 films, 1791P
Piperidinium dithiobenzoate, 147C
Plasma, 1173C
Plasma emission study, 279C
Plasma-films, 1433C
Plasma polymerization, 279C, 447L, 595C, 715C
Plasma-polymerized toluene, —Evidence 1173C
Plasma polymers, 3077C
Plasma-polymers, 3381C
Plasma-substrate interaction, 3233C
Plasticized nylon 11 films, piezoelectricity in, 1791P
Plasticized polymers, electrical resistivity of, 877P
Plasticizers, 53L
—, effect on dynamic mechanical properties of polystyrene-based ionomers, 1155P
Plateau modulus, G_N^0, 3009C
Platinum-catalyzed hydrosilylation, 1197C
Platinum complexes, 991C
PMMA, UV laser etching, 371L
PMPT-catalyzed reaction, 2877C
Pochan, 655C
Poisson distribution, 1455C
Polarization-reversal switching of vinylidene fluoride–trifluoroethylene copolymer, 909P
Polar solvents, 2261C, 2447C
Polyacetylene, 301C
Polyacrolein (PA) microspheres, 603L
Polyacrylamide, 3201C, 3325C
Polyacrylamides, 3335C, 3365C
Poly(acrylic acid), volumetric properties of alkali metal salts of, 769P
Polyacrylnitryl (PAN) textile fibers, shrinkage, 339L
Polyacrylonitrile, 1989C
Polyactide (PLA), biodegradability 331L
Poly(*N*-acyldehydroalanines), 2815C
Poly(*N*-acyl ethylenimine), 2657C
Polyaddition mechanism, 3291C
Poly(alkyl α-bromoacrylate)s, 1389C
Poly(alkylene oxide) ionomers, 2327C
Polyamic acid, polyelectrolyte effects in solutions of, 923P
Polyamidation, 701C
Polyamide–esters, 1511C
Polyamideimides, 603C
Polyamides and polyesteramides, 187C(N)
Poly[amino-*p*-(hydroquinone or benzoquinone)]amides, 1625C
Poly(2-amino-2-methylbutyl)acrylamide, 3365C
Poly(2-amino-2-methylpropyl)acrylamide, 3365C
Polyarylate thermal degradation, 77L
Polyarylates, 3555C
Poly(arylene sulfide)s, 3153C
Poly(aryl-ether-ketone), crystallization behavior of, 1079P
Polyaspartimides, 2647C
Polyazo Schiff-bases, 2789C
Polyazoxyarylethers, 2447C
Poly(*p*-benzamide) (PBA), 1115P
Poly(*p*-benzamide), thermal behavior and crystal transformations of, 1675P
Poly(2,5(6)benzimidazole) (ABPBI), morphology and structure of homopolymer and blends of, 1991P
Poly(*p*-benzoquinono)diimidazoles, 1625C
Poly(γ-benzyl-L-glutamate), phase transition of liquid-crystalline, 2445P
Poly(bis-benzimidazobenzisoquinolinones), dielectric relaxation of, 1961P
Polybiscitraconimidobenzoxazoles, 1109C
Polybismaleimidobenzoxazoles, 1109C
Poly[2,2-bis(4-oxycyclohexyl)propane adipate], 419C
Polybutadiene, 2457C, 2467C
1,4-Polybutadiene, 2457C
R-45*M* Polybutadiene, 727C
1,4-Polybutadiene diacrylate oligomer, 1161C
Polybutadiene microstructure, 2255P
Poly(butadienyl)lithium, 827C
Polybutene-1, heat and entropy of fusion of, 1509P
Poly(*p*-*t*-butoxycarbonyloxystyrene), 2971C
Poly(*t*-butylacetylene), 2021C
Poly(butylene terephthalate), microstructural changes during crystallization of, 2617P
Poly(butylmethacrylate), wide MWD, flow and stress-strain properties of, 1971P
Poly(2-butyl-1,3,6-trioxocane), 2903C
Poly(ε-caprolactone) diffusion into poly(vinyl chloride), 1869P
Poly[*N*-(9-carbazolyl)acetylethylenimine], 37C
Poly[*N*-(2-(9-carbazolyl))propanoylethylenimine], 37C
Polycarbonate of bisphenol-A, crystalline high-melting, formation of, 2459P
Polycarbonate, sorption of gases at high pressure in, 1525P
—, specific interaction with polyester, quantum mechanical study of, 239P
Polycarbonate resistance to stress cracking of blend of polyester with, 2135P
Poly(chloro-2,4-phenylene isophthalamide) (PCI), 2377C(N)
Poly-conjugated polymers, 1703C
Poly(decene-1), 2217C
Polydiacetylene, 2297C
Polydiacetylenes in interpenetrating networks with epoxy, 1177P
Poly(diallyl dimethyl ammonium chloride), 1813P
Polydiancarbonate, dopant effect on thermoluminescence of, 697P
Polydienes, 1065C
—, sequence distribution in, 2255P
—, theory of sequence distribution in, 2219P, 2229P, 2241P
Poly[dimethyl-co-methyl(L-naphthyl)silylene], 1943C
Polydimethylcyclosiloxanes, 155C
Poly(4,4-dimethyl-1-penten-3-one) (PBVK), 875C
Polydimethylsiloxane, 1085C
—, elastomeric network models for, 1207P
Poly(dimethyl siloxane), 621C, 2395C
—, elastomeric network models for, 1207P
Polydimethylsiloxane oligomers, 1197C
Polydimethylsiloxane-*N*-phenylsilazane copolymer, 1085C
Polydimethylsiloxanes, 1251C
—, chain extension and crosslinking of, 443P
Polydimethylsiloxane–vinyl block polymers, 1197C, 1251C
Polydispersity, 3291C
—, effects on diffusion in polymers, 1P
—, of molecular weights, 229P
Poly dithioesters, 147C
Polyelectrolyte copolymers of maleic acid–vinylpyrrolidone, viscometry of, 2421P
Polyelectrolyte effects in solutions of polyamic acid, 923P
Polyelectrolytes, thermodynamics and hydrodynamics of dilute solutions of, 511P
Poly(enamine-ketones), 2279C
Polyethylene, origins of multiple endothermic peaks in melting of, 2087P
—, sorption of CO_2 in, 2107P
Poly(ethylene terephthalate), oriented, thermal effects on mechanical properties of, 2123P
Polyesters, aromatic, dynamic mechanical behavior of networks of, 337P
—, aromatic, Raman spectra of, 1783P
—, cycloaliphatic, stress-strain-birefringence of, 2805P
—, IR spectroscopy of mesophases in, 827P
Polyether elastomers, 1423C
Poly(ether ether ketone) (PEEK), 641L

Poly(ether urethane) films, 1599C
Polyethylene, 3191C
—, crystal growth from solutions of, 2319P
—, dielectric relaxations of dipolar aromatics in, 1259P
—, drawn, irradiated, structure and properties of, 1093P
—, environmental stress cracking and morphology of, 1625P
—, low-density, electron trapping in, 1713P
—, low-density, environmental stress cracking of, 89P, 1917P
—, low density, structural changes in annealing of, 839P
—, nucleation-controlled growth of twinned crystals of, 1183P
—, permeation of gas through, 2149P
—, SAXS of, 633P
—, sorption of gases at high pressure in, 1525P
—, stressed, IR and Raman spectra of, 1039P
—, thermodynamics of deformation of, 1839P
—, ultra-high molecular weight, melt anisotropy of, 99P
Poly(ethylene-co-propylene)-*g*-polystyrene, 2853C
Poly(ethylene glycol methyl ether)-*b*-poly(ethylenimine), 2797C
Poly(ethylene glycol) (PEG), 375C(N)
Polyethyleneglycol–polystyrene block copolymer, 405C
Polyethyleneglycols (PEG), 405C
Polyethylene-grafted films, 1933C
Poly(ethylene oxide)(PEO), 3551C
—, biodegradability, 331L
—, calorimetric study of crystallization of 577P
—, kinetics of melt crystallization of, 595P
Polyethylene/polypropylene, bonding strength, 537L
Poly(ethylene terephthalate) (PET), 1281C, 2541P
—, analysis of trichoric IR absorption in, 2525P
—, annealed, Raman spectra of, 1783P
—, drawing of melt-spun fibers of, 1665P
—, microstructural changes during crystallization of, 2591P
—, molecular orientation in biaxially oriented sheets of, 1459P, 1481P
—, solvent induced crystallization of, 1321P, 1341P
—, dual-mode sorption of CO_2 in, 121P
Poly(ethylenimine), 3219C
Poly(glycidyl methacrylate), 1685C
Polyhalocompound, 603C
Poly(hexyl α-chloroacrylate), determination of tacticity, 389L
Polyhydroxybutyrate (PHB), 69P
Poly(2-imidazolin-5-ones), 2739C
Polyimide, iodine diffusion coefficient in, 263P
Polyimides, 2823C
Poly iminohexamethyleneiminoadipoyl, 3573C
Polyisophthalamides, 483C
Polyisoprene, 2467C
Polyisoprene microstructure, 2255P
Polyisoprenes from guayule, crystallization of, 1943P
Poly(isopropyl acrylate), NMR study of molecular motion in chloroform solutions of, 493P
Poly(*N*-isovaleryl ethyleneimine), 1455C
Polymer, synthesis, 13L
Polymer alloy is miscible, 1813P
Polymer-bound photolabel, 241C
Polymer-bound steroids, 359C
Polymer-cell surface interaction, 241C
Polymer chain motion on a truly molecular level, 203P
Polymer-diluent mixtures, 377L
Polymer end groups, 2401C
Polymer melt viscosity, 541L
Polymer melts, 83L
Polymer miscibility, 551C, 2577C
Polymer-polymer interaction in ternary system polystyrene/poly(α-methyl styrene)/cyclopentane, 325P
Polymer–polymer interaction parameter, 343L
Polymer–polymer miscibility, 579C(N)
Polymer radicals, 1519C
Polymer self-diffusion, 269L
Polymeric microspheres, 203C
Polymeric organolithium compounds, 827C
Polymeric organosilicon systems, 1551C
Polymeric phenol, 2971C
Polymerizable bisphthalonitrile monomers, 1997C
Polymerization, 177L, 3299C
—, of acrylamide, 379C
—, of acrylonitrile, 3393C
—, kinetics, 1313C
—, of para-xylylene derivatives, 215C
—, reactions, 3475C
—, of silylbutadiyne, 215L
—, under high pressure, 177L
Polymerized graft, 2027C
Polymerizing epoxides, 1423C
Polymers, HT structure, 7L
—, configurational properties, 541L
Polymers with alkoxy side groups, 165L
Polymethacrylamide derivatives, 3201C
Polymethacrylate derivative, 119C
Poly(methacrylic acid), 3461C
Poly(methyl acrylate-co-styrene), 2765C
Poly(3-methyl-3-buen-2-one) (PMIK), 875C
Poly(γ-methyl L-glutamate), crystalline polymorph, 2821P
Poly(methyl methacrylate), 1297C, 2517C
—, craze stresses near cracks in, 2433P
—, melt diffusion at interface with poly(vinylidene fluoride), 143P
—, relaxation modes and spectrum of retardation times in, 1859P
—, sorption of gases and binary gas mixtures in, 175P
—, syndiotactic, ordered structures of, 657P
Poly(methyl methacrylate-*g*-urethane), 2831C, 2845C
Poly(4-methyl pentene-1), heat of fusion of, 1451P
Poly(1,4-naphthalene vinylene), preparation, 503L
Polynuclear and halogenated structures, 255C
Polynuclear-metal-complex battery, 435L
Polynucleic acid analogs, preparation, 243L
Polynucleotide analogs, 3219C, 3335C, 3349C
Poly(oxy-*trans*-1,4-cyclohexyleneoxycarbonyl-1,4-bicyclo[2.2.2]octylenecarbonyl-co-oxy-trans-1,4-cyclohexyleneoxysebacoyl), 1923C
Poly[oxy-2,2′-diphenyleneoxyterephthaloyl-co-oxy(2-methyl-1,4-phenylene)oxyterephthaloyl], 931C
Poly(oxyethylene), conformation of, 1383P
Polyoxymethylene, ultradrawn, voids and radicals in, 1067P
Poly[oxy(2-methyl-1,4-phenylene)oxytere-phthaloyl-co-oxymethylene-1,4-cyclohexylenemethylene-oxyterephthaloyl], 2239C
Poly[oxy(2-methyl-1,4-phenylene)oxytere-phthaloyl-co-oxy(2-methyl-1,4-phenylene)oxy-1,4-cyclohexanediacetoyl], 2239C
Poly(1,4-oxylylene thioethers), 495C
Polypeptide, synthesis, 311L
Polypeptide membranes, 665C
Poly(*p*-phenylene benzobisthiazole) (PBT), morphology and structure of homopolymer and blends of, 1991P
Poly(*m*-phenylene disulfide) doped with SbF_5, 2197P
Polyphenylene sulfone, 2373C(N)
Poly(*p*-phenylene terephthalamide), NMR of solid state and solutions of, 805P
—, properties of H_2SO_4 solution, 713P
Poly(*p*-phenylene vinylene), electron diffraction study of, 2793P
Polyphenylenes, 255C
Polyphenylmethylsiloxane, different temperature and pressure dependences of density fluctuations in, 1683P
Polyphosphoric acid, 1703C
Poly (polyethyleneglycol-azobiscyanopentanoate), 405C
Poly(propenyl ether)s, 1363C
Polypropylene, 3033C, 3089C
—, crystal morphology in blends of, 1559P
—, β-crystalline isotactic, mechanical thermal and morphological properties of, 461P

—, diffusion of Cu^{+2} catalysts in, 503P
—, drawn isotactic, mechanical and transport properties of, 1009P
—, effect of drawing on glass transition in, 2145P
—, glassy, relaxations in, 2379P
—, isotactic, morphology of γ-phase crystals of, 2017P
—, isotactic, sorption of CH_2Cl_2 in quenched films of, 451P
—, monoclinic isotactic, lamellar branching in, 1541P
Polypropylene glycol, 2831C
Poly(propylene oxide) in toluene, dielectric relaxation of, 2049P
Poly(propylene terephthalate), annealed, Raman spectra of, 1783P
Polyquinazolones, 2047C
Polyquinoline, dilute solution properties of, 1493P
Poly-Schiff bases, 331C
Polysilane model compounds, MNDO computations of properties of, 1233P
Polysiloxanes, 1551C
Poly(sodium *p*-styrene sulfonate), 1813P
Polystyrene, 35L
—, compressive modulus of *cis*-decalin gels of, 2499P
—, dielectric relaxation in blends of, 1587P
—, diffusivity in 1,4-dioxane of molecular weight standards of, 817P
—, drawn atactic, sorption of CO_2 in, 1805P
—, heat capacity of substituted and crosslinked solid and liquid, 2725P
—, phase equilibria in ternary system with poly(α-methyl styrene) and cyclopentance, 325P
—, sorption of CO_2 in, 957P
Polystyrene-alkoxide ionomers, 2743P, 2757P, 2767P
Poly(styrene-co-acrylonitrile), 537C, 551C
Poly(styrene-co-methyl methacrylate), 3145C
Polystyrene derivatives, 203C
Polystyrene–poly-4-vinylpyridine, 1441C
Polystyrene seed, 3499C
Polystyrene sulfonate ionomers, 273L
Poly(styryl)lithium, 827C
Polysuccinimides, 2823C
Polysulfone, sorption of gases at high pressure in, 1525P
Polythioethers, 495C
Polythiophene films, 147L
Poly-1,2,4-triazoles, 103C
Poly(trifluoroethylene), ferroelectric order and phase transition in, 2059P
Polytrimellitamideimide film, molecular aggregation in, 1441P, 1619P
Polyurea, 1915C
Polyureas, 65L
Polyureas, syntheses, 65L
Polyurethane, 2831C, 2845C
—, compatibility in blends with chlorinated PVC, 1577P
Polyurethane block copolymers with hard and soft segments, 2681P
Polyurethane by impingement mixing in RIM, effect on microstructure of, 2359P
Polyurethane elastomers, segmented, SAXS study of, 885P
Polyurethane network, 3291C
Polyurethanes, morphology and hydrogen bonding in, 2487P
Poly(vinyl acetate) (PVAc), 301C
Poly(vinyl alcohol) (PVA), 301C, 1819C, 2209C
—, films, electrical conduction of, 2631P
—, light scattering study of sol-gel transition in aqueous solutions of, 303P
Poly(vinyl benzoate), sorption of gas in, 535P
Poly(vinyl chloride), 681C, 1753C, 2577C
—, diffusion of poly(ε-caprolactone) into, 1869P
Poly(vinyl ether)s, 1363C
Poly(vinyl fluoride) (PVF), 301C
Poly(vinylidene chloride) (PVDC), thermal degradation, 257L
Poly(vinylidene fluoride), 2541P
—, melt diffusion at interface with PMMA, 143P
Poly(4-vinylphenylacetate-co-maleic anhydride), 1487C
—, melt diffusion at interface with PMMA, 143P
Poly(vinyl pyrrolidone), 2591C, 2695C(N)
Poly(*w*-aminoundecanoic acid), 3573C
Porphyrin-based polymers, 1717C
Positions, *Ortho* and *para*, 2085C
Positron annihilation, 3033C
Positron annihilation in amine-cured epoxy polymers, 1247P
Post-gamma-irradiation, 3089C
Postpolymerization, 707C
Potassium, 883C
Potassium carbonate, 1997C
Potassium persulfate, 3499C
The potential energy of rods in a steady-state, homogeneous, and irrational flow, 1361P
Potentiometric titration, 2815C
Powdered nylon 66, 503C
Poyperoxides, 379C(N)
PPX, 45P
Precipitation polymerization, 567C
Preparation, 243L, 491L, 503L, 2853C
—, of aromatic polyesters, 97C
—, macroazo-initiator, 491L
—, of silicon-containing polymers IV, 103C
Presence of an intercluster potential, 1767P
Primary alcohols, 2199C
Primary diamines, 2739C
Propagating radicals, 1519C
Propanoyl groups, 511C
Propeneglycol, 1643C
Propenylbenzene, 1615C
Properties of azopolyimides, 793C
i-Ppropyl, 1389C
n-Ppropyl, 1389C
Propylene, 2483C
Prussian Blue (PB), 435L
o-Ps component, 3033C
PVC latex, 1313C
PVDF, 2541P
Pyrene, 1413C
Pyrene ation radical, 1413C
Pyridine, 97C, 637C, 1697C
Pyridine initiated homopolymerization, 219L
Pyrolysis, 1657C
Pyrolysis/GC/MS study, 1173C
Pyrolysis-mass spectrometry, 331C
Pyromellitic dianhydride, 793C
Pyrrole, 1529C

Quantitative determination, 2701C(N)
Quantum mechanical study of molecular interactions between BPA polycarbonate and linear aliphatic polyesters, 239P
Quasielastic light scattering from once-broken rods in solution, theory of, 2403P
Quenched forms, 3089C
Quenching, 2749C
Quinones, 2927C

Racemic, 2773C
Radiation damage, 2119C
Radiation sensitivity of macromolecules, temperature dependence of, 2337P
Radiation-induced copolymerization, 2107C
Radiation-induced crosslinking, 901C
Radiation-induced graft copolymerization, 2507C
Radiation-induced graft polymerization, 1933C
Radiation-induced polymerization, 3263C
Radical formation
—, in large molecules, mechanism of, 2337P
—, in ultradrawn polyoxymethylene, 1067P
Radical polymerization, 2271C
Radical polymerization of vinyl monomers, 191C(N)
Radical polymerization rate, 2425C
Radical polymerications, 197C
Radical-initiated homopolymerization, 3177C
γ-radiolytic initiation, 1027C
Raman spectra
—, of aromatic polyesters, 1783P

—, and conformation of POE, 1383P
—, of iodinated nylon 6, 133P
—, of stressed polyethylene, 1039P
—, of syndiotactic poly(methyl methacrylate), 657P
—, of terminally brominated paraffins, 1373P
—, of ultra-high molecular weight PE, 99P
Rate of copolymerization of styrene, 559C
Reaction injection molding, impingement mixing and polyurethane microstructure in, 2359P
Reaction of polyhydrazide precursors, 103C
Reactivity ratios, 2507C
Recipe formulation, 3499C
Reciprocity, 1043C
Redistilled VCM, 1609C
Redox polymerization, 3299C
Redox system, 2131C
Red phosphorus, 1297C
Refractometry of lyotropic mesophase systems, 1515P
β Relaxation, 251P
β Relaxation for anhydride-cured systems is due to the motion of the diester segment, 251P
β Relaxation observed below the glass transition temperature, 867P
Relaxation processes in capillary melt flow of polymers, 1735P
Relaxation processes from photon correlation spectra of PMMA above T_g, 1859P
Relaxation, secondary, in isochronal measurement of glasses, 2655P
Relaxation strength $\Delta\epsilon_\alpha$ of the α relaxation, 867
Relaxation in viscoelastic systems, model for, 619P
Relaxations, electric, in polydiancarbonate, 697P
Relaxations of epoxide resins with spiro-ring structures, 2185P
Relaxations in polyphenylmethylsiloxane, 1683P
Relaxations in quenched and crystallized glassy polypropylene, 2379P
Reproducibility, 3077C
Resin, 3573C
Rheological properties, 27P
Rheological properties of ionomers, 263L
Rheology of hydroxypropylcellulose (HPC)–acetic acid solutions, 189P
Rheology of semiflexible thermotropic liquid-crystalline polymers, 27P
Rhodamine 6G, 1053C
Rhodium, 991C
Ring-opening polymerization, 109L, 319L, 645L
Rotational mobility of fluroescence probes in uniaxial polymer systems, 111P
Rouse–Ham theory, 3009C
Rubber, 393L
Rubber, natural, crystallization of *cis*-polyisoprenes from, 1943P
Rubber, natural, deformation and relaxation of carbon black filled compound of, 161P
—, saturated, 171L
Rubbery polymers: double-step retraction of polyisoprene vulcanisate, 2307P
Russian workers, 3555C

SAXS data of Gierke et al., 1767P
SAXS data of Roche et al., 1767P
SAXS peak due, 59P
Schiff-bases, 2789C
Sea water, 1953C
Second virial coefficient of polyeclectrolytes, 511P
Secondary diamines, 3117C
Seeded emulsion polymerization, 1027C
Selective hydrogen addition, 2119C
Selective orientation, chitosan sheets, 423L
Self-alkylation, 347C
Semiconducting aromatic polyquinonediimines, 1703C
Semiconducting polymers, 1675C
Semicrystalline polymers, chain folding, 565L
—, overcrowding in amorphous phase, 305L
Semicrystalline poly(p-phenylene sulfide) (PPS), morphological textures, 573L
Sequence distribution in polydienes, 2219P, 2229P, 2241P, 2255P
Sequential copolymers, 15C, 965C
Sequential bipolyesters, 1643C
Sequential homogeneity, 803C(N)
–SH groups, 665C
Shrinkage, polyacrylnitryl (PAN) textile fibers, 339L
Side-chain liquid-crystalline polymers, 1363C
Side chains, 665C
Silastic tubings, 3233C
Silicon compounds, bonding ability, 471L
Silicone polymers, effect of sidechains on gas absorption in, 2033P
Silicone rubber, 3233C
Silk fibroin, methanol-induced structural changes in, 1227P
Siloxane bond cleavage, 1085C
Silylbutadiyne, polymerization, 215L
Single-crystal mats, 59P
Single 48-vibration θ_1, 45P
Size exclusion chromatography, 1829C
Small-angle scattering peak in ion-containing polymers is not a Bragg peak, 1767P
Small-angle x-ray and neutron scattering studies of ion-containing polymers, 1767P
Small molecule penetration, detection, 159L
SN-conducting polymers, 2947C
Sodium-3-acrylamido-3-methylbutanoate (NaAMB), 2619C, 2635C
Sodium sulfide, 495C
Sodium thiophenate, 1753C
Solid phase, 317C
Solid state, 2927C
Solid-state behavior, 747C
Solid state polymerization, 627L
Solid state suspension polymerization, 627L
Solid-state thermolysis, 2971C
Soluble aromatic polyesteramides, 637C
Soluble microgels, 1735C
Solution properties of semi-rigid polyquinoline, 1493P
Solvent-swollen polystyrene networks, 655C
Sorption and diffusion of CH_2Cl_2 in polypropylene, 1009P
Sorption and transport of CO_2 in polyimide, 779P
Sorption of CO_2 in drawn atactic polystyrene, 1805P
—, in glassy PET, dual-mode parameters for, 121P
—, in polyethylene, 2107P
Sorption of gas in polymers, high pressure dilatometry of, 935P, 957P
Sorption of gas in poly(vinyl benzoate), 535P
Sorption of gases and gas mixtures in PMMA, 175P
Sorption of gases in glassy polymers, 563P
—, in polymers at high pressure, 1525P
—, in silicone polymers, effect of sidechains on, 2033P
Sorption of methylene chloride in isotactic polypropylene, 451P
Soybean phospholipid liposomes, 3433C
Spacer, 2027C
Spectroscopic and model compound studies, 1725C
Spectroscopic methods, 2577C
s-poly(methyl methacrylate), 551C
Spurt effect in melt flow, 1735P
S-S cross linking, 665C
Stability, cellulose formate, 495L
Stabilized carbonium ion, 1725C
Stabilized polyacrylonitrile fiber, 3101C
Stable polymer complexes, 3201C
Starch, 2599C
Starting materials for processing fibers and films, 189P
Statistical mechanics of linear polymer chain dynamics, 2073P
—, of solutions of once-broken rigid rods, 2403P
Statistical mechanics: direct calculation of dynamic scattering spectrum, 2703P
Stepwise copolycondensation, 637C
Stereochemistry, 835C
Stereoregular and optically active polyamides, 75C
Stereoregular polymer, 1779C
Stereoregular structure, 1487C
Stoichiometric and nonstoichiometric polyion complex films, 1813P

The strain ensemble predicts that $f = 0$ for $r = 0$, 389P
Stress distribution in crazing of PMMA, 2433P
Stress ensemble with $f = 0$ it is found that $\langle r^2 \rangle_0 > 0$, 389P
Stress-optical behavior of cycloaliphatic polyesters, 2805P
Stress relaxation, biaxial, of carbon black filled elastomer, 161P
Stress-strain properties of wide MWD poly(butylmethacrylate)
Structural and electronic properties of polysilane model compounds, MNDO study of, 1233P
Structural plasticization of the polymer, 857P
Structure of crazes, 11P
1,4 Structure of the butadiene segments, 1239C
Structure–properties relationships, 2853C
Structure-property relationships, 1133C
Structure–property relations for the quantitative prediction of rheological properties of polymers, 203P
Styrene, 691C, 777C, 2191C, 3109C
Styrene oxide, 3399C
3-(4-Styrenesulfonamido)-propyl group, 1565C
Styrene sulfonylcholoride, 203C
Substituents, 2981C
4′-Substituted-4-carboxychalcone, 1227C
Substituted phenols, 3117C
N-Substituted phenoxazine polymers, 1565C
4-Substituted phenyl groups, 2047C
β-Substituted *β*-propiolactones, 2773C
Successive seeding, 3515C
Sucrose, hydrolysis, 533L
Sulfonated polystyrene ionomers, ionic interactions, 263L
Sulfonation, 1441C
4,4′-Sulfonyldiphenol, 613C, 2373C(N)
Sulfuric acid, 1463C
Sulphonic acids, 2199C
Surfactants, 427C
Syndiotactic poly(methyl methacrylate), 2577C
Synthesis, 13L, 311L
Synthesis and characterization of model compounds for carbazole-substituted *N*-acylated linear polyethylenimine (PEI), 511C
Synthetic angular profisetinidin tetraflavanoid derivatives, 835C
Synthesis of polyamide, 269C
Synthesis of poly(benzoxazole)s, 1019C
Synthesis of polyesters containing nucleic acid, 525C
Synthetic polymer membranes, 1585C

Ta catalysts, 3569C
Tantalum(V), 809C(N)
Tantalum-based catalysts, 1839C
Tarasov treatment, 45P
Tautomeric structures, 529L
Telogens, 3325C
Telomerizaton, 173C
Temperature dependence of the first normal-stress difference and of the apparent viscosity, 189P
Temperature effect, color complexation, 597L
Template polymerization, 3249C
Tensile tests, 2845C
Terephthalate transesterification, 3315C
Termination-rate coefficients, 1027C
Terminus, 3365C
p-terphenyl, 255C
Tertiary oxonium ion, 2757C
Tetracyanoquinodimethane, 645C
Tetraflavanoid-condensed tannin, 835C
Tetrahydrofuran (THF), 2757C, 3177C
Tetrahydrofurans, 827C
Tetrahydrofuran-soluble, 2609C
2,2,6,6-Tetrahydryl-*F*-heptanedioic acid, 2033C
1,1,5,5-Tetrahydryl-*F*-1,5-pentanediol, 2033C
Tetramers, 173C
N,N,N′,N′-tetramethylethylenediamine (TMEDA), 827C, 1419C
Thermal analysis, 1577C
Thermal behavior of poly(*p*-benzamide), 1675P
Thermal decompositions mechanisms, 1643C
Thermal degradation, 77L, 257L
Thermal degradation kinetics, 257L
Thermal degradation mechanisms, 301C
Thermal depolymerization, 1085C
Thermal initiation, 759C
Thermal initiator, 567C
Thermal and mechanical behavior, 2845C
Thermal and mechanical methods, 2823C
Thermal oxidation of poly(ethylene-co-carbon monoxide), 3191C
Thermal properties, 1657C, 2377C(N)
Thermal stability, 2517C
Thermal transitions, 2217C
Thermally stable organosilicon, 103C
Thermally stable polymers, 1109C, 3559C
Thermally stimulated depolarization current measurements, use of blocked electrodes in, 2209P
Thermally stimulated discharge current in a cured polyester resin, 857P
Thermodynamic data, 579C(N)
Thermodynamic parameters, 503C, 2271C
Thermodynamic parameters of liquid, high-melting polymers containing phenylene groups, 1755P
Thermodynamics of dilute polyelectrolytes, 511P
Thermodynamics of linear reversible deformation, 1839P
Thermodynamics of polymer solutions, Gibbs free energy and interaction parameter for, 2473P
Thermodynamics: PVT relations in melts of poly(vinyl acetate)–polyethylene copolymers, 687P
Thermogravimetric analysis, 2415C, 3301C
Thermogravimetric methods, 2209C
Thermoluminescence, effect of doping on, 697P
Thermoluminescence emission from LDPE, 1713P
Thermolysis, 1251C
Thermolyzable bis(silyl pinacolate) groups, 1197C
Thermooxidatively stable articulated benzobisoxazole, 1863C
Thermoplastic, 69P
Thermoplastic composite, 2101C
Thermoreversible gelatin, 287L
Thermoreversible gels of cellulose acetate, 1725P
Thermotropic copolyesters, 1923C, 2239C
Thermotropic liquid-crystalline copolyethers, 15C
Thermotropic liquid-crystalline polymers, 1363C
Thermotropic polythioethers, 451C
THF solutions, 2253C
Thick shear bands, 2433C
Thin film deposition, 3077C
Thiol end groups, 2891C
Thionyl chloride, 97C, 603C, 701C, 1697C
Thiophene, 147L
Thymine, 2797C
2-(thymin-1-yl)propionic acid (TPA), 525C
Time-dependent computer simulation, 389P
Titanacyclopentadienes, 3529C
Toluene, 427C
Toluene solution, 2773C
p-toluene sulfonic acid, 469C
Tolylene diisocyanate (TDI), 727C, 2831C
Torsional pendulum studies, 2853C
Total titanium, 1967C
Transesterification, 3301C
Transetherification, 2199C
Transition metal cations, 103L
Translational diffusion, 19P
Transmission electron microscopy, 171L
Transport properties related to composition of quenched isotactic polypropylene, 451P
B-triamino-N-triphenyl-, 173C
Tributyl amine, 2401C
Trichloromethyl end groups, 3129C, 3325C
Trichloro-*s*-triazine, 737C
Trichroic infrared absorption, 2541P
Trichroic infrared absorption analysis, 2541P
Tricyclic fused-rings, 2553C
Triene groups, 2959C
Trimethylcyclohexylisocyanate (IPDI), 3021C
Trimethylsiloxy, 1085C
1-(Trimethylsilyl)-1-propyne homologs, 1839C
2,4,6-trinitrochlorobenzene, 1227C

Trinitophenylated, 1497C
Triphenyl-phosphine, 603C, 2231C
Triphenylphosphine (Ph_3P), 1915C
Triphenylphosphite (TPP), 1281C
Tris(2,2'-bipyridine)ruthenium(II), 2749C
N,N',N''-Tris(3-dimethyl-aminopropyl)-3-hexahydrotriazine, 2867C
Tritylated, 2981C
Tung oil-phenol reactions, 2351C
Two silicon atoms, 1839C
Two- and three-component interpenetrating polymer networks (IPNs), 2297C

Ultrahigh-molecular-weight polyethylene, 59P
Ultraviolet (UV) excimer lasers, 371L
Ultraviolet absorption spectra of carbazole- or pyrene-substituted polyethylenimines and polydehydroalanines, 2275P
Uncatalyzed polymerization, 2599C
Undeformed material, 2433C
Unidirectional composites, 2383C
Uniform drawing at 100°C, 59P
Uniform polymer particles, 2995C
Unimolecular termination mechanism, 1735C
Unimolecular thermal chain-scission, 1297C
Universal response theory, 209P
Unreactive amino groups, 1497C
Unsymmetrically substituted diolefin crystals, photopolymerization, 153L
Uracil, 3335C
Uranium, 1953C
UV absorbance, 3219C
UV-curable polybutadiene acrylates, 1161C
UV irradiation, 119C, 1351C
UV laser etching, 371L
UV stabilizer, 1351C

Vacuum, 2773C
Valeraldehyde, 2903C
Vapor synthesis, 3447C
Vaporization of $MgCl_2$, 3447C
Various active esters, 1685C
Vazo-33, 567C
Via a carboxylic sulfinic-anhydride, 97C
Vibrational characterization of polymeric copper(II) coproporphyrin, 1717C
Vilsmeier adduct, 187C
Vilsmeier adducts, 701C
Vinylacetate, 1337C
Vinyl acetate, 861C, 925C, 2107C, 3225C
Vinyl backbone, 1565C
N-Vinyl carbazole, 2507C
Vinyl chloride, 1313C, 1609C
Vinyl ethers, 925C
Vinyl monomers, 457L, 875C, 1519C, 1747C, 1849C, 2209C
Vinyl polymerization, 1L, 283L
Ortho-vinylbenzaldehyde, 133C
Ortho-vinylbenzyl alcohol, 133C
Vinylene polymerization, 1615C
Vinylidene polymers, 301C
4-vinylpyridine, 3461C
N-Vinyl-2-pyrrolidone, 2107C
Vinyltrichloroacetate, photopolymerization, 477L
Virgin poly(tetrafluoroethylene) (PTFE), high-resolution electron microscopy, 557L
Viscoelastic behavior of polyisoprene vulcanisate, 2307P
Viscoelastic properties of bisphenol-A based resins, 1303P
Viscoelasticity, coupling model of relaxation in, 619P
—, of linear polymers, theory of, 2073P
Viscosimetric titration, 2815C
Viscosity, 399L
—, of liquid crystalline solutions of hydroxypropyl cellulose, 1849P
—, of melts in relation to entanglement density, 1983P
—, of wide MWD poly(butylmethacrylate) melts, 1971P
Viscosity and absorbance change results, 1879C
Volatile cyclic oligomers, 1085C
Volatile oligomers, 3233C

Water-ethanol mixture, 1585C
Water-soluble copolymers, 2619C
Water-soluble polymers, 87L, 3433C
Water-soluble vinyl monomers, 707C
WCl_6-based catalysts, 2021C
Wholly aromatic polyamide-hydrazides, 1133C
Wide distribution of size and perfection of nuclei, 761P
Wide temperature range on copolymers of ethyl methacrylate with methacrylic and acrylic acid synthesized by radical copolymerization, 867P
Wide-angle x-ray, 2101C

X-ray amorphous scattering intensity, 59P
X-ray diffraction
—, of aromatic polyamideimide, 1441P
—, of drawn irradiated polyethylene, 1093P
—, interpretation of small-angle scattering of oriented polymer systems, 633P
—, of LDPE superstructure, 839P
—, of Nylon 6, 549P
—, of polybutene-1, heat of fusion from, 1509P
—, of polyethylene, 633P
—, of poly(γ-methyl L-glutamate), 2821P
—, of polyurethane-polyether elastomers, 1401P
—, of segmented polyurethane elastomers, effect of annealing on, 885P
—, of silk fibroin, 457P
—, studies, 215C
X-ray photographs, 3263C
XPS studies, 3101C

Yezrielev, Brokhina, and Roskin (YBR) method, 2107C

Ziegler-Natta catalyst, 1505C
Ziegler-Natta catalysts, 1615C, 1633C
Ziegler-Natta catalyst system, 1069C
Zirconacyclopentadienes, 3529C
Zwitterionomers from polyurethane block copolymers, 2681P